

BSES YAMUNA POWER LIMITED (BYPL)

Notice Inviting Tender (NIT)

for

"Civil Retrofitting Works of Office Buildings & Grid Buildings in BYPL"

NIT No.: CMC/BY/24-25/RS/SvS/VK/50

Dated: 21.12.2024

[RFx No: 220000083]

Due Date for Submission of Tender: 13.01.2025, 15:30 HRS

Date and Time of opening: 13.01.2025, 16:00 HRS

BSES YAMUNA POWER LIMITED,

Shakti Kiran Building, Karkardooma, New Delhi – 110032 Corporate Identification Number: U40109DL2001PLC111525 **Website:** www.bsesdelhi.com

(This document is meant for the exclusive purpose of bidding against this NIT Number /Specification and shall not be transferred, reproduced, or otherwise used for purposes other than that for which it is specifically issued).

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



CONTENTS

S.No.	ITEM	DESCRIPTION
1	CHECK LIST	CHECK LIST FOR BID SUBMISSION
2	SECTIONS	
2.1	SECTION-I	REQUEST FOR QUOTATION (RFQ)
2.2	SECTION-II	INSTRUCTION TO BIDDERS (ITB)
2.3	SECTION-III	SPECIAL TERMS & CONDITIONS (SCC)
2.4	SECTION-IV	GENERAL TERMS & CONDITIONS (GCC)
2.5	SECTION-V	SCOPE OF WORK
2.5	SECTION-VI	PRICE BID
3	ANNEXURES	
3.1	ANNEXURE-I	BID FORM
3.2	ANNEXURE-II	BIDDER'S DETAILS
3.3	ANNEXURE-III	SAFETY CONDITIONS OF CONTRACT
3.4	ANNEXURE-IV	ACCEPTANCE OF REVERSE AUCTION
3.5	ANNEXURE-V	MEASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE AND CONSTRUCTION & DEMOLITION
4	FORMATS	
4.1	EMD	EARNEST MONEY DEPOSIT (EMD) BANK GUARANTEE
4.2	CPBG	CONTRACT CUM PERFORMANCE BANK GUARANTEE (CPBG)
4.3	NDA	NON-DISCLOSURE AGREEMENT (NDA)
4.4	NDD	NO DEVIATION DECLARATION (NDD)
4.5	COMMUNICATION	BIDDER'S COMMUNICATION DETAILS
4.6	WORK COMPLETION CERTIFICATE	FORMAT FOR WORK COMPLETION CERTIFICATE

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]

Bidder Seal & Signature

INDEX



SECTION- I	
REQUEST FOR QUOTATION (RFQ)	
	9
3. EMD	
4. QUALIFYING REQUIREMENTS (QF	
5. PRE-BID MEETING:	
6. BID SUBMISSION	
10. CONFIDENTIALITY	
SECTION – II	
INSTRUCTIONS TO BIDDERS (ITB)	
1. GENERAL	
2. SCOPE OF WORK	
3. DISCLAIMER	
4. COST OF BIDDING	
5. TENDER DOCUMENTS	
6. AMENDMENT OF TENDER DOCUM	1ENTS
7. PREPARATION OF BIDS & LANGU	AGE
8. DOCUMENTS COMPRISING THE E	24 JID
9. BID FORM	
10. BID PRICES	
11. BID CURRENCIES	
12. PERIOD OF VALIDITY OF BIDS	
13. ALTERNATIVE BIDS	
14. FORMAT AND SIGNING OF BID	
15. SEALING AND MARKING OF BID	S25
16. DEADLINE FOR SUBMISSION OF	BIDS
17. ONE BID PER BIDDER	
18. LATE BIDS	
	WAL OF BIDS
20. EVALUATION OF BID	
NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]	Bidder Seal & Signature



22.	PRELIMINARY EXAMINATION OF BIDS / RESPONSIVENESS	26
23.	EVALUATION AND COMPARISON OF BIDS	26
24.	CONTACTING THE COMPANY	27
25. ALL	THE COMPANY 'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY BIDS	
26.	AWARD OF CONTRACT	27
27.	THE COMPANY'S RIGHT TO VARY QUANTITIES	28
28.	LETTER OF INTENT/ NOTIFICATION OF AWARD	28
29.		
30.	PROCESS TO BE CONFIDENTIAL	28
SE		30
SPI	ECIAL TERMS & CONDITIONS (SCC)	30
1.	DEFINITIONS	31
2.	SCOPE OF WORK	
3.	EFFECTIVE DATE, TIME AND VALIDITY	31
4.	ORDER VALUE	31
5.	RATES & ESCALATION	32
6.	CONTRACT CUM PERFORMANCE SECURITY BANK GUARANTEE (CPB)	3)32
7.	PAYMENT TERMS	33
8.	INSURANCE	
9.	PENALTY	34
10. AR	GUIDELINES REGARDING INSPECTION & MAINTENANCE OF PITS /DI EA WHILE DOING WORK AT SITE IN BYPL AREA	JG 35
11.	DERC GUIDELINES & REGULATIONS	35
12.	DEFECT LIABLITY PERIOD:	35
GE	NERAL TERMS & CONDITIONS(GCC)	36
1.	DEFINITION & INTERPRETATION	37
2.	PRIORITY OF CONTRACT DOCUMENTS	40
3.	AMENDMENT	40
4.	LANGUAGE AND MEASUREMENT	40
5.	EXAMINATION OF SITE & LOCAL CONDITIONS	40
6.	TAXES & DUTIES	40
7.	PAYMENT	41
8.	TAX INVOICE SUBMISSION PROCEDURE AND CERTIFICATION	42
9.	TIME ESSENCE OF CONTRACT	42
10.	LIQUIDATED DAMAGE	42

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



11.	PERIOD OF MOBILISATION	43
12.	SITE OFFICE AND SITE FACILITIES:	43
13.	ACCESS TO THE SITE	44
14.	INSPECTION & QUALITY CONTROL	44
15.	DAMAGE OF PRIVATE PROPERTIES / LIFE:	44
16.	DEMOBILISATION/ HANDOVER ON CONTRACT COMPLETION	45
17.	CO-ORDINATION WITH OTHER AGENCIES:	45
18.	REPORTS AND INFORMATION	45
19.	STATUTORY OBLIGATIONS	46
20.	PENALTY FOR NON-COMPLIANCE OF STATUTORY REGULATIONS	47
21. Agre	EEMENT	47
22.	STATUTORY PERMISSION/ APPROVALS	
23.	PERMITS, LICENSES&APPROVALS	
24.	REPRESENTATION, WARRANTIES AND GUARANTEES	49
25.	EVENTS OF DEFAULTS	50
26.	RISK & COST	50
27.	LIMITATION OF LIABILITY	51
28.	TERMINATION	
29.	GOVERNING LAW AND ARBITRATION	
30.	FORCE MAJEURE	52
31.	NOTICE & COMMUNICATION	54
32.	SAFETY CODE	54
33.	WORKMEN COMPENSATION	55
34.	THIRD PARTY INSURANCE	55
35.	HUMAN RESOURCE ISSUES	55
36.	DEPLOYMENT OF RESOURCES	57
37.	REPLACEMENT OF RESOURCE(S)	57
38.	CONTRACTOR'S OBLIGATIONS	58
39.	THE COMPANY/BYPL'S OBLIGATIONS/RESPONSIBILITIES	62
40.	INDEMNITY	62
41.	SECRECY & CONFIDENTIALITY	62
42.	NON-EXCLUSIVITY	63
43.	SEVERABILITY	63
44.	ASSIGNMENT&SUBLETTING	63
45.	ASSIGNMENT BY THE COMPANY	63
	e: CMC/BY/24-25/RS/SvS/VK/50 lo: 2200000083] Bidder Seal & Signat	ure



47. WAIVER OF RIGHTS	46. N	NO JOINT VENTURE	. 64
49. CONTRACTOR'S EQUIPMENT. 64 50. AVAILABILITY OF TOOL &PLANT (T&P) 64 51. FREE ISSUE MATERIAL 65 52. VENDOR CODE OF CONDUCT 65 53. DISCLOSURE OF RELATIONSHIP 65 54. MSME 65 55. COVID GUIDELINES 66 66. CLEANLINESS & PRECAUTIONS TO BE TAKEN WHILE DOING WORK AT 86 57. ENVIRONMENTAL, HEALTH &SAFETY 67 58. ACCEPTANCE 67 SCOPE OF WORK 69 3 GENERAL GUIDELINES 69 1 GENERAL GUIDELINES 69 2 DESIGN AND EXECUTION CRITERIA 70 2.1 Design Criteria 22 2.2 Cement. 23 2.3 Concrete 24 2.4 Steel 25 2.5 Aggregates 26 2.6 Bricks 29 2.7 Levelling, Excavation, Backfill& Compaction 28 2.8 General Requirement Site Surfacing/Stone Filling 29 2.9 Antiweed Treatment, Stone Spreading & PCC 210 2.11 WAREHOUSE BUILDING 212 2.12 PERPHIREIAL ROAD 213 2.13 BOUNDARY WALL 214	47. V	WAIVER OF RIGHTS	. 64
50. AVAILABILITY OF TOOL &PLANT (T&P) 64 51. FREE ISSUE MATERIAL 65 52. VENDOR CODE OF CONDUCT 65 53. DISCLOSURE OF RELATIONSHIP 65 54. MSME 65 55. COVID GUIDELINES 66 56. CLEANLINESS & PRECAUTIONS TO BE TAKEN WHILE DOING WORK AT SITE TO PREVENT DUST POLLUTION 66 57. ENVIRONMENTAL, HEALTH &SAFETY	48. 1	THE COMPANY'S RIGHT TO VARY QUANTITIES	. 64
51. FREE ISSUE MATERIAL 65 52. VENDOR CODE OF CONDUCT 65 53. DISCLOSURE OF RELATIONSHIP 65 54. MSME 65 55. COVID GUIDELINES. 66 56. CLEANLINESS & PRECAUTIONS TO BE TAKEN WHILE DOING WORK AT SITE TO PREVENT DUST POLLUTION 66 57. ENVIRONMENTAL, HEALTH &SAFETY 67 58. ACCEPTANCE 67 SECTION – V 69 69 20 DESIGN AND EXECUTION CRITERIA 70 2.1 Design Criteria 22 2.2 Cement 23 Concrete 2.3 Concrete 24 Steel 2.4 Steel 25 Aggregates 2.6 Bricks 2 2 2.7 Levelling, Excavation, Backfill& Compaction 2.8 General Requirement Site Surfacing/Stone Filling 2.9 Antiweed Treatment, Stone Spreading & PCC 2.10 TRENCH 2.11 WAREHOUSE BUILDING 2.12 PERPHIREIAL ROAD 2.13 BOUNDARY WALL 2.14 OUTDOOR YA	49. (CONTRACTOR'S EQUIPMENT	. 64
52. VENDOR CODE OF CONDUCT 65 53. DISCLOSURE OF RELATIONSHIP 65 54. MSME 65 55. COVID GUIDELINES 66 56. CLEANLINESS & PRECAUTIONS TO BE TAKEN WHILE DOING WORK AT SITE TO PREVENT DUST POLLUTION 66 57. ENVIRONMENTAL, HEALTH &SAFETY 67 58. ACCEPTANCE 67 59. COPE OF WORK 69 20 DESIGN AND EXECUTION CRITERIA 70 2.1 Design Criteria 22 2.2 Cement 23 2.3 Concrete 24 2.4 Steel 25 2.5 Aggregates 26 2.6 Bricks 27 2.7 Levelling, Excavation, Backfill& Compaction 2.8 2.8 General Requirement Site Surfacing/Stone Filling 2.9 2.9 Antiweed Treatment, Stone Spreading & PCC 2.10 2.10 TRENCH 2.11 2.11 WAREHOUSE BUILDING 2.12 2.12 PERPHIREIAL ROAD 2.13 <td< td=""><td>50. A</td><td>AVAILABILITY OF TOOL &PLANT (T&P)</td><td>. 64</td></td<>	50. A	AVAILABILITY OF TOOL &PLANT (T&P)	. 64
53. DISCLOSURE OF RELATIONSHIP 65 54. MSME 65 55. COVID GUIDELINES. 66 56. CLEANLINESS & PRECAUTIONS TO BE TAKEN WHILE DOING WORK AT SITE TO PREVENT DUST POLLUTION 66 57. ENVIRONMENTAL, HEALTH &SAFETY. 67 58. ACCEPTANCE 67 SECTION – V. 69 SCOPE OF WORK 69 1 GENERAL GUIDELINES. 69 2 DESIGN AND EXECUTION CRITERIA 70 2.1 Design Criteria 70 2.2 Cement. 62 2.3 Concrete 69 2.4 Steel 69 2.5 Aggregates. 69 2.6 Bricks. 69 2.7 Levelling, Excavation, Backfill& Compaction 60 2.8 General Requirement Site Surfacing/Stone Filling. 60 2.9 Antiweed Treatment, Stone Spreading & PCC. 60 2.10 TRENCH 61 2.11 WAREHOUSE BUILDING 61 2.12 PERPHIREIAL ROAD 61 2.13 BOUNDARY WALL 61 2.14 OUTDOOR YARD WORKS. 61 2.15 RAIN WATER HARVESTING WORKS. 61	51. F	FREE ISSUE MATERIAL	. 65
54. MSME 65 55. COVID GUIDELINES	52. \	VENDOR CODE OF CONDUCT	. 65
55. COVID GUIDELINES.	53. E	DISCLOSURE OF RELATIONSHIP	. 65
56. CLEANLINESS & PRECAUTIONS TO BE TAKEN WHILE DOING WORK AT SITE TO PREVENT DUST POLLUTION 66 57. ENVIRONMENTAL, HEALTH &SAFETY 67 58. ACCEPTANCE 67 SECTION - V 69 1 GENERAL GUIDELINES 69 2 DESIGN AND EXECUTION CRITERIA 70 2.1 Design Criteria 70 2.2 Cement 70 2.3 Concrete 70 2.4 Steel 71 2.5 Aggregates 71 2.6 Bricks 71 2.7 Levelling, Excavation, Backfill& Compaction 72 2.8 General Requirement Site Surfacing/Stone Filling 72 2.9 Antiweed Treatment, Stone Spreading & PCC 71 2.10 TRENCH 71 2.11 WAREHOUSE BUILDING 71 2.12 PERPHIREIAL ROAD 71 2.13 BOUNDARY WALL 71 2.14 OUTDOOR YARD WORKS 71 2.15 RAIN WATER HARVESTING WORKS 715	-		
SITE TO PREVENT DUST POLLUTION 66 57. ENVIRONMENTAL, HEALTH &SAFETY. 67 58. ACCEPTANCE 67 SECTION - V. 69 SCOPE OF WORK 69 1 GENERAL GUIDELINES. 69 2 DESIGN AND EXECUTION CRITERIA. 70 2.1 Design Criteria. 70 2.2 Cement. 23 2.3 Concrete 24 2.4 Steel. 25 2.5 Aggregates 26 2.6 Bricks. 27 2.7 Levelling, Excavation, Backfill& Compaction 28 2.8 General Requirement Site Surfacing/Stone Filling. 29 2.9 Antiweed Treatment, Stone Spreading & PCC. 210 2.10 TRENCH 211 2.11 WAREHOUSE BUILDING. 212 2.12 PERPHIREIAL ROAD. 213 2.13 BOUNDARY WALL 214 2.14 OUTDOOR YARD WORKS. 215 2.15 RAIN WATER HARVESTING WORKS. 215	55. C	COVID GUIDELINES	. 66
58. ACCEPTANCE 67 SECTION - V. 69 SCOPE OF WORK 69 1 GENERAL GUIDELINES 69 2 DESIGN AND EXECUTION CRITERIA. 70 2.1 Design Criteria 70 2.2 Cement. 2 2.3 Concrete 2 2.4 Steel 2 2.5 Aggregates 2 2.6 Bricks. 2 2.7 Levelling, Excavation, Backfill& Compaction 2 2.8 General Requirement Site Surfacing/Stone Filling 2 2.9 Antiweed Treatment, Stone Spreading & PCC 2 2.10 TRENCH 2 2.11 WAREHOUSE BUILDING 2 2.12 PERPHIREIAL ROAD 2 2.13 BOUNDARY WALL 2 2.14 OUTDOOR YARD WORKS 2 2.15 RAIN WATER HARVESTING WORKS 2	SITE T	O PREVENT DUST POLLUTION	. 66
SECTION - V. 69 SCOPE OF WORK 69 1 GENERAL GUIDELINES 69 2 DESIGN AND EXECUTION CRITERIA. 70 2.1 Design Criteria. 70 2.2 Cement. 22 2.3 Concrete. 24 2.4 Steel. 25 2.5 Aggregates. 22 2.6 Bricks. 22 2.7 Levelling, Excavation, Backfill& Compaction 28 2.8 General Requirement Site Surfacing/Stone Filling. 29 2.9 Antiweed Treatment, Stone Spreading & PCC. 2.10 2.10 TRENCH 2.11 2.11 WAREHOUSE BUILDING. 2.12 2.12 PERPHIREIAL ROAD. 2.13 2.13 BOUNDARY WALL 2.14 2.15 RAIN WATER HARVESTING WORKS. 2.15 RAIN WATER HARVESTING WORKS.			
SCOPE OF WORK 69 1 GENERAL GUIDELINES 69 2 DESIGN AND EXECUTION CRITERIA 70 2.1 Design Criteria 70 2.2 Cement 23 2.3 Concrete 24 2.4 Steel 25 2.5 Aggregates 26 2.6 Bricks 27 2.7 Levelling, Excavation, Backfill& Compaction 2.8 2.8 General Requirement Site Surfacing/Stone Filling 29 2.9 Antiweed Treatment, Stone Spreading & PCC 2.10 2.10 TRENCH 2.11 2.11 WAREHOUSE BUILDING 2.12 2.13 BOUNDARY WALL 2.13 2.14 OUTDOOR YARD WORKS 2.15 2.15 RAIN WATER HARVESTING WORKS 2.15			
1 GENERAL GUIDELINES 69 2 DESIGN AND EXECUTION CRITERIA 70 2.1 Design Criteria 70 2.2 Cement 70 2.3 Concrete 70 2.4 Steel 70 2.5 Aggregates 70 2.6 Bricks 70 2.7 Levelling, Excavation, Backfill& Compaction 70 2.8 General Requirement Site Surfacing/Stone Filling 70 2.9 Antiweed Treatment, Stone Spreading & PCC 70 2.10 TRENCH 70 71 2.11 WAREHOUSE BUILDING 71 71 2.12 PERPHIREIAL ROAD 71 71 2.13 BOUNDARY WALL 71 71 2.14 OUTDOOR YARD WORKS 71 71 2.15 RAIN WATER HARVESTING WORKS 71 71	SECTI	ON – V	. 69
2 DESIGN AND EXECUTION CRITERIA	SCOPE	E OF WORK	. 69
 2.1 Design Criteria 2.2 Cement 2.3 Concrete 2.4 Steel 2.5 Aggregates 2.6 Bricks 2.7 Levelling, Excavation, Backfill& Compaction 2.8 General Requirement Site Surfacing/Stone Filling 2.9 Antiweed Treatment, Stone Spreading & PCC 2.10 TRENCH 2.11 WAREHOUSE BUILDING 2.12 PERPHIREIAL ROAD 2.13 BOUNDARY WALL 2.14 OUTDOOR YARD WORKS 2.15 RAIN WATER HARVESTING WORKS 	1 GE	ENERAL GUIDELINES	. 69
 2.2 Cement	2 DE	SIGN AND EXECUTION CRITERIA	. 70
 2.3 Concrete	2.1	Design Criteria	70
 2.4 Steel	2.2	Cement	70
 2.5 Aggregates	2.3		
 2.6 Bricks	2.4	Steel	71
 2.7 Levelling, Excavation, Backfill& Compaction 2.8 General Requirement Site Surfacing/Stone Filling 2.9 Antiweed Treatment, Stone Spreading & PCC 2.10 TRENCH 2.11 WAREHOUSE BUILDING 2.12 PERPHIREIAL ROAD 2.13 BOUNDARY WALL 2.14 OUTDOOR YARD WORKS 2.15 RAIN WATER HARVESTING WORKS 	2.5	Aggregates	71
 2.8 General Requirement Site Surfacing/Stone Filling	2.6	Bricks	71
 2.9 Antiweed Treatment, Stone Spreading & PCC	2.7	Levelling, Excavation, Backfill& Compaction	72
 2.10 TRENCH 2.11 WAREHOUSE BUILDING 2.12 PERPHIREIAL ROAD 2.13 BOUNDARY WALL 2.14 OUTDOOR YARD WORKS 2.15 RAIN WATER HARVESTING WORKS 	2.8	General Requirement Site Surfacing/Stone Filling	72
 2.11 WAREHOUSE BUILDING 2.12 PERPHIREIAL ROAD 2.13 BOUNDARY WALL 2.14 OUTDOOR YARD WORKS 2.15 RAIN WATER HARVESTING WORKS 	2.9	Antiweed Treatment, Stone Spreading & PCC	73
 2.12 PERPHIREIAL ROAD 2.13 BOUNDARY WALL 2.14 OUTDOOR YARD WORKS 2.15 RAIN WATER HARVESTING WORKS	2.10	TRENCH	73
 2.13 BOUNDARY WALL 2.14 OUTDOOR YARD WORKS 2.15 RAIN WATER HARVESTING WORKS 	2.11	WAREHOUSE BUILDING	73
2.14 OUTDOOR YARD WORKS2.15 RAIN WATER HARVESTING WORKS	2.12	PERPHIREIAL ROAD	74
2.15 RAIN WATER HARVESTING WORKS	2.13	BOUNDARY WALL	74
	2.14	OUTDOOR YARD WORKS	74
3 INTERFACING75	2.15	RAIN WATER HARVESTING WORKS	74
	3 IN	TERFACING	. 75
4 INSPECTION, TESTING& QUALITY CONTROL			
NIT No: CMC/BY/24-25/RS/SvS/VK/50 Bidder Seal & Signature	NIT No: (CMC/BY/24-25/RS/SvS/VK/50	



5	STATUTORY RULES	75
6	DEVIATIONS	75
7	TOOLS &PLANTS :	76
8	Retrofitting Work:	76
9	APPROVED MAKES	79
SE	CTION – VI	82
PR	ICE BID	82
AN	NEXURE –I: BID FORM	85
	NEXURE – II	
	DDER'S DETAILS	
AN	NEXURE – III	89
SAI	FETY CONDITIONS OF CONTRACT	89
AN	NEXURE – IV	101
AC	CEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION	101
	ENT	
AN	NEXURE – V	103
ME	NEXURE – V ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A INSTRUCTION & DEMOLITION:	ND
ME CO	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A	ND 103
ME CO FOI	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE AN INSTRUCTION & DEMOLITION:	ND 103 106
ME CO FOI EM	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE AN INSTRUCTION & DEMOLITION:	ND 103 106 106
ME CO FOI EM FOI	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A NSTRUCTION & DEMOLITION: RMAT – 4.1 D BANK GUARANTEE	ND 103 106 106 107
ME CO FOI EM FOI PRO	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A INSTRUCTION & DEMOLITION: RMAT – 4.1 D BANK GUARANTEE RMAT – 4.2	ND 103 106 106 107 107
ME CO FOI EM FOI PRO	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A NSTRUCTION & DEMOLITION: RMAT – 4.1 D BANK GUARANTEE RMAT – 4.2 OFORMA OF CONTRACT CUM PERFORMANCE BANK GUARANTEE	ND 103 106 106 107 107 110
ME CO FO EM FO PR FO NO	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A NSTRUCTION & DEMOLITION: RMAT – 4.1 D BANK GUARANTEE RMAT – 4.2 OFORMA OF CONTRACT CUM PERFORMANCE BANK GUARANTEE RMAT – 4.3.	ND 103 106 106 107 107 110 110
ME CO FOI EM FOI PR FOI NO FOI	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A NSTRUCTION & DEMOLITION: RMAT – 4.1 D BANK GUARANTEE RMAT – 4.2 OFORMA OF CONTRACT CUM PERFORMANCE BANK GUARANTEE RMAT – 4.3 N-DISCLOSURE AGREEMENT	ND 103 106 106 107 107 110 110 113
ME CO FOI FOI PRO FOI NO FOI	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A NSTRUCTION & DEMOLITION: RMAT – 4.1 D BANK GUARANTEE RMAT – 4.2 OFORMA OF CONTRACT CUM PERFORMANCE BANK GUARANTEE RMAT – 4.3 N-DISCLOSURE AGREEMENT RMAT – 4.4	ND 103 106 106 107 107 110 110 113 113
ME CO FOI FOI PRO FOI NO FOI	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A NSTRUCTION & DEMOLITION: RMAT – 4.1 D BANK GUARANTEE RMAT – 4.2 OFORMA OF CONTRACT CUM PERFORMANCE BANK GUARANTEE RMAT – 4.3 N-DISCLOSURE AGREEMENT RMAT – 4.4 DEVIATION DECLATATION	ND 103 106 106 107 107 110 110 113 113 114
ME CO FOI FOI PRO FOI NO FOI BID	ASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE A NSTRUCTION & DEMOLITION:	ND 103 106 106 107 107 110 110 113 113 114 114

CHECK LIST

(FOR BID SUBMISSION)

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]

DC	EC
BSES Yamuna	Power Limited

S. No	Item Description	Yes/No
1	BID INDEX	
2	COVERING LETTER	
3	TENDER FEE	
4	EARNEST MONEY DEPOSIT	
5	POWER OF ATTORNEY	
6	BID FORM DULY SIGNED	
7	NON-DISCLOSURE AGREEMENT (NDA)	
8	NO DEVIATION DECLARATION (NDD)	
9	UNPRICED TECHNO-COMMERCIAL BID	
10	PRICE BID	

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



SECTION-I

REQUEST FOR QUOTATION (RFQ)

SECTION-I REQUEST FOR QUOTATION (RFQ)

1. **GENERAL**

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



BSES Yamuna Power Limited invites tenders on a "Single Stage: Two Parts" bidding basis i.e. Techno-Commercial Bid & Price Bid on its E-Tendering portal (<u>https://srmprdportal.bsesdelhi.com:50001/irj/portal</u>) from eligible Bidders for award of contract for "Civil Retrofitting Works of Office Buildings & Grid Buildings in BYPL".

- 1.1. The bidder must qualify the requirements as specified in heading "Qualifying Requirements" of this RFQ.
 - 1.2. The sealed envelopes shall be duly super-scribed as:

"NIT No.: CMC/BY/24-25/RS/SvS/VK/50 Dated: 21.12.2024" "RFx: 220000083" For

"Civil Retrofitting Works of Office Buildings & Grid Buildings in BYPL"

1.3. The schedule of the tendering process is given below. Detailed Specifications, Scope of Work, Terms & Conditions, etc are mentioned in the Tender documents, which is available on our website.

RFx Number (Request for Quotation / Proposal Number)	220000083
Cost of Tender Documents (Non- Refundable)	Rs.1,180/- (including GST)
Earnest money Deposit (EMD)	Rs 5 Lakh
Duration of the Work	12 Months
Tender documents on sale	21/12/2024 to 10/01/2025 (Working days)
Date & time of Submission of Bid	13.01.2025, 15:30 HRS
Date & time of opening of Techno- Commercial Bid	13.01.2025, 16:00 HRS

1.4. The tender document can be obtained from the address given below against submission of a non-refundable demand draft of Rs. 1180/- drawn in favour of BSES Yamuna Power Ltd, payable at Delhi or Online transfer of the requisite amount through IMPS/ NEFT/ RTGS. The tender document is also available for download from the website www.bsesdelhi.com--> BSES YAMUNA POWER LTD --> Tender --> Open Tenders:

> Head of Department, Contracts & Material Department, BSES Yamuna Power Limited, III Floor, "A" Block, Shakti Kiran Building, Karkardooma, New Delhi-110032.

In case the tender is downloaded from the above website, then the bidder has to enclose a demand draft or online transfer of the requisite amount through IMPS/ NEFT/ RTGS covering the cost of bid documents.

1.5. DD shall be accepted for tender fees or Online transfer of the requisite amount through IMPS/ NEFT/ RTGS.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



1.6. The tender documents will be issued on all working days up to the date mentioned in clause 1.3. The tender documents & detail terms and conditions can also be downloaded from the website www.bsesdelhi.com. In case tender documents are downloaded from the above website, then the bidder has to enclose a separate demand draft covering the cost of bid documents.

2. POINTS TO BE NOTED

- 2.1. Works envisaged under this contract are required to be executed in all respects up to the period of completion/ duration of work mentioned above.
- 2.2. Only those agencies, who fulfil the qualifying criteria as mentioned in clause 4 should submit the tender documents.
- 2.3. BSES YAMUNA Power Ltd reserves the right to accept/reject any or all bids without assigning any reason thereof and alter/amend/modify/add/reducethe amount and quantity mentioned in the tender documents at the time of placing Order
- 2.4. The bid will be summarily rejected if:
 - (a) **Earnest Money Deposit (EMD)** and **Tender Fee** of requisite amount is not deposited as per tender conditions.
 - (b) Bid received after due date and time.

3. EMD

- 3.1. The bidder shall furnish, as part of its bid, an EMD of the requisite amount. The EMD is required to protect the Company against the risk of Bidder's conduct which would warrant for feiture. The EMD shall be denominated in any of the following forms:
 - a) BG from nationalized / Scheduled Bank, as per the format annexed in the tender document, in favour of BSES Yamuna Power Limited valid for Six (06) months from the original due date of bid submission (with 7 days variation acceptable).
 - b) Fixed Deposit (lien marked in favour of BSES YAMUNA POWER LTD) valid for Six (06) months from the original due date of bid submission.
- 3.2. Please note that bank details as given below have been provided only for the purpose of making BG for EMD.

Beneficiary Name	: BSES Yamuna Power Limited
Bank Name	: State Bank of India (SBI)
A/c No.	: 10277791808
IFSC Code	: SBIN0009601

- 3.3. The EMD of the bidders who are not technically qualified shall be returned after the price bid opening.
- 3.4. Earnest money given by all the bidders who are techno-commercially qualified except the lower bidder shall be returned within 08 (Eight) weeks after award of the work.
- 3.5. The EMD of the successful bidder/bidders shall be returned on submission of CPBG as per tender terms.
- 3.6. The EMD may be forfeited in case of:

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- (a) The Bidder withdraws its bid during the period of bid validity specified by theBidder in the Bid Formor
- (b) The successful Bidder does not(i) accept the Purchase Order/Work Order, or(ii) furnish the required CPBG as per tender terms
- (c) The bidder is found to have submitted false or forged, any of the documents/certificates/information.

4. QUALIFYING REQUIREMENTS (QR)

The prospective bidder must meet all of the following qualifying requirements in order to be eligible to participate in the bidding process.

4.1. Technical QR:

4.1.1. Bidder must have executed a similar nature of civil works in any Power Distribution Utilities / Government Organizations/ Other Renowned organization in the preceding seven (7) years. The bidder should have successfully completed:

Three civil works, each of executed value not less than an amount equal to ₹ 1.2 Crore i/c GST

Or

Two civil works, each of executed value not less than an amount equal to ₹ 1.5 Crore i/c GST Or

One civil work of executed value not less than an amount equal to ₹ 2.4 Crore i/c GST

The bidder shall submit a Performance/ Work Completion Certificate supporting the above requirement. A copy of the contract is also to be submitted in case of a work order issued by an organization other than BSES.

4.1.2. Bidder must be an experienced civil contractor with extensive experience in the execution of civil work in any Power Distribution Utilities / Government Organizations/ Other Renowned organization.

The bidder shall submit a list of orders of similar nature of work executed by him in this regard.

4.1.3. The bidder should have the requisite skills, knowledge, expertise, experience, and system as per the requirement of the company and the capability to act as a Civil Contractor with the trained and experienced person with the requisite skill and knowledge to perform the function.

The bidder shall submit a detailed organisation chart along with the qualification & experience of their key persons along with its bid.

4.1.4. The bidder should have adequate Tools & Plants (T&P) to execute the works within the time specified.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



The bidder shall submit the details of the T&P owned by him. Further, if the available T&P are inadequate to meet the work requirement of this tender then the details of alternative arrangements to be made by the bidders shall also be furnished.

4.1.5. The bidder should have a full-fledged statutory compliance team to handle labour related matters. The project head of the bidder for BYPL project should be competent enough to take all the decisions on statutory matters related to the contract in coordination with their statutory compliance team.

The bidder shall submit the detail resume of its project head in this regard alongwith the details of statutory compliance team.

4.2. Financial QR:

- 4.2.1. The bidder must have an average annual turnover of at least ₹ 5 Crore for the preceding three (3) financial years (i.e., FY24, FY23, and FY22). The bidder shall submit the Annual Turnover Report of the last 3 FYs duly certified by a Chartered Accountant. The Turnover certificate must have a UDIN Number.
- 4.2.2. The bidder must have a net worth of no less than ₹ 1 Crore as of the last day of the most recent financial year, prior to the bid submission date. The bidder shall submit the Certificate of Net Worth duly certified by a Chartered Accountant for the last financial year i.e. FY 2023-24. The Net worth certificate must have a UDIN Number.
- 4.2.3. The bidder must submit a solvency certificate issued by a nationalized or scheduled commercial bank, indicating solvency of at least ₹ 0.75 Crore. The solvency certificate should not be older than one month from the date of issuance of the NIT.
- 4.2.4. <u>Eligibility for Award of Contract for Multiple Package/Work:</u> A successful bidder shall be eligible for the award of a contract for one package based on meeting the aforementioned minimum qualifying criteria. However, to be eligible for the award of a contract for additional package/work, the bidder's turnover must be more than the value of the contracts to be awarded to them.
- 4.2.5. Bidder should have valid Registration of GST & PAN.
- 4.2.6. Bidder should have valid registration of PF, ESI, Labour, etc to fulfil all labour-related statutory compliances
- 4.2.7. Entities that are currently debarred or blacklisted or suspended by BYPL or its group companies, Central or State government institution, including electricity boards in India, or any DISCOM in India will not be eligible to participate in this tender and their bid will not be considered for further evaluation. As part of the submission, the bidder must provide an undertaking on their official letterhead, signed by an authorized person, confirming that the bidder is not debarred or blacklisted as of the bid submission date.
- 4.2.8. The bidder should give an undertaking by the Authorized Person on their letterhead that all the documents/certificates/information submitted by them against the tender are genuine/true/correct and the copies of documents have been made from the original document/s. Further, in case any of the documents/certificates/information



submitted by the bidder is found to be false or forged, BYPL at its sole discretion shall be free to take all actions as permitted under law, including forfeiture of EMD and disqualification from participation in the future tenders of BYPL & Its group companies for indefinite period or period as may be decided by BYPL.

4.2.9. The bidder should submit an undertaking for "No Litigation" / no legal case is pending with BYPL or its Group Companies. Bidders having any litigation/ legal case pending with BYPL shall not be considered qualified for this tender.

4.3. Other Requirements:

- 4.3.1. The company reserves the right to carry out technical capability/ infrastructure assessment of the Bidders by factory/office/site inspection or by any other means and the company's decision shall be final in this regard.
- 4.3.2. For Existing vendors of BYPL or its group companies, the evaluation will also include the performance in the existing contracts via-a-vis performance in terms of HR issues, all statutory Compliance parameters and wage disbursement by Vendors. BYPL reserves the right to qualify or disqualify their bid based on the contract performance despite them meeting the above-mentioned qualification requirements.
- 4.3.3. The bidder shall submit all necessary documentary evidence to establish that the Bidder meets the above qualifying requirements including but not limited to the following:
 - (i) The last three Financial Years (FY 21-22, FY 22-23 & FY 23-24) audited financial statements.
 - (ii) Bidder to submit UDIN-based CA Certificate showing NIL dues towards Statutory Liabilities, including GST, Taxation, PF, ESI, or any other dues Statutory in nature for the period up to 31.03.2024, herein collectively called as "Statutory dues" and there is no liability over the bidder relating to the deposition of such statutory dues.
 - (iii) Details of formation/registration of the firm (Proprietary/ Partnership) or Company along with all relevant details.
 - (iv) Memorandum & Articles of Association of the Company/ Partnership Deed of the Firm /other registration documents, as applicable
 - (v) The organisation chart for execution of the contract comprises of Technically Qualified manager, Safety officer as per CEA guidelines, HR manager, Diploma / Graduate Engineers etc.
 - (vi) Organization Chart of the Bidders Company/organisation
 - (vii) Number of Employees & necessary details
 - (viii) Details of office/s in Delhi/NCR, Details of Registered and Corporate offices and details of other offices/establishments in India.
 - (ix) Turnover certificate
 - (x) Networth certificate
 - (xi) List of pending litigation with government/other institutions on account of executing any order.
 - (xii) Copy of ESI/PF Registration certificate
 - (xiii) Copy of PAN/GST no.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- (xiv) Copy of Final GST Return of last Financial Year.
- (xv) Non-Disclosure Agreement (NDA) as per format attached
- (xvi) Solvency Certificate
- (xvii) An undertaking to provide all Tools & Plants, Safety Kits, PPEs Gadgets etc. as per tender scope.
- 4.3.4. BYPL may ask for such other documents as it deems fit for substantiating/ justifying the submissions made by the bidder.

5. PRE-BID MEETING:

A pre-Bid meeting shall be organized digitally (through a web conferencing platform) at the time and date as specified in the tender documents in the presence of those bidders or their authorized representatives who may choose to be present.

The details of the proposed Zoom meeting are given below: -

Time:- 03.01.2025 @ 12:00 HRS IST Link:- ZOOM Meeting ID – 867 289 9211 Password – 56789

All queries related to this tender must reach to C&M Department of BYPL at least One days before the date of the pre- bid meeting. All the bidder's queries shall be replied to in the pre-bid meeting. In case any change is required in the tender document the same shall be effected in the form of corrigendum to this tender. The bidder or their representatives who intend to bid and who have either purchased tender documents or will pay tender fees for downloaded documents are invited to attend the pre-bid meeting. Corrigendum, if any, to the tender document shall be hosted on the website subsequent to the pre-bid meeting. Bidders are requested to submit their offer strictly in line with this tender document & corrigendum if any.

6. BID SUBMISSION

6.1 **The bids are invited through BYPL's E-Tendering portal.** BSES will carry out E-Tendering on its e-tendering portal <u>https://srmprdportal.bsesdelhi.com:50001/irj/portal</u>.

Interested Non- registered bidders are requested to obtain the portal user name and password (if not available) for bid submission. To participate in the e-Tendering process of BYPL, please write a mail to the following persons mentioning your details:

A) Contact Person-

- 1. Mr Rakesh Sharma, E-mail: Rakesh.Ku.Sharma@relianceada.com,
- 2. Mr Vimal Kumar, E-mail: <u>Vimal.R.Kumar@relianceada.com</u>,

B) Bidder's Details-

- a) Existing Vendor Code with BYPL or its Group/Associates Companies (if available):
- b) Trade Name:

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- c) Address of Principal Place of Business:
- d) Contact Person's Name:
- e) Contact Person's Designation:
- f) Contact Person's Mobile No.:
- g) Contact Person's email ID:
- h) Power of Attorney (POA) in favour of the mentioned Contact Person for being authorized to receive user ID and password on behalf of their organization. (Attach a copy of POA)

The login ID details shall be sent through email to the email ID mentioned by you for the same.

Bids shall be submitted in 2 (Two) parts on the assigned folder of the E-Tendering site. Please refer to the user manual available at <u>https://srmprdportal.bsesdelhi.com:50001/irj/portal</u> and enclosed with the tender.

Bids have to be mandatorily submitted only through the e-procurement portal of BSES Delhi. Bids submitted through any other form/ route shall not be admissible.

However, documents that necessarily have to be submitted in originals like EMD or Tender Fee (in the form of BG/ DD as applicable) and/or any other documents mentioned in the tender, submission of which are required in original/hardcopy, have to be submitted at the BYPL office before the due date & time of submission.

For submission of such documents, please mention our NIT Number and RFx number on the sealed envelop and drop the same in our Tender Box placed at BSES Yamuna Power Ltd, Reception, Ground Floor, Shaktikiran Building, Karkardooma, Delhi 110032.

The sealed envelope shall be addressed to:

Head of Department, Contracts & Material Department, BSES Yamuna Power Limited, III Floor, "A" Block, Shakti Kiran Building, Karkardooma, New Delhi-110032.

Kindly Note:

- > The bidder has to ensure that the sealed envelope is dropped in the correct box designated for bid submission only.
- BYPL shall not be responsible for any wrong placement of sealed envelopes by the bidder.

6.1.1. PART A: TECHNO- COMMERCIAL BID comprising of the following documents:

Sr. No	Descriptions	Type of Documents
1	Tender Fee - Demand Draft (Rs.1180/-) (Incl GST)	Non-refundable demand draft or online transfer of the requisite amount through IMPS/ NEFT/
NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 2200000083]		Bidder Seal & Signature



Sr. No	Descriptions	Type of Documents
		RTGS for Rs 1180/- in case the forms are downloaded from the website
2	EMD	In the prescribed stamp paper & format enclosed at Formats: Format 4.1
3	Power-of-Attorney	In the standard stamp paper & format
4	Cover Letter	Standard Format
5	Technical Bid Submission Check List	Checklist given in the index
7	PQR Compliances	Documentary evidence in support of qualifying criteria
8	Signed Tender document	Original Tender documents duly stamped & signed on each page as a token of acceptance
10	Bid Form (Unpriced) Duly Signed	Duly Signed Bid Form as per enclosed format at ANNEXURE – I.
11	Acceptance of Reverse Auction	Duly signed Acceptance Form For Participation In Reverse Auction Event as per enclosed format at ANNEXURE – IV
12	Undertakings	Duly signed self-undertakings as per clause 4 of Section 1
13	Schedule of Deviations	Duly filled and signed in enclosed Format 4.4
14	Communication Matrix	Duly filled and signed in enclosed Format 4.5
15	Un price Bid Duly Signed	Duly Signed Un price Bid as per enclosed format at Section VI - PRICE BID FORMAT
16	Organization Chart & Manpower Details.	Bidder shall submit the details of Organization & Manpower with qualification and experience.

6.1.2 PART B: PRICE BID :

- (a) PRICE BID shall be comprised of Prices strictly in the Format enclosed in SECTION VI. Any change in price bid format, or content may lead to rejection of the bid.
- (b) Price Bid will be opened after techno-commercial evaluation of all the bids and only of the qualified bidders.

Note:- The Technical Bid documents (PART-A), along with the commercial terms and conditions, shall be submitted in the <u>Technical RFx response folder</u>, while the Price Bid (PART-B) shall be submitted in the <u>Notes & Attachments tab</u> of RFx.

6.1.3 FINANCIAL BID EVALUATION THROUGH REVERSE AUCTION:

The company reserves the right to conduct Reverse Auction (RA) for finalization of contract hence the details of the price bid shall not be shared with bidders. The qualified bidders will participate in reverse auction through SAP-SRM tool. The RA process shall be governed by the terms and conditions enclosed as Annexure-IV in this tender document. Training/details shall be provided to bidders before participation in auction.In case RA is not conducted /concluded for any reasons, a "final no regret" financial bid in

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



a sealed envelope will be called for from all qualified bidders. Notwithstanding anything stated above, the Company reserves the right to assess bidders' capability to perform the contract, should the circumstances warrant such assessment in the overall interest of the Company. In this regard, the decision of the Company shall be final and binding on the bidders.

7. TIME SCHEDULE

The activities and their timelines are given hereunder which need to be adhered to by the bidders.

S. No.	Activity	Description	Due date
1	Submission of Technical & Commercial Queries, if any	All Queries related to NIT	02.01.2025
2	Pre-Bid Meeting	Discussion on pre-bid queries	03.01.2025 at 1200 HRS IST
3	Submission of Techno- Commercial & Price Bid	Unpriced Techno-Commercial & Price Bid on e-Tendering platform	13.01.2025, 15:30 HRS IST
4	Opening of Techno- Commercial Bid	 Online opening of PART-A (Techno-Commercial Bid) Offline opening of the envelope containing EMD, Tender Fee, POA or any other documents. 	13.01.2025, 16:00 HRS IST
5	Opening of Price Bid	Online Opening of PART-B (Price Bid) of only the techno-commercially qualified bidders (List of qualified bidders will be published on our website)	To be informed separately
6	Reverse Auction(RA)	RA is Mandatory.	The schedule will be intimated to eligible bidders through email from email id: bypl.eauction@relianceada.com

8. AWARD DECISION

- 8.1 The company intends to award the business on the lowest bid basis, so bidders are encouraged to submit the bid competitively. The decision to place an order/LOI solely depends on the Company on the cost competitiveness across multiple lots, quality, delivery and bidder's capacity, in addition to other factors that the Company may deem relevant.
- 8.2 The Company reserves all the rights to award the contract to one or more bidders who meet the execution requirement or nullify the award decision without assigning any reason thereof.
- 8.3 In case the performance of any contractor is found unsatisfactory during the execution process, the award will be cancelled and BYPL reserves the right to award the work to another contractor(s) who will be found eligible/fit.
- 8.4 The abnormally higher or abnormally lower bids shall not be considered with respect to the estimated cost. The criteria decided by BYPL on this shall be final and binding on NIT No: CMC/BY/24-25/RS/SvS/VK/50
 [RFx No: 220000083] Bidder Seal & Signature



8.5 The bidding firms are advised to quote their Margin / Administrative Service Charges accordingly, BYPL reserves the right to reject the bids quoted with abnormally higher or abnormally lower individual activity rates. The criteria decided by BYPL on this shall be final and binding on the bidders and will not be open for discussion under any circumstances.

9. MARKET INTEGRITY

We have a fair and competitive marketplace. The rules for the bidders are outlined in the Terms & Conditions of the tender documents. Bidders must agree to these rules prior to participating in the tender. In addition to other remedies available, we reserve the right to exclude a bidder from participating in future markets due to the bidder's violation of any of the rules or obligations contained in the Terms & Conditions. Bidder(s) who violate the marketplace rules or engage in behaviour that disrupts the fair execution of the marketplace restricts a bidder from participation in future tenders of BYPLto a length of time as decided by BYPL, depending upon the seriousness of the violation. Examples of violations include, but are not limited to:

- Failure to honour prices submitted to the market place.
- · Breach of the terms published in Request for Quotation/NIT
- Misrepresentation of facts, submitting false and fabricating documents

10. CONFIDENTIALITY

All information contained in this tender document is confidential and may not be disclosed, published or advertised in any manner without written authorization from BYPL. This includes all bidding information submitted.

All tender documents remain the property of BYPL and all bidders are required to return these documents to BYPL upon request.

Bidder(s) who do not honour these confidentiality provisions will be excluded from participating in future bidding events.

The bidder shall sign a Non-Disclosure Agreement (NDA) in the format attached in tender document and submit along with its bid.

11. CONTACT INFORMATION

Technical & Commercial clarification, if any, regarding this tender shall be sought in writing and sent by e-mail to the following e-mail IDs:

Address	Name/ Designation	E-mail Address / Phone Number
Technical		
BSES Office, 33KV Preet	Mr. Sunil Gandhi DGM	Sunil.G.Ghandhi@relianceada.com /9350261787
Vihar Grid, Karkardooma, Delhi-110092	Mr. Ajay Gupta Addl. VP	Ajay.s.gupta@relianceada.com /9311098026

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



	A copy of all technical queries shall also be marked Commercial team as per the details below.		
Commercial	ercial		
C&M Dept, 3rd Floor, A Block,	Mr. Vimal Kumar, DGM – (C&M)	Vimal.r.kumar@relianceada.com /011-4124 9388	
BSES Yamuna Power Ltd Shakti Kiran Building,	Mr. Santosh Srivastava, Head – (Contracts)	Santosh.V.Srivastava@relianceada.com /011-4124 9850	
Karkardooma, New Delhi- 110032	Mr. Robin Sebastian, Head – (C&M)	Robin.Sebastian@relianceada.com /011-4124 9230	

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



<u>SECTION – II</u>

INSTRUCTIONS TO BIDDERS (ITB)

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



SECTION-II INSTRUCTIONS TO BIDDERS (ITB)

1. **GENERAL**

BSES YAMUNA Power Ltd (BYPL), hereinafter referred to as the "Company" is desirous for awarding work of ""Civil Retrofitting Works of Office Buildings & Grid Buildings in BYPL" as notified in this tender document.

- 1.1 All the Bids shall be prepared and submitted in accordance with these instructions.
- 1.2 Bidder shall bear all costs associated with the preparation and delivery of its Bid, and the Company will in no case shall be responsible or liable for these costs.
- 1.3 The Bid should be submitted by the Bidder in whose name the bid document has been issued and under no circumstances it shall be transferred /sold to the other party.
- 1.4 The Company reserves the right to request any additional information/documents and also reserves the right to reject the proposal of any Bidder if, in the opinion of the Company, the data in support of the RFQ requirement is incomplete.
- 1.5 The Bidder is expected to examine all instructions, forms, terms & conditions and specifications in the Bid Documents. Failure to furnish all information required in the Bid Documents or submission of a Bid not substantially responsive to the Bid Documents in every respect may result in rejection of the Bid. However, the Company's decision regarding the responsiveness and rejection of bids shall be final and binding without any obligation, financial or otherwise, on the Company.
- 1.6 The company reserves the right to split the order among various successful bidders in any manner it chooses without assigning any reason whatsoever.

2. SCOPE OF WORK

Detailed specification/scope of work is provided in Section-V of this tender document.

3. **DISCLAIMER**

- 3.1. This NIT is not an agreement and further it is neither an offer nor an invitation by BYPL to bidders or any other person for the award of the contract. The purpose of this NIT is to provide bidders with information that may be useful to them in the preparation and submission of their bids.
- 3.2. This Document includes statements, which reflect various assumptions, which may or may not be correct. Each Bidder should conduct its own estimation and analysis and should check the accuracy, reliability and completeness of the information in this Document and obtain independent advice from appropriate sources in their own interest.
- 3.3. Neither Company nor its employees will have any liability whatsoever to any Bidder or any other person under the law or contract, the principles of restitution or unjust enrichment or otherwise for any loss, expense or damage whatsoever which may arise from or be incurred or suffered in connection with anything contained in this Document, any matter deemed to form part of this Document, provision of Services and any other information supplied by or

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



on behalf of Company or its employees, or otherwise arising in any way from the selection process for the Work.

- 3.4. Though adequate care has been taken while issuing the Tender document, the Bidder should satisfy itself that the Documents are complete in all respects. Intimation of any discrepancy shall be given to this office immediately.
- 3.5. This Document and the information contained herein are Strictly Confidential and are for the use of only the person(s) to whom it is issued. It may not be copied or distributed by the recipient to third parties (other than in confidence to the recipient's professional advisors).
- 3.6. It shall be deemed that by submitting a bid, a bidder agrees to release BYPL and its employees, agents and advisors irrevocably unconditionally fully and finally from any and all liability for any claims losses damages costs expenses or liabilities in any way related to or arising from the exercise of any rights and all performance of any obligations under this NIT and or in connection with the bid process to the fullest extent permitted by applicable law and waives any and all rights and all claims it may have in this respect whether actual or contingent whether present or in the future
- 3.7. BYPL and its employees and advisors also accept no liability of any nature whether resulting from negligence or otherwise arising from reliance of any bidder upon the contents of this NIT.BYPL may in its absolute discretion but without being under any obligation to do so, update amend or supplement the information assessment statement or assumptions contained in this NIT.
- 3.8. The issue of this tender document does not imply that BYPL is bound to qualify any bidder or to award the contract to any bidder. BYPL reserves the right to reject all or any of the bids without assigning any reasons whatsoever.

4. COST OF BIDDING

The Bidder shall bear all cost associated with the preparation, submission and processing of its Bid and the company will in no case be responsible or liable for the costs.

5. TENDER DOCUMENTS

5.1. The Scope of Work, Bidding Procedures and Contract Terms are described in the Bidding Documents. In addition to the covering letter accompanying Bidding Documents, the Bidding Documents include:

"Check List, Sections, Annexure& Formats as elaborated in CONTENT of this NIT."

5.2. The bidder is expected to examine the tender documents, including all Instructions, Forms, Terms and Specifications. Failure to furnish all information required by the tender documents or submission of a bid not substantially responsive to the tender documents in every respect may result in the rejection of the Bid.

6. AMENDMENT OF TENDER DOCUMENTS

6.1. At any time prior to the deadline for submission of Bids, the Company may for any reason(s), whether at its own initiative or in response to a clarification requested by a prospective Bidder, alter/amend/modify the tender documents by corrigendum /amendment.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



6.2. The corrigendum/amendment shall be part of the tender document, pursuant to Clause 5.1, and it will be notified

(a) by way of uploading the corrigendum/amendment on BSES website (in case of public tender),

(b) in writing by e-mail to all the Bidders who have received the Bidding Documents by email. (in case of limited tender)

All such corrigendum & amendments will be binding on the bidders.

6.3. In order to provide prospective Bidders a reasonable time in which to take the Amendment into account in preparing their Bids, the Company may, at its discretion, extend the deadline for the submission of Bids.

7. PREPARATION OF BIDS & LANGUAGE

The Bid prepared by the Bidder, and all correspondence, documents etc. relating to the Bid exchanged by the Bidder and the Company shall be written in English Language. Any printed literature furnished by the Bidder may be written in another language, provided that this literature is accompanied by English translation, in which case, for purposes of interpretation of the Bid. In case of ambiguity in the English translation, the interpretation of the Company with regard to translation will be final.

8. DOCUMENTS COMPRISING THE BID

The Bid prepared and submitted by the Bidder shall comprise the following components:

- (a) Techno-Commercial Bid & Price Bid as elaborated in RFQ. (STRICTLY AS PER FORMAT)
- (b) All the Bids must be accompanied with the required EMD &Tender Fees against each tender.

9. BID FORM

The Bidder shall complete the "Original" Bid Form and submit it along with details mentioned in the Techno-Commercial bid (without filling the price).

10. BID PRICES

Bidders shall quote for the entire Scope of work with prices for individual items. The bidder is required, at his expense, to obtain all the information he may require to enable him to submit his tender including necessary visits to the site to ascertain the local conditions, procurement of necessary materials, labour, etc., requirements of the local/government/public authorities in such matters.

11. BID CURRENCIES

Prices shall be quoted in Indian Rupees Only.

12. PERIOD OF VALIDITY OF BIDS

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 12.1. Bids shall remain valid & open for acceptance for a period of 180 days from the date of opening of the Bid.
- 12.2. Notwithstanding above, the Company may solicit the Bidder's consent to an extension of the Period of Bid Validity and the bidder shall be liable to extend the same at the sole cost and consequences of the bidder and no claim from the company in this regard shall be maintainable.

13. ALTERNATIVE BIDS

Bidders shall submit Bids, which comply with the Tender Documents. Alternative Bids will not be considered. The attention of Bidders is drawn to the provisions regarding the rejection of Bids in the terms and conditions, which are not substantially responsive to the requirements of the Tender Documents.

14. FORMAT AND SIGNING OF BID

- 14.1. The original Bid Form and accompanying documents (as specified in Clause 9.0), clearly marked "Original Bid", must be received by the Company at the date, time and place specified in Section-I, RFQ.
- 14.2. The original copy of the Bid shall be typed or written in indelible ink and shall be signed bythe Bidder or a person or persons duly authorized to sign on behalf of the Bidder. Such authorization shall be indicated by written Power-of-Attorney accompanying the Bid. All pages of the bid shall be signed by the signatory accompanied with seal of the Agency.
- 14.3. The Bid shall contain no interlineations, erasures or overwriting except as necessary to correct errors made by the Bidder, in which case such corrections shall besigned by the person or persons signing the Bid.

15. SEALING AND MARKING OF BIDS

Not applicable.

16. DEADLINE FOR SUBMISSION OF BIDS

- 16.1. The Original bid must be timely received by the company at the address specified in Section-I, RFQ.
- 16.2. The Company may, at its discretion extend the deadline for the submission of bids by amending the Tender Documents in accordance with Clause 6.0, in which case all rights and obligations of the Company and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

17. ONE BID PER BIDDER

Each Bidder shall submit only one Bid by itself. A Bidder who submits or participates in more than one Bid will cause all those Bids to be rejected.

18. LATE BIDS

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



Any Bid received by the Company after the deadline for submission of Bids prescribed by the Company, pursuant to Clause 16.0, will be declared "Late" and rejected and returned unopened to the Bidder.

19. MODIFICATIONS AND WITHDRAWAL OF BIDS

The Bidder is not allowed to modify or withdraw its Bid after the due date of bid submission.

20. EVALUATION OF BID

- 20.1. The bids will be evaluated techno-commercially on compliance to tender terms and Conditions.
- 20.2. BYPL reserves the right to ask the bidders to provide any additional information including breakup of the prices as quoted by them against line items.

21. CLARIFICATION OF BIDS

To assist in the examination, evaluation and comparison of Bids, the Company may, at its discretion, ask the Bidder for a clarification of its Bid. All responses to requests for clarification shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted

22. PRELIMINARY EXAMINATION OF BIDS / RESPONSIVENESS

- 22.1. Company will examine the Bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the Bids are generally in order.
- 22.2. Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price per item that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price per item will be corrected. If there is a discrepancy between the Total Amount and the sum of the total price per item, the sum of the total price per item shall prevail and the Total Amount will be corrected.
- 22.3. Company will determine the substantial responsiveness of each Bid to the Tender Documents including execution capability and acceptable quality of the services offered. A substantially responsive Bid is one, which conforms to all the terms and conditions of the Tender Documents without deviation.
- 22.4. Bid determined as not substantially responsive will be rejected by the Company and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

23. EVALUATION AND COMPARISON OF BIDS

- 23.1. The evaluation of Bids shall be done based on the delivered cost competitiveness basis.
- 23.2. The evaluation of the Bids shall be a stage-wise procedure. The following stages are identified for evaluation purposes: In the first stage, the Bids would be subjected to a

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



responsiveness check later on the Techno-Commercial Proposals and the Conditionality of the Bidders would be evaluated.

Subsequently, the Financial Proposals along with Supplementary Financial Proposals, if any, of Bidders with Techno-commercially Acceptable Bids shall be considered for final evaluation.

- 23.3. The Company's evaluation of a Bid will take into account, in addition to the Bid price, the following factors, in the manner and to the extent indicated in this Clause:
 - (a) Contract completion schedule
 - (b) Conformance to Qualifying Criteria
 - (c) Deviations from Tender Documents
 - (d) Conformity and compliance to the conditions/details provided in pre-bid meeting
 - (e) Change in the quantity from mentioned in the tender
- 23.4. The cost of all quantifiable deviations and omissions from the specification, terms and conditions specified in Tender Documents shall be evaluated.
- 23.5. The Company will make its own assessment of the cost of any deviation for the purpose of ensuring fair comparison of Bids.
- 23.6. Adjustments in price, if any, based on the above procedures, shall be made for the purposes of comparative evaluation only to arrive at an "Evaluated Bid Price". Bid Prices quoted by Bidders shall remain unaltered.

24. CONTACTING THE COMPANY

- 24.1. From the time of Bid opening to the time of contract award, if any Bidder wishes to contact the Company on any matter related to the Bid, it should do so in writing.
- 24.2. Any effort by a Bidder to influence the Company and/or in the Company's decisions in respect of Bid evaluation, Bid comparison or Contract Award, will result in the rejection of the Bidder's Bid.

25. THE COMPANY 'S RIGHT TO ACCEPT ANY BID AND TO REJECT ANY OR ALL BIDS

The Company reserves the right to accept or reject any Bid and to annul the Bidding process and reject all Bids at any time prior to award of Contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Company's action.

26. AWARD OF CONTRACT

The Company will award the Contract to the successful Bidder whose Bid has been determined to be the lowest-evaluated responsive Bid, provided the Bidder has been determined to be qualified to satisfactorily perform the Contract. Company reserves the right to award order to other bidders in the tender, provided it is required for need of the work. The full or part of the contract may be awarded to other bidder(s) on differential rates.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



27. THE COMPANY'S RIGHT TO VARY QUANTITIES

The Company reserves the right to vary the quantity i.e. increase or decrease the Numbers/ quantities without any change in terms and conditions before the award of Contract. Further BYPL may increase or reduce the area/ scale of operations / increase or decrease the Numbers/ quantities after the start ofwork execution under the contract and the size of contract / contract value shall be adjusted accordingly. In case of decrease in base resources decided mutually then contract value will be adjusted accordingly.

28. LETTER OF INTENT/ NOTIFICATION OF AWARD

The letter of intent/ Notification of Award shall be issued to the successful Bidder whose bids have been considered successful for the award of work/order.

The successful Bidder shall be required to furnish acceptance of LOI / notification of award within 7 days of issue of the letter of intent /Notification of Award by the Company.

29. CORRUPT OR FRAUDULENT PRACTICES

- 29.1. The Company requires that the Bidders observe the highest standard of ethics during the entire period of work execution under the Contract. In pursuance of this policy, the Company:
 - (a) Defines, for the purposes of this provision, the terms set forth below as follows:

"Corrupt practice" means behaviour on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves and/or those close to them, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; and "Fraudulent practice" means a misrepresentation of facts in order to influence a award process or the execution of a contract to the detriment of the Company, and includes collusive practice among Bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive the Company of the benefits of free and open competition.

- (b) Will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
- (c) Will declare a firm ineligible either indefinitely or for a stated period of time, to be awarded a contract if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for, or in executing, a contract.
- 29.2. Furthermore, It shall be the responsibility of the Bidders to read, understand and be aware of the provision stated in the Terms and Conditions of the tender before participating in the tender.

30. PROCESS TO BE CONFIDENTIAL

Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 2200000083] Bidder Seal & Signature



persons not officially concerned with such process. Any effort by a Bidder to influence the Company's processing of Bids or award decisions may result in the rejection of the Bidder's Bid.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



SECTION - III

SPECIAL TERMS & CONDITIONS (SCC)

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



SECTION - III:

SPECIAL TERMS & CONDITIONS (SCC):

These Special Terms and Conditions of Contract (SCC) shall be read in conjunction with the Terms and Conditions of the Contract, General Conditions of Contract (GCC), Scope of Work and other documents forming part of the contract wherever the context so requires. Notwithstanding the subdivision of documents into separate sections and volumes, every part of each such document shall be deemed to be supplementary to and complementary of every other part.

1. **DEFINITIONS**

1.1. Engineer-in-charge (EIC) / Officer-in-charge (OIC)

The term "Engineer-in-charge (EIC)" / "Officer-in-charge (OIC)" shall mean the Company's nominated representative for the purpose of supervision of the execution of the Contract. The same shall be mentioned in the Contract.

2. SCOPE OF WORK

The scope includes providing services as per the detailed scope of work as enumerated in Section-V.

3. EFFECTIVE DATE, TIME AND VALIDITY

- 3.1. The order/agreement shall become effective for all purposes from the date to be specified under the agreement and continue to remain in force for 12 months or any further extension thereof.
- 3.2. The extension of the agreement shall be the sole prerogative of BYPL. BYPL reserves the right to renew/extend the agreement.
- 3.3. Illustrative Conditions for Renewal and Extension of Agreement Beyond Agreement Duration:

BYPL, at its sole discretion, may consider the renewal or extension of the agreement beyond its original term. Any decision regarding an extension, if contemplated, will be made at least one month prior to the agreement's expiration. However, BYPL also reserves the right to renew the agreement even within one month of its expiration. BYPL further reserves the right to decline any renewal or extension beyond the original agreement duration

3.4. BYPL shall notify the Contractor of any possible extension or request the Contractor to furnish additional information, as may be required, for granting such extension.

4. ORDER VALUE

The value of the Contract will be contracted out based on finalized rates.

The rates shall remain firm and fixed for the entire period of the contract. They shall not NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 2200000083] Bidder Seal & Signature



be subject to escalation and any increase in the amount due to-.

- (a) increased labour costs including minimum wages or costs related to vehicles/materials/ other equipment provided,
- (b) changes in insurance premiums, and/or
- (c) changes in legislation or regulations relating to the Service.

5. RATES & ESCALATION

- 5.1. The rates will remain firm and fixed for the entire duration of the contract and are not subject to escalation or increases on any account/reason(s) whatsoever.
- 5.2. The rates set out above are also inclusive of reasonable incidental expenses incurred by the Contractor on the following:
 - i) Cost of Labor, tackles and supervision.
 - ii) All taxes and levies, including but not limited to, GST, work contract tax, etc as applicable during the currency of the contract.
 - iii) Conveyance of the Contractor's employees up to place of work and/ or from one place to another place for carrying out the job.
 - iv) Rates shall be valid for all heights and locations.
 - vi) All other expenses incidental to the job.
 - vii) The Company shall pay only once against the service provided irrespective of the fact that the Contractor might have to take more than one attempt for providing the service.
 - viii) Compliance with all labour laws including Minimum Wage Act, Bonus Act etc in respect of employees engaged by the Contractor for the discharge of services as per this agreement.
- 5.3. No idle labour charges will be admissible in the event of any suspension of work by the company or stoppage caused in the work resulting in contractors' labour or equipment being rendered idle due to any cause at any time.

6. CONTRACT CUM PERFORMANCE SECURITY BANK GUARANTEE (CPBG)

- 6.1. The contractor shall furnish the CPBG in the prescribed format within 15 days from the date of issue of the LOI / Work Order for the due performance of the provisions of Work Order/Agreement.
- 6.2. The CPBG shall be 5% (Five percent) of the contract value inclusive of taxes & duties and shall be valid till the defect liability period plus additional three (3) months towards the claim period.
- 6.3. If the contract value increases by more than 5%, the contractor shall enhance the CPBG value @5% of the enhanced contract value.

6.4. The CPBG shall be issued from any nationalized/scheduled bank as per company format. NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 2200000083] Bidder Seal & Signature



- 6.5. The Company shall reserve the right to invoke the CPBG unconditionally and without recourse to the Contractor, if there is failure to perform any part of the Agreement for whatsoever reason. This clause is pertaining to performance of contractual obligations and the decision of Company shall be final in this regard.
- 6.6. In the event of any claim or any other outstanding Contractual obligations remaining unfulfilled, the Contractor shall be required to extend the CPBG till the settlement of all claims and completion of all Contractual obligations at the cost and consequences of contractor.
- 6.7. In the event, in Company's sole judgment, the Contractor has fulfilled all its obligations under this Agreement, The CPBG shall be released without any interest after the expiry of CPBG and its claim period as mentioned above upon compulsory submission of i) No Demand Certificate ii) Indemnity Bond iii) Work completion certificate issued by BYPL iv) NOC issued by BYPL compliance cell
- 6.8. If the CPBG is or becomes invalid for any reason (other than its expiry), the Contractor shall immediately notify the Company/BYPL and provide within five (5) days a replacement CPBG in the form set out in the Contract/Agreement.
- 6.9. Not later than sixty (60) Business Days before the expiry of the CPBG, the Contractor shall, upon request of the Company/BYPL obtain an extension of the validity of such CPBG for the period stated in such request by the Company/BYPLand provide a copy of such renewed CPBG.
- 6.10. It is the contractor's responsibility to incur charges/costs to maintain and for extension of CPBG without claiming reimbursement from the company/BYPL.

7. PAYMENT TERMS

- 7.1. 85% payment along with 100% taxes and duties shall be paid against completion of work on a pro-rata basis within 30 days of submission of bills duly certified by the Engineer-In-Charge.
- 7.2. 5% payment shall be retained from pro-rata bills as a quality hold. This payment shall be released against the Quality Certificate issued by the authorized person of BYPL.
- 7.3. Balance 10% of the payment shall be retained from pro-rata bills for a performance guarantee until the defect liability period. This amount shall be released twelve (12) months after the completion of the project or on submission of a performance bank guarantee of equivalent value.
- 7.4. The contractor shall submit the original bill (hard copy) along with all supporting documents to the Vendor Support Cell of BYPL. The bills shall be made in favour of BSES Yamuna Power Ltd, Shakti Kiran Building, Karkardooma, Delhi.
- 7.5. Company shall make payments, without any interest/charges and after deduction of taxes, penalties etc. as applicable, against the bills within 30 days from the date of receipt of the bills, duly verified and certified by the Engineer-in-Charge.
- 7.6. Notwithstanding anything with the release of payment of bills by the Company to the Contractor, the Contractor shall at all times ensure the due and timely payment of wages to

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



all persons, including workmen, employed by the Contractor pursuant to this Agreement and compliance with other applicable statutory requirements within time limits. Nothing contained herein shall establish any link between release of payment of the bill by the Company to the Contractor and the payment of any salary, wages or any other dues whatsoever by the Contractor to its employees and workmen.

7.7. The company may modify the procedure for the submission of bills. The Contractor shall be obliged to submit its bill as per the procedure stipulated by the company from time to time.

8. **INSURANCE**

The contractor shall take suitable insurance policy for its men and materials (GPA, Mediclaim policy, Workmen Compensation Policy etc.) as listed below for the resources deployed by them:

8.1. Group Personal Accident Insurance:

Before commencing the execution of the work the Contractor shall take Accidental insurance policy for the staff engaged/deployed by him for the work under agreement, to insure against any loss of life which may occur during the agreement for the work of the Company. The policy shall have coverage of Rs. 15 Lakh (Table C- Death + Permanent Total Disability + Partial permanent Disability due to external accidents). Permanent total disability coverage shall be 125% of the basic sum assured of Rs 15 Lakh.

The Contractor shall be responsible for on the spot same day claim settlement with the victim's legal heirs without waiting for settlement by insurance claim and without any liability on BYPL. The premium amount for both the above policies shall be borne by the Contractor. The Contractor shall furnish copy of policy within 15 days of start of work under the contract.

8.2. Group Medical Coverage (GMC) Insurance Policy:

Contractor shall take a Group Medical Coverage (GMC) insurance policy including family floater of minimum sum assured value Rs. Two (2) lakhs for the resources who are not covered under ESI. Recovery of premium of GMC Insurance shall be as per bidder company policy

8.3. Comprehensive Marine Storage cum Erection insurance policy:

Company shall take at his own cost Comprehensive Marine Storage cum Erection insurance policy for the total work. However, Contractor shall take at his own cost third party insurance and other suitable insurance policy for his own men and materials. Please note that these insurance policies shall be taken in consultation with the company and a copy of the such insurance policies shall have to be furnished to company within 15 days of the date of LOI/Order.

8.4. For all the insurance policies (whether taken by the Company or Contractor), the Contractor shall be responsible for settlement of claims with the underwriters without any liability on the company and will arrange replacements / rectification expeditiously without a waiting settlement of insurance claim, at contractor's own cost and this shall not entitle the Contractor for any extension of time.

9. PENALTY

9.1. Penalties related to HR issues shall be applicable as defined in GCC.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 9.2. Penalty for non-compliance of statutory regulations shall be applicable as defined in GCC.
- 9.3. Penalty for failure in performance of task under the agreement shall be applicable as defined in GCC.
- 9.4. Penalty for violation of safety & quality norms shall be applicable as defined in Annexure-III, EHS Conditions of the Contract.
- 9.5. Total aggregated Liquidated Damages and Penalty against various clauses of the contract shall be limited to a maximum of ten (10)% of the Contract Value.

10. GUIDELINES REGARDING INSPECTION & MAINTENANCE OF PITS /DUG AREA WHILE DOING WORK AT SITE IN BYPL AREA

The contractor shall ensure strict compliance of the following directions:

- a) The sites of all manholes, pits, holes, tanks or any other opening in the ground of any kind shall be regularly inspected and maintained.
- b) Schedule and protocols of inspections and maintenance shall be drawn up and notified to BYPL.
- c) These sites shall be cordoned off to render them inaccessible to the public.
- d) The existence of these sites shall be clearly & visibly marked by the display of signboards/signages.
- e) If they are required to be covered, it shall be ensured that the covers are in place.
- f) If required, as per law, prior permission from authorities shall be secured before the commencement of work.

The Execution contractor shall solely be responsible for all the preventive and protective environmental steps as per guidelines. Any violations from the above guidelines has been viewed very seriously by the authorities. The contractor is liable for the penalties / other action by the authorities, the contractor shall indemnify BYPL its employees/directors/associates from all liabilities/penalties/claims including litigation expenses on this account.

11. DERC GUIDELINES & REGULATIONS

The bidder shall make themselves fully aware & familiarised with prevailing DERC guidelines/regulations.

12. DEFECT LIABILITY PERIOD:

The defects liability period shall be 12 (Twelve) calendar months from the date of the successful completion of the contract as certified by the EIC including any extension(s) of time that may have been granted to the Contractor under the scope of this Contract. In case any defect in the work is observed during the defect liability period, the same shall be rectified by the Contractor at his own cost including the supply of all materials (as per prevailing rates), labour, equipment and any other appliance in this regard for the fulfilment of all obligations under the Contract and to the satisfaction of the Company.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



SECTION - IV

GENERAL TERMS & CONDITIONS(GCC)

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



SECTION - IV

GENERAL TERMS & CONDITIONS(GCC)

This GCC shall form an integral part of the Agreement and will be of full force and effect as if they were expressly set out in the body of the Agreement.

Reference to any legislation or law to any provision thereof shall include references to any such law as it may, after the date hereof, from time to time, amended, supplemented or re-enacted, and any reference to a statutory provision, shall include any subordinate legislation made from time to time under that provision.

1. DEFINITION & INTERPRETATION

1.1 Definition

In the Agreement (as defined below) the words and expressions defined below shall have the meanings assigned to them herein except where the context requires otherwise:

- 1.1.1 "Accounting Year" means the financial year commencing from 1 April of any calendar year and ending on 31 March of the next calendar year.
- 1.1.2 "Applicable Laws" means all Law / Laws in force and effect, as of the date hereof and which may be promulgated or brought into force and effect hereinafter in India including any revisions, amendments or re-enactments including without limitation regulations, rules and notifications made there under and judgments, decrees, injunctions, writs and orders of any court or regulators or quasi-judicial body or any appropriate authorities, as may be in force and effect during the subsistence of the Contract. It includes Law/Laws of Country/State legislation, statues, ordinance, notification, circular, regulations and other Laws, and by Laws of any legally constituted public authority.
- 1.1.3 "Change in Law" means the occurrence of any of the following after the execution of agreement:
 - (i) The enactment of any new Indian Law;
 - (ii) The repeal, modification or re-enactment of any existing Indian Law;
 - (iii) The commencement of any Indian Law which has not entered into effect until the date of performance the Contract;
 - (iv) Change in the interpretation or application of any Indian Law by a court as compared to such interpretation or application twenty-eight (28) days prior to the last date of submission of Tender;
 - (v) It also includes changes in the tax rates upward or downward.
- 1.1.4 "Change in Service" means any addition to, deletion from, suspension of or other modification, to the Services, or to the quality, function or as delineated in this agreement, including any such addition, deletion, suspension or other modification, which requires a change in one or more of the service specification and the completion schedule.
- 1.1.5 "Communication" means instruction or information or written notice issued on letter head or through electronic mail exchange between Parties and excludes verbal or short messaging services (SMS). The notice shall be served by delivering a copy by electronic mail, or registered post/speed post etc. Unless otherwise stated in the agreement, all communications to be given under the Contract shall be in writing. Communication may be sent to competent authority or authority delegated to such officer/employee. Communication shall be on letter head of Party signed by competent authority/authorized signatory of the Party.
- 1.1.6 **"Company**/Owner/Purchaser/First Party " the terms used in this agreement shall refer to BSES YAMUNA Power Limited (BYPL) having its office at Shakti Kiran Building,

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



Karkardooma, Delhi-110032 and shall include its authorized representatives, agents, successors and assignees

- 1.1.7 **"Contractor**/Agency/Vendor" means the successful bidder to whom this Agreement is awarded. It is entity named in the Execution Cover and includes assignees, administrator, executors, successors, associated company/subsidiary/joint venture/firm/representative of the Contractor. It is also termed as 'Contractor' or 'Agency'.
- 1.1.8 Contract" /" Agreement/"Work Order" means the agreement between the Company and the Contractor for the performance of the Services, including the Contract / Agreement/ Work Order duly signed and executed between the Parties, the letter of acceptance, the Conditions of Contract, the schedules, Annexures, the Company/BYPL's requirements, including but not limited to the tender, other tender documents and such further documents which are listed in the Contract / Agreement/Work Order and includes any amendment thereto made in accordance with the provisions hereof giving binding effect to the terms and conditions agreed by the Parties. This includes Work Order / Letter of Intent(LOI) issued to the Contractor by the Company/BYPL.
- 1.1.9 "Agreement Period" shall mean duration of Services to be performed and includes extension thereof after mutual consent of both Parties.
- 1.1.10 "Agreement Value/Consideration" means the price of the defined Services including taxes payable to the Contractor for the performance of the Services subject to such additions thereto and deductions there from as may be made under the provisions of this Agreement. The Agreement Value is in consideration of providing the Service by the Contractor as per scope of work and as per Service specifications stipulated in the Agreement; the Agreement Value includes all and any fees, charges, local cess, taxes (GST and Income Tax), levies together with all cost and expenses. The Agreement Value may also term as 'Service Fee(s)' or 'Agreement fees'/Consideration elsewhere in the Agreement. Agreement Value is fixed lump sum for the Agreement Period unless mentioned in Agreement elsewhere.
- 1.1.11 "Force Majeure" shall have the meaning as ascribed in this agreement and annexures thereto.
- 1.1.12 "Good Industry Practice" means the exercise of the highest degree of skill, diligence, prudence and foresight in compliance with the obligations under the Contract which would be expected from a skilled and experienced Contractor engaged, being internationally accepted and customized in day to day performance in industry including for the supply of Manpower.
- 1.1.13 "HSE Conditions" shall mean the BYPL's health, safety and environment conditions containing the requirements and conditions to be met with respect to safety, health and environment.
- 1.1.14 "KPI" shall mean Key Performance Indicator as set out in the Contract/Agreement, its schedules/annexures etc. The performance of the Manpower employed by the Contractor for execution of Services shall be measured through KPI. The payment to Contractor shall be based on Manpower's performance as measured through KPI. It includes metrics in numerical, frequency and measuring process. Total manpower shall be monitored & calculated skill wise but it will be cumulative on monthly basis
- 1.1.15 "Manpower" means a person/s, labour (including Contractor's staff / personnel) known, introduced, security personnel employed and deployed by the Contractor in Contractor's provision of the Services who has skill, efficiency and mannerism to execute, perform Services under this Contract as per Scope Of Work of the Contract. The Manpower deployed shall have valid licenses, PAN card details / KYC information.
- 1.1.16 "Contract cum Performance Bank Guarantee (CPBG)" means the bank guarantee to be procured in accordance with terms of agreement for the performance of the Contractor's obligations under the Contract. The CPBG format is furnished in the Annexure, annexed to agreement.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 1.1.17 "Service(s)" / "Works" shall mean Company/BYPL's requirements describing in detail including the nature of the Services and activities to be performed by the Contractor and its Manpower, in accordance with specifications, the duration of such requirement, and Services performed, the expected time of commencement and completion, detailed responsibilities and other relevant particulars. It is 'scope of work' which is to be executed, performed successfully and satisfactorily by the Contractor in accordance with the Contract and ancillary services as may be Communicated by the BYPL from time to time under the Contract Period.
- 1.1.18 "Site" means the designated place/office or establishment or construction site, office, branch, including right of way and/or places provided by the BYPL where the Services is to be executed and any other place as may be specifically designated in the Contract/Agreement as forming part of the Site or designated as such by the Company/BYPL.
- 1.1.19 "Sub-Contractor" means a Sub-Contractor whom a part of the Contract is Sub Contracted by the Contractor with the prior written approval of the Company/BYPL, and the permitted legal successors in title to such person, but not any assignee of such person.
- 1.1.20 "Sub-Contract" shall mean obligations under the Contract have been awarded by the Contractor to Sub-Contractor.
- 1.1.21 "Tax Invoice" / "Running Bill"/ "Pro-rata Bill" shall have the meaning described to it under GST Laws.

1.2 INTERPRETATION

- In the Contract except where the context requires otherwise:
- 1.2.1 Words indicating one gender include all genders
- 1.2.2 "Written" or "in writing" means hand-written, written, or electronically made and resulting in a permanent record
- 1.2.3 Any reference to any provision of an act of Parliament or of a state legislature shall be construed, at the particular time, as including a reference to any modification, extension or re-enactment thereof, to all instruments, orders or regulations then in force
- 1.2.4 The singular shall include plural and vice versa, and words denoting natural persons shall include partnerships, firms, companies, corporations, joint ventures, trusts, associations, organizations or other entities
- 1.2.5 The headings are inserted for convenience and shall not limit, alter or affect the meaning of the Contract.
- 1.2.6 The terms defined in schedule and the BYPL's Requirements shall have the same meaning ascribed thereto when used elsewhere in the Contract and vice versa;
- 1.2.7 The words "include" and "including" shall be construed without limitation
- 1.2.8 The schedules/annexures shall form an integral part of the Conditions of Contract and shall be in full force and effect as though they were expressly set out in the body of the Conditions of Contract.
- 1.2.9 The word "consent" wherever used, shall mean prior written consent;
- 1.2.10 In the event any portion or all of the Contract is held to be void or unenforceable, the Parties agree to negotiate in good faith to arrive at an amicable understanding which shall accomplish the intent of the Parties as originally set forth in the Contract;
- 1.2.11 No failure on the part of any Party to exercise, and no delay in exercising, any right hereunder shall operate as a waiver thereof, and no single or partial exercise of any such right shall preclude any other or further exercise thereof or the exercise of any other right
- 1.2.12 References to recitals, Articles or schedules in the Contract shall, except where the context otherwise requires, be deemed to be references to recitals, Articles and schedules of or to the Contract; and

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



1.2.13 In case the day on or by which any thing is to be done is not a Business Day, that thing must be done on or by the immediately occurring next Business Day

2. PRIORITY OF CONTRACT DOCUMENTS

The several documents forming the Agreement are to be taken as mutually explanatory of one another, but in case of ambiguities or discrepancies, the same shall be explained and adjusted by the company, who shall, accordingly, issue suitable instructions thereon to the Contractor. In such event, unless otherwise provided in the agreement or explained by way of instructions by the company, as mentioned above, the priority of the documents forming the Agreement shall be as follows:

- (i) Contract Agreement/Work Order.
 - (a) Special Conditions of Contract
 - (b) General Conditions of Contract
- (ii) The Letter of Acceptance/ Intent
- (iii) Agreed Minutes of the Tender Negotiation Meetings
- (iv) Agreed Minutes of the Tender Technical Meetings
- (v) The Priced Bill of Quantities
- (vi) The Technical Specifications / Scope of work
- (vii) The Tender document, including all Appendices and/or Addenda, Corrigendum the latest taking precedence.

In the event of any conflict between the above-mentioned documents, the more stringent requirement or conditions that shall be favourable to the company shall govern and the decision of the company/BYPL shall be final and binding upon the parties.

3. **AMENDMENT**

Any modification, amendment or other change to the Agreement shall be affected only by a written instrument signed by the authorized representatives of both, the Company and the Contractor.

4. LANGUAGE AND MEASUREMENT

All correspondence and documents relating to this order placed on the Contractor shall be written in English language. Metric System shall be followed for all dimension, units etc.

5. EXAMINATION OF SITE & LOCAL CONDITIONS

The contractor is deemed to have visited all the sites that come under the Company's licensed area under the Contract and therefore, ascertained all site conditions and information pertaining to the services to be provided under this contract. The company shall not accept any claim whatsoever arising out of the difficulties at site/terrain/local conditions, if any.

6. TAXES & DUTIES

 Prices shall be inclusive of all taxes and duties including labour cess (except GST). However, Income Tax(TDS) as per applicable rate in accordance with Income Tax Act will be deducted from contractor's bills.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- (ii) GST at actual shall be paid extra on submission of GST Registration and selfdeclaration on Contractor's letter head stating that you have deposited/or will deposit the Tax as per the applicable GST laws. Contractor shall furnish its GST registration number.
- (iii) Any statutory variations i.e. increase/decrease in Taxes / Duties introduced by central Govt. / State Govt. shall be reimbursed/recovered to/from Contractor against documentary evidence and proof.
- (iv) As Per Notification No. 39/2021 # Central Tax dated 21st December, 2021 w.e.f 01/01/2022 registered person (ie, Recipient/Purchaser) can avail tax credit on those invoices only which have been reflected in GSTR 2A or GSTR2B (it means 100% matching of invoice is required). Also, GST has to be deposited by Supplier/Contractorby filing of GSTR-1 and GSTR-3B.
- (v) In view of above, if the same is not complied with by the supplier/Contractor and the Recipient/Purchaser is not in position to avail / utilize Input Tax Credit due to noncompliance or non-filing of GSTR-1 and GSTR-3B for the month/quarter (as applicable) in which the supply was made, then Recipient/Purchaser has right to hold 100% GST amount from next payment due of the subsequent month till the time default is not cured.
- (vi) For releasing of the payment kept on hold on account of non-compliance of GST Act, supplier/Contractor shall submit payment proof i.e GST Portal screenshot reflecting name of Recipient/Purchaser alongwith GSTR-1 and GSTR-3B for month/quarter (as applicable) in which the same has been discharged. Payment shall not be released, till the time necessary proof showing the discharge of GST liabilities by the contractors for the period in default are submitted to the Company.
- (vii)Further, the recipient/purchaser shall also be entitled to recover any financial loss suffered by the Company (including tax, interest, penalty and lapse of input credit) due to non-compliance or non-filing of GSTR-1 and GSTR-3B by the supplier/Contractor.
- (viii) In case where delivery of goods is being made on FOR site basis, the Supplier/Contractor is responsible to comply with rules applicable for E-way bill. Any violation in provision of E-way Bill will attract penalty and seizure of Transit Material. Any Penalty and Pre-Deposit due to violation of rules/provision shall be paid and borne by Supplier/Contractor. Also, Supplier/Contractor is responsible to get the goods released from the concerned authority. Delay in supply due to seizure of goods shall attract liquidated damages as per Order / Agreement provisions.

7. PAYMENT

- 7.1. Subject to the Contractor fulfilling its obligations under the Contract, the Company shall pay to the Contractor the Contract Value as per the terms of the Contract. The Company shall, notwithstanding any provision to the contrary included in the Contract, be entitled to deduct from and/or set off against any amount due or become due,whether related to this contract or other contracts awarded to contractor. However, any and all amounts which the Contractor is liable to pay to the Company, the contractor shall make payment as per the agreed schedule to avoid any set off / deductions.
- 7.2. The Bills to be submitted by the Contractor shall be in the format approved by the Company. Each Bill submitted by the Contractor under the Contract shall be supported with relevant documents as instructed by the Company from time to time.On receipt of the bill by the Company, the Company shall scrutinize the same to check for any errors and to verify that the amount claimed under the Bill is in conformity with the Contract. The bill shall be payable only after certification of Service(s) and approval of the bill for payment by the Company.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 7.3. All monitoring, measurement, billing & payment processes shall be on IT enabled platform of BYPL as per Company's guidelines issued from time to time and bidders to ensure adherence.
- 7.4. Contractor shall upload correct bills along with all supporting documents in online BTS (Bill Tracking Systems) software or any other IT enabled platform of BYPL as per Company's guidelines issued from time to time for certification / approval purpose and bidders to ensure adherence.

8. TAX INVOICE SUBMISSION PROCEDURE AND CERTIFICATION

- 8.1. Tax Invoice shall be submitted to the Company for certification. Contractor must pay due attention for submission of Tax Invoice in time and along with relevant Documents to Company.
- 8.2. Tax Invoice shall be certified by Company after verifying relevant original Documents submitted by Contractor. If original Document associated with Tax Invoice is misplaced or lost during transit or for any genuine reason(s) attributable to Contractor, the reason(s) should be informed to Company in writing in stipulated period as instructed by Company. A true copy of certified Document with an indemnity bond or Bank Guarantee, as the case may be, must be submitted in the format provided by the Company.
- 8.3. Incomplete Tax Invoice will not be considered for processing of payments in terms of the Contract. Company reserves right to recover payable amount or part of Tax Invoice from available financial security or other dues of the contractor with the Company. Contractor shall be paid in terms of the Contract based on certification of Tax Invoice along with associated relevant Document(s) by the Company only.

9. TIME ESSENCE OF CONTRACT

Time is the essence of the contract and the contractor shall be responsible for performance of his works in accordance with the specified schedule. If at any time, the contractor is falling behind the schedule for reasons attributable to him, he shall take necessary action to make good for such delays by increasing his work force or by working overtime or otherwise to accelerate the progress of the work and to comply with schedule timelines and shall communicate such actions in writing to the company, to the satisfaction of the Company that his action will compensate for the delays. The contractor shall not be allowed any extra compensation for such actions.

Time shall be the essence of the Contractor. Contractor shall complete his work in accordance with the specified time-lines/ Schedules as per the terms of the contract or as may be instructed by the Company from time to time.

10. LIQUIDATED DAMAGE

10.1 In the event of the Contractor's failure to complete the work or any part thereof within the Contract Period including the interim milestone dates, the Contractor shall be liable to pay

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



the Company liquidated damages calculated at the rate of 1 % of the contract value per week of delay or part thereof subject to a maximum of Ten (10) % of the contract value.

- 10.2 The Company may, without prejudice to any other method of recovery, deduct the amount of such damages from any monies in its possession, which are due or which may become due to the Contractor. The levy payment or deduction of such damages shall not relieve the Contractor from his obligation to complete the Works on time or from any other part of his obligation and liabilities under the Contract. Once the maximum is reached, the Company reserves the right for termination of contract without any liabilities to the Company.
- 10.3 In the event of an extension of time being granted by the EIC, in writing for the Completion of the works, this clause shall be applicable after the expiry of such an extended period.

11. PERIOD OF MOBILISATION

The contractor shall have to mobilize their Plants & Equipments, Tools & Tackles, Work Labour Force, project team including Engineering Staff and materials required for execution of work within seven days (7) of receipt of LOI or Work Order whichever is earlier.

12. SITE OFFICE AND SITE FACILITIES:

- 12.1 The Contractor shall also make his own arrangement for the accommodation/conveyance requirements for its staff. He shall be provided at site the adequate open space for construction of site store for storing the materials, tools, tackles etc. All the Contractor's storage will be within the site premises in a manner affording convenient access for identification and inspection at all times. The storage of arrangements shall be subject to IS: 4082. All the incoming and outgoing materials, equipment, tools, tackles and any other items related to said work shall be entered into the register kept for this purpose and shall be in the safe custody of Contractor, however company does not hold any responsibility for any loss or damage caused to Contractor's material etc.
- 12.2 The Contractor shall strictly control the labour so that the site is not polluted, made dirty or littered with debris, wastes or the likes.
- 12.3 Any person, labour found creating mess or litter or pollution shall be removed from the site immediately at the Contractors cost and shall also be subject to penalty at the discretion of the EIC.
- 12.4 Water & Power: Water and Electricity Power shall be arranged by the Contractor on his own. It shall be the responsibility of the Contractor to make arrangements at his own expense for the supply of water for construction and other uses. The Contractor can install pumps, construct temporary storage tanks and distribute the water to various points in works site as required. The Contractor at his own expense shall make arrangement for operating and maintaining pumps & distribution lines, connections, which are installed by him for water arrangement.
- 12.5 **Watching & Lighting:** The Contractor shall in connection with the works provide and maintain at his own cost all lights, guards, fencing and watching when and where necessary for the protection of works, or for the safety and convenience of the public or others. The care, housekeeping and safety of the materials and works within the works site shall be sole responsibility of the Contractor.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



The Contractor shall also open and maintain a site office in the area and depute its authorized representative there.

13. ACCESS TO THE SITE

The Company shall provide to Contractor the right of access to the Site progressively for the Execution of the Works. The Contractor acknowledges that its access to the Site shall not be exclusive to the Contractor but subject to the restrictions as contained in the Contract as well as the following:

- (a) Any public passage or right existing over any part of the Site from time to time;
- (b) The rights and obligations of persons or authorities under any Applicable Laws; and
- (c) The rights of the Company's Representative, Consultants or any other representative of the Owner or any statutory authorities to have access to the Site for inspection of the Works

If the Contractor foresees any delay in the Execution of the Works due to failure on the part of the Company to provide right of access to the Site, the Contractor shall immediately give written notice to the Company's Representative substantiating its claim for any delay in the execution of the works due to delay in providing the Site. After receipt of such notice, the Company's Representative shall determine extension of time, if any, to be granted to the Contractor and notify the Contractor accordingly. The Contractor acknowledges and agrees that it shall not be entitled to any monetary claim under any circumstances whatsoever due to any delay in handing over of the Site by the Company.

The Contractor shall not demolish, remove or alter any structures or other facilities on the Site without the prior written approval of the Company's Representative. The Contractor shall further ensure that all garbage resulting from the Execution of the Works is removedor disposed of, in accordance with Applicable Laws.

14. INSPECTION & QUALITY CONTROL

Inspection shall be performed by BYPL or its appointed authorized inspection agency. The contractor at his sole expenses shall correct defective works. Such rectification needs to be done / completed within the timelines specified by BYPL.

All materials received at site shall be accompanied by the Test certificate of the manufacturer. The Engineer-In-Charge reserves the right to instruct any material to be further tested in an approved laboratory for which the Contractor shall make no additional claims. Where ever test requirements are not specified in the specifications, relevant IS code of practice shall govern

15. DAMAGE OF PRIVATE PROPERTIES / LIFE:

The Contractor shall be responsible for all risk to the works to be performed under its obligation under the Contract and for trespassers, and shall make good at his own expenses all losses and damages whether to the works, themselves, or to any other property of the company or the lives, persons or property of other forms, whatsoever cause, in connection with the works, although all reasonable and proper precautions may have been taken by the contractor, and in case Company is called upon to make good any such costs, loss or damages or to pay compensation

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



to any person(s) sustaining damages by reason of any act, or any negligence or omission on the part of the Contractor, the amount of any costs or charges (including costs and charges towards legal proceedings) which the Company may incur in reference thereto, shall be charged to the Contractor. The Contractor shall reimburse such costs immediately to the Company.

16. DEMOBILISATION/ HANDOVER ON CONTRACT COMPLETION

- 16.1.The contractor shall ensure that all the premises/equipment/services are in good working condition and are with full configuration while handing over back to the Company/new Contractorat the end of the contract.
- 16.2. The demobilization/ handover period will be a period of upto 30 days starting from the date of expiry of the contract. The Contractor shall have to complete the demobilization process including closing all pending calls, and handing over all site-related information to the new Contractor/BYPL during this period.
- 16.3. Within 30 days of the expiry of the contract, the Contractor's representative and BYPL's representatives or the new Contractor may carry out a Joint survey/physical inspection to identify the status of the premises/equipment/services at their locations. If anyof the premises/equipment/services are found non-working/irreparable/unsatisfactory, it is the responsibility of the contractor to make the same good as part of the existing contract.
- 16.4.No payments shall be admissible for the demobilization period/activities.
- 16.5. In case the Contractor is not able to close the pending work as identified in Joint survey/physical inspection during the demobilization period, BYPL at its sole discretion can get the work done / Services rendered/ equipment restored/ repaired/substituted by new Contractor/the third party at the risk and cost of the Contractor and the same will be deducted/recovered from the bills of the contractor or the security amount, CPBG, retention amount or otherwise as per terms of the contract and no claim from the Contractor's side, of any nature, including the claim citing the award of work to third party and consequences thereof, shall not be maintainable.
- 16.6.Payments for the last month shall be cleared only after all the pending works have been closed successfully as indicated above.
- 16.7.Ceiling on deductions/penalty stipulated in this contract, if any, shall not be applicable on deductions stipulated herein during demobilization/ handover on contract completion.

17. CO-ORDINATION WITH OTHER AGENCIES:

- 17.1 The Contractor shall execute the work in strict consultation with the Company and in coordination with other agencies appointed by the Company who will also simultaneously execute the components of work allotted to them.
- 17.2 The Contractor at his own cost shall also extend their site facilities, plant and equipment's on written request of the Company/ EIC for use by other contractors appointed by the Company.

18. **REPORTS AND INFORMATION**

The Contractor shall be obliged to submit or furnish to Company, all or any information as NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 2200000083] Bidder Seal & Signature



desired by company, in the form of a report or otherwise. The report may be required at regular interval as specified/required by company. The information shall be provided in a format to be specified by the company to the Contractor. However, company, reserves the right to revise this format which would be communicated to the Contractor and it shall be valid and binding obligation on the Contractor to submit the desired information in the revised format.

19. STATUTORY OBLIGATIONS

The Contractor shall ensure the due compliance of all the applicable statutory acts, including but not limited to the following acts, where special attention of the Contractor is required to be drawn towards the compliance of provision (along with the latest amendments/additions)including any statutory approval required from the Central/State Governments, Ministry of Labour.

- a. The Child Labour (Prohibition and Regulation) Act, 1986.
- b. The Agreement Labour (Regulation and Abolition) Act, 1970.
- c. The Employee's Pension Scheme, 1995.
- d. The Employee's Provident Funds and miscellaneous provisions Act, 1952.
- e. The Employees State Insurance Act, 1948.
- f. The Industrial Disputes Act, 1947.
- g. The Maternity Benefit Act 1961.
- h. The Minimum Wages Act, 1948.
- i. The Payment of Bonus Act, 1965.
- j. The Payment of Gratuity Act, 1972.
- k. The payment of Wages Act, 1936.
- I. The Delhi Shops & Establishment Act, 1954.
- m. The Workmen's Compensation Act. 1923.
- n. The Company's Liability Act, 1938.
- o. The Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013
- p. The Delhi Preservation of Trees Act 1994
- q. Building and Other Construction Workers Act, 1996 .

Further the Contractor shall be liable to comply with all the amendment in existing acts / upcoming new comprehensive labour acts/codes related to applicable labour laws.

The Contractor shall, prior to commencement of the jobs under this agreement, furnish to the Company the Registration No and Codes of permanent Provident Fund and ESI of its employees.

Contractor shall bear the entire responsibility, liability and risk relating to coverage of its workforce under different statutory regulations including Workmen's Compensation Act, ESI Act, Factories Act 1948, the Agreement Labour (Regulation and Abolition) Act 1970, as amended from time to time, and any other relevant laws/regulations as the case may be. Contractor shall also be solely responsible for the payment of all benefits such as Provident Fund, Bonus, Retrenchment Compensation, leave etc. applicable as per the various statutory laws/regulations and shall keep the Company indemnified in this regard against any claim. The Company shall be entitled to deduct from any money due to or become due to Contractor, any money paid or payable by way of compensation as aforesaid or cost or expenses in connection with any claims thereto and Contractor shall abide by the decision of the Company as regards the sum payable by Contractor under the provisions of this clause

The Contractor shall obtain all registration/permissions licenses etc., which are/may be required

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 2200000083]



under any labour or other legislations for providing the services under this Agreement.

Contractor shall take insurance policy under the Workmen Compensation Act to cover workers, not covered under ESI Act 1948, engaged by it and Accident Liability Insurance for its employees for payment of compensation on account of injury, fatal or otherwise due to accident during service. Copies of these insurance policies will be submitted to company for reference and records and these insurance policies shall be kept valid at all times.

In case it is desired by any Labour authorities to produce the records with respect to salary/ PF/ESI/EDIL/Bonus etc, the said record/register will be made available by the Contractor.

The contractor shall follow all law of the land and prevailing orders issued by various Govt Departments like Dept of Power / DERC/ NGT/Dept of Forest/ Dept of Environment / DPCB / CPCB/ Court orders etc.

20. PENALTY FOR NON-COMPLIANCE OF STATUTORY REGULATIONS

If any non-compliance of any Statutory Obligation is observed then an amount equivalent to 1.5 times the value of the non-compliance will be retained from the outstanding payment bill, however; if non-compliance is continued, a penalty will be levied as follows:

- (a) Retained amount will be converted into penalty if Non-compliances are not closed within 60 days.
- (b) Termination of agreement in case non-compliances are not cleared after show cause in writing.
- (c) The imposition of the penalty is without prejudice to the BYPL's right to terminate the Contract. The closure of the work and final settlement of the contract order shall be effected only after issuance of NOC by BYPL.

21. PENALTY FOR MISCONDUCT/FAILURE IN PERFORMANCE OF TASK UNDER AGREEMENT

- 21.1 The Contractor and its manpower shall adhere all code of conduct/Schedule/SOP/Instructions associated with the task to be performed under the agreement.
- 21.2 During the period of validity/execution of task under agreement, the behavior of manpower deputed by Contractor shall be entirely professional and shall not commit any misconduct.
- 21.3 BYPL shall conduct audit and quality checks on the activities to be performed by Contractor and/or the personnel deputed by Contractor under Agreement on a periodic basis, to ascertain the overall quality and performance of field activities.
- 21.4 Any complaints received by BYPL either directly from the customer or observations through audit or any other sources shall be reviewed by BYPL. The decision of the committee on the final action on Contractor shall be binding.

21.5 PENALTY FOR MISCONDUCT

The penalty to be imposed in case of misconduct shall be as follows:

- (a) In case of any misconduct as defined above, a penalty of Rs 5000/- per incident shall be levied.
- (b)In case of multiple incidences of Misconduct:
 - 1) 4 complaints per annum OR

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



2) more than 1 complaint in a quarter

An additional penalty of Rs 20,000/- shall be levied and possible termination of the contract.

21.6 The person responsible for such incidence of misconduct must be immediately removed by Contractor from Company's services under the contract and should also never be deployed for providing any other services to the Company. If needed contractor shall file police FIR against such person.

22. STATUTORY PERMISSION/ APPROVALS

- 22.1. The Contractor shall take all steps as may be necessary to comply with the various applicable laws/rules including the provisions of agreement labour (Regulation & Abolition Act) 1970 as amended, minimum wages Act, 1984, Workmen Compensation Act, ESI Act, PF Act, Bonus Act and all other applicable laws and rules framed there under including any other statutory compliance/approval required from the Central/State Govt., Ministry of Labour.
- 22.2. The Contractor must also submit the following before the award of the First Work Order under the agreement and these shall be renewed from time to time:
 - a) Certificate of registration under Contract labour (R & A) Act 1970.
 - b) PF Code No. and all employees to have PF A/c No. under PF Act, 1952.
 - c) All employees to have a temporary or permanent ESI Card as per ESI Act.
 - d) ESI Registration No.
 - e) GST registration number
 - f) PAN No.
 - g) Electrical License as applicable
 - f) Labour License under Labour Act (R & A) Act 1970. A copy of Labour License shall be deposited by Contractor with all Engineer-in-charge responsible for execution of the job before start of the work by the contractor, as per guidelinesof HR department.)
- 22.3. The Contractor must follow/adhere/perform the following task:
 - (a) To take Third party Insurance Policy before start of work.
 - (b) To follow Minimum Wages Act prevailing in the state.
 - (c) Salary / Wages to be distributed not later than 7th of each month.
 - (d) To maintain Wage- cum Attendance Register.
 - (e) To maintain First Aid Box at Site.
 - (f) To Submit Latest P.F. and E.S.I. challans pertaining to the period in which work was undertaken along with a certificate mentioning that P.F. and E.S.I. applicable to all the employees has been deducted and deposited with the Authorities within the time limits specified under the respective Acts.
 - (g) To frame and adhere the Workmen Compensation Policy in compliance with the law.
 - (h) To obtain Labour license before start of work.
 - Registration of Contractors & Contractual Employees under Building &other Construction Worker Welfare Cess Act 1996 & The Building & other Construction Workers (Regulation of Employment & Conditions ofservices) Act 1996, as applicable
 - (j) Registration under "The Delhi Building and other Construction Worker (Regulation of Employment and Conditions of Services) Rules2002(B.O.C.W.)", as applicable

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



Before commencing the work, it would be mandatory for the Contractor to furnish the Company the permanent PF code no and ESI of the employees.

- 22.4. Contractor ensures that Manpower deployed at the site must adhere to terms & conditions as set out in the Contract.
- 22.5. The Contractor shall give a written declaration / undertaking along with the bills that he has complied with the following:

a) Has paid minimum wages to his manpower along with its proof.

b) Has Deducted & deposited ESI/PF contribution and the copy of the same shall be submitted.

22.6. Contractor shall comply with all the amendments to existing acts, upcoming new comprehensive labour acts related to applicable labour law, wage code etc

23. PERMITS, LICENSES & APPROVALS

- 23.1 It shall be the Contractor's exclusive responsibility to obtain all requisite approvals, permits or licenses required for the performance of the Services. However, upon the request of the Contractor, the Company may, where it is necessary to do so, provide reasonable assistance to the Contractor, at the risk and cost of the Contractor, in applying for and obtaining such permits, licenses or approvals. Any delay in obtaining any such permits, licenses and approvals shall not relieve the Contractor from any of its obligations under the Contract.
- 23.2 The cost of obtaining the above mentioned permits, approvals and licenses and followup of the applications for such permits, approvals and licenses shall be borne by the Contractor.
- 23.3 It shall also be the Contractor's exclusive responsibility to obtain those requisite approvals, permits or licenses required for the performance of the Services which needs to be obtained by the Company. However, the cost of obtaining such permits, approvals and licenses shall be borne by the Company. Company shall provide reasonable assistance to the Contractor in applying for and obtaining such permits, licenses or approvals. Any delay in obtaining any such permits, licenses and approvals shall not relieve the Contractor from any of its obligations under the Contract.

24. REPRESENTATION, WARRANTIES AND GUARANTEES

The Contractor hereby represents warrants and guarantees that:

- 24.1. It is a legally recognized entity under the laws of India;
- 24.2. The Agreement contains valid and binding obligations and is enforceable in accordance with the terms hereof;
- 24.3. It has studied the technical feasibility, Site conditions and other prevailing conditions and all other operational details and based on these studies carried out, has agreed to provide to the Company the services as contemplated in this Agreement;
- 24.4. It has appraised itself of all applicable rules and regulations, and shall at all times comply with such rules and regulations;

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 24.5. It shall procure vehicles and hire manpower suitable for the purposes of rendering services as contemplated in this agreement;
- 24.6. The Services would be conducted in a safe and efficient manner at the Site and at all times in compliance with Good Industry Practices and requirements of the Company, and in any event, in accordance to this Work Order/agreement;
- 24.7. It shall procure all consents, licenses, permits, approvals and certificates and authorizations as may be required from any governmental authority for the performance of services at the Site;
- 24.8. It shall duly pay the duties, taxes and levies as are set out in this agreement or otherwise, which are to be paid by the Contractor;
- 24.9. There is no action, suit or proceeding, at law or in equity,or to the best of knowledge of Contractor, any official investigation before or by any governmental authority, arbitration tribunal or other body pending or, to the best of its knowledge, threatened against or affecting it or any of its property, rights or assets, which could reasonably be expected to have material adverse effect on its ability to perform its obligations under this Agreement or on the validity or enforceability of this agreement;

25. EVENTS OF DEFAULTS

- 25.1 Company may, without prejudice to any of its other rights or remedies under the Contract or in law, terminate the whole or any part of this Contractby giving written notice to the Contractor, if in the opinion of Company, contractor has neglected to proceed with the Contracts with due diligence or commits a breach of any of the provisions of this Contractincluding but not limited to any of the following cases:
 - a. Failing to complete execution of Contract as per the terms and conditions specified in the Contract.
 - b. Failing to complete Contracts in accordance with the approved schedule of Contract.
 - c. Failing to comply with any reasonable instructions or orders issued by Company in connection with the Contract.
 - d. Failing to comply with any of the terms or conditions of this Contract.
- 25.2 In the event Company terminates this Contract, in whole or in part, on the occurrence of any event of default, Company reserves the right to engage any other vendor or agency to complete the Contract or any part thereof, and in addition to any other right Company may have under the Contract or in law including without limitation, including the right to penalize for delay under clause "Liquidated Damage" of this Contract, the contractor shall be liable to Company for any additional costs that may be suffered/borne by Company for the execution of the Contract.
- 25.3 Failure on the part of the Contractor to maintain its confidentiality obligations and or compromising its integrity, which are required to be of highest standards, in so far as the present scope of work is concerned.

26. RISK & COST

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



If the Contractor fails to execute the work as per specification/Agreement/as per the direction of Engineer-in-change within the scheduled period and/or even after the extended period, the company shall be having the right to cancel/terminate the agreement and the company reserves the right to get the work executed from any other source at the Risk & Cost of the Contractor. The Extra Expenditure so incurred shall be debited to/recovered from the Contractor.

27. LIMITATION OF LIABILITY

- 27.1. The Contractor's liability (except Third Party Liability; covered under the agreementand addendums thereto) for all damages, losses, acts or omissions, howsoeveroccasioned, shall not, at any time exceed an amount equivalent to Contract Value.
- 27.2. Notwithstanding anything stated in the agreement, the limitation of Liability shall not be available/applicable in case of wilful default/breach/negligent act/misconduct on the part of the Contractor and/or its employees.

28. TERMINATION

28.1. TERMINATION BY COMPANY FOR NON PERFORMANCE

During the course of the execution, if at any time the Company observe and forms an opinion that the work under the order is not being performed satisfactory and the performance of the Contractor not found satisfactory, the Company reserves its right to cancel/ terminate this Agreement giving minimum 30 days' notice without assigning any reason and the Company will recover all damages including losses occurred due to loss of time from the Contractor. After termination of the agreement, the Contractor shall immediately stop all activities related to the work terminated. This is without prejudice to other rights under the terms of contract. The Contractor shall hand over the Company all drawing/documents prepared for this contract up to the date of cancellation of order.

28.2. PREMATURE TERMINATION

The order can be terminated by the Company before the expiry of its term under the following conditions:

- (i) The Contractor repudiates this order or otherwise evidences intention not to be bound by this order;
- (ii) The Contractor assigns, mortgages, or charges or purports to assign, mortgage, or charge any of its obligations or rights in contravention to the provisions of this order; or, transfers or negates any of its obligations in contravention to the provisions of this order.
- (iii) The Contractor breaches the Secrecy/Non-disclosure Clause/Confidentiality obligations.
- (iv) If at any stage during the tenure of the work order, Contractor is found to be involved or indulging or even attempting illegal, unlawful action or activities or some fraudulent or even trying to take or ask bribe from any customer or to give bribe official/staff or misuse or abuse any meter or property of the Company.
- (v) The Company shall be entitled to deduct from any money due or to becomes due to the Contractor, money paid or payable by way of compensation as aforesaid or cost or expenses in connection with any claims thereto. The Contractor shall abide by the

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



decision of the Company as to the amount payable by the Contractor under the provision of this clause.

28.3. TERMINATION BY COMPANY FOR CONVENIENCE

The Company shall, in addition to any other right enabling it to terminate the Contract, have the right to terminate the Contract at any time without assigning anyreason, by giving a written notice of minimum 30 days to the Contractor. TheContract shall stand terminated on the date as per the notice but such terminationshall be without prejudice to the rights of the Parties accrued on and before the dateof termination.

29. GOVERNING LAW AND ARBITRATION

- 29.1. Governing Law: This Work Order/Agreement shall be governed by the laws of India and each party submits to the exclusive jurisdiction of the courts in New Delhi.
- 29.2. Dispute Resolution Mechanism. All disputes and differences arising out of or in connection with this Agreement shall be resolved amicably by mutual discussion within 30 days. If the dispute cannot be resolved by mutual discussions and agreement, the parties will take such dispute to an arbitral panel comprising Sole Arbitrator jointly appointed by the parties to agreement.
- 29.3. In the event parties fail to appoint the sole arbitrator within 30 days from the date of request made by party, the Sole Arbitrator shall be appointed as per the provisions of The Arbitration and Conciliation Act 1996 as amended upto date. The arbitration shall be conducted in New Delhi in accordance with the provisions of the Arbitration and Conciliation Act 1996. The award of the arbitral panel shall be final and binding on all parties. The arbitration proceedings shall be conducted in English. The venue and seat of Arbitration shall be in Delhi Only. The cost of arbitration shall be shared equally between the parties unless otherwise directed by the Arbitrator.

30. FORCE MAJEURE

30.1. General

An "Event of Force Majeure" shall mean any event or circumstance not within the reasonable control, of the Party affected, but only if and to the extent that:

(i) Such event or circumstance, despite the exercise of reasonable diligence, could not have been prevented, avoided or reasonably foreseen by such Party;

(ii) Such event or circumstance materially and adversely affects the ability of the affected Party to perform its obligations under this agreement, and the affected Party has taken all reasonable precautions, due care and reasonable alternative measures in order to prevent or avoid the effect of such event on the affected party's ability to perform its obligations under this Agreement and to mitigate the consequences thereof. For the avoidance of doubt, if such event or circumstance would not have materially and adversely affected the performance of the affected party had such affected party followed good industry practice, such event or circumstance shall not constitute force majeure.

(iii) Such event is not the direct or indirect result of the failure of such Party to perform any of its obligations under this Agreement; and



(iv) Such Party has given the other Party prompt notice describing such events, the effect thereof and the actions being taken in order to comply the relevant clause

30.2. Specific Events of Force Majeure

Subject to the provisions of the agreement, Events of Force Majeure shall include only the following to the extent that they or their consequences satisfy the above requirements:

- (i) The following events and circumstances:
 - a. Effect of any natural element or other acts of God, including but not limited to storm, flood, earthquake, lightning, cyclone, landslides or other natural disasters, and\
 - b. Explosions or fires or flood
- (ii) Public disorder, insurrection, rebellion, sabotage, riots or violent demonstrations of a local character;
- (iii) Declaration of the Site as war zone.
- (iv) Any order, regulation, directive, requirement from any Governmental, legislative, executive or judicial authority.

30.3. Notice of Events of Force Majeure

- If a force majeure event prevents a party from performing any obligations under the Agreement in part or in full, that party shall:
- (i) Immediately notify the other party in writing of the force majeure events within 2 working days of the occurrence of the force majeure event
- (ii) Be entitled to suspend performance of the obligation under the Agreement which is affected by force majeure event for the duration of the force majeure event
- (iii) Use all reasonable efforts to resume full performance of the obligation as soon as practicable
- (iv) Keep the other party informed of all such efforts to resume full performance of the obligation on a regular basis
- (v) Provide prompt notice of the resumption of full performance or obligation to the other party.

30.4. Mitigation of Events of Force Majeure

The Contractor shall:

- (i) Make all reasonable efforts to prevent and reduce to a minimum and mitigate the effect of any delay occasioned by an Event of Force Majeure, including applying other ways in which to perform the agreement;
- (ii) Use its best efforts to ensure resumption of normal performance after the termination of any Event of Force Majeure and shall perform its obligations to the maximum extent practicable as agreed between the Parties; and
- (iii) Keep the Company informed at regular intervals of the circumstances concerning the event of Force Majeure, with best estimates as to its likely continuation and what measures or contingency planning it is taking to mitigate and or terminate the Event of Force Majeure.

30.5. Burden of Proof

In the event that the Parties are unable in good faith to agree that a Force Majeure event has occurred to an affected party, the parties shall resolve their dispute in accordance with the provisions of this agreement. The burden of proof as to whether or not a force majeure event has occurred shall be upon the party claiming that the force majeure event has occurred and that it is the affected party.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



30.6. Terminationfor Certain Events Of Force Majeure

If any obligation of any Party under the Agreement is or is reasonably expected to be delayed or prevented by a Force Majeure event for a continuous period of more than 1 (one) month during the Term of the Agreement, the Agreement shall be terminated at the discretion of the Company and neither Party shall be liable to the other for any consequences arising on account of such termination.

The Company reserves the right to demand the Contractor's services on holidays as well as beyond the normal working hours.

The Contractor will ensure that none of their person is engaged in any unlawful activities subversive of the Company's interest failing which suitable action may be taken against the Contractor as per the terms and condition of this order.

The Contractor shall be liable for payment of all taxes and duties as applicable, to the State/ Central Govt. or any local authority.

The Contractor's employees shall not be treated as Company's employees / persons for any purpose whatsoever & facilities/ benefits applicable to the Company's employees shall not be applicable toContractor's employees. If due to any reasons whatsoever the Company is made liable to meet any obligation under any of the laws & enactment etc, for any reason whatsoever the same shall be recovered from the Contractoreither from the present and future amount payable to him oras per law.

31. NOTICE & COMMUNICATION

Any notice or other formal communication to be given under this agreement shall be in writing and signed by or on behalf of the party giving it and shall be sent by registered post, A.D. to the addresses of Contractor or BYPL as mentioned herein above or to any other addresses as agreed by the parties, in writing from time to time.

Any notice or other formal communication can also be sent through official e-mail ID of authorized person of Contractor or BYPL.

32. SAFETY CODE

- 32.1. The Contractor shall ensure adequate safety precautions at site, as required under the law of the land to facilitate safe working, during the execution of work under agreement/work order and shall be entirely responsible for the complete safety of their workmen as well as other workers at site and premises during performance of work under agreement.
- 32.2. The Contractor shall observe the safety requirements as laid down in the agreement and in case of sub-contract/assignment (only after written approval of company), it shall be the responsibility of Contractor that all safety requirements are followed by the employees and staff of the sub-contractor.
- 32.3. The Contractor employing two hundred employees or more, including employees deputed under agreement, shall have a safety officer in order to ensure the implementation of safety requirements of the agreement and if the Contractor having lesser number of employees, including agreement workers, shall nominate one of its employees to act as safety coordinator who shall liaise with the safety officer on matters relating to safety and his name shall be displayed on the notice board at a prominent place at the work site.
 NIT No: CMC/BY/24-25/RS/SvS/VK/50

[**RFx No**: 220000083]



- 32.4. The Contractor shall be responsible for non-compliance of the safety measures, implications, injuries, fatalities and compensation arising out of such situations or incidents.
- 32.5. In case of any accident, the Contractor shall immediately submit a statement of the same with BYPL and the safety officer, containing the details of the accident, any injury or causalities, extent of properly damage and remedial action taken to prevent recurrence and in addition, the Contractor shall submit a monthly statement of the accidents toBYPL at the end of each month.
- 32.6. The contractor / safety officer shall be responsible for providing training to all staff & workers, safety compliances, testing and fitness of all T&P , PPE, annual safety audit reports etc in line with CEA norms

33. WORKMEN COMPENSATION

- 33.1. The Contactor shall take insurance policy at his own cost under the Workmen Compensation Act to cover such workers who are not covered under ESI by the Contractor however engaged to undertake the jobs covered under this order and a copy of this insurance policy will be given to Company for reference and records. This insurance policy shall be kept valid at all times. In case there are no workers involve other than those who are covered under ESI by the Contractor, the Contractorshall certify for the same.
- 33.2. The Contractor shall keep the Company indemnified at all times, against all claims of compensation under the provisions of Workmen Compensation Act 1923 as amended from time to time or any compensation payable under any other law for the time being involving workmen engaged by the Contractor in carrying out the job involved and against costs and expenses, if any, incurred by the Company in connection therewith and without prejudice to make any recovery.
- 33.3. The Company shall be entitled to deduct from any money due to or to become due to the Contractor, moneys paid or payable by way of compensation as aforesaid or cost or expenses in connection with any claims thereto and the Contractor shall abide by the decision of the Company as to the amount payable by the Contractor under the provisions of this clause.

34. THIRD PARTY INSURANCE

The Contractor shall, before the commencement of work, take a Third Party Insurance of an adequate value, at his own cost and expenses, securing all the risks/losses/damages which may be caused to any third party and/or BYPL and/or its employees/associates, because of the omission/performance of tasks by the Contractor under this agreement. The full and final settlement of claims raised by third parties shall be the sole responsibility of the Contractor without any liability to BYPL.

It is further agreed by the Contractor that in case of defect/damage to the system because of default on the part of the Contractor, the Contractor shall, at its own cost, be liable to replace/rectify the same at the earliest or make good the loss suffered by BYPL

35. HUMAN RESOURCE ISSUES

(A) The Contractor would execute the works under agreement through its own resources.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- (B) The Contractor shall bear all expenses/cost to be incurred towards salary, allowances, perks, travelling allowances, advances, insurance, safety measures, annual increment, security, transportation, conveyance reimbursement, telephone expenses, leave pay and all other misc. expenses etc. of their employees/ workmen during the validity/tenure of the Agreement or any renewed tenure thereto. Also, the Contractor shall be solely responsible for making payment for Hospitalization, Compensation thereof in case of any accident & injury.
- (C) The Contractor to deploy its manpower immediately for carrying out the work as specified in the tender document.
- (D) The Contractor shall ensure that there are no disputes regarding service, payment etc. of the persons engaged by it, anytime during the tenure/validity of the contract. At no point of time during the tenure/validity of contract, the Contractor's employees shall insist upon the Company for employment, wages, and allowances or any other related matter, payment etc.
- (E) The Contractor shall not deploy the manpower below the age of 18 years or above the age of 58.
- (F) The Contractor shall not deploy the female manpower between 7 PM to 6 AM.
- (G) The Contractor shall be directly responsible for any / all disputes arising between Contractor and its persons and keep the Company indemnified against all losses, damages and claims arising thereof. The Contractor shall resolve all disputes of its manpower. All the legal dues of the manpower of Contractor is to be paid on or before due date as per applicable laws or within 8 days from date of the termination of manpower.
- (H) All safety wears required for the Contractor's manpower during the execution of work must be provided by the Contractor at its own cost and the Contractor shall ensure that its employees regularly use such safety gears.
- (I) The Contractor shall be responsible for discipline of its manpower and shall ensure that the personnel deputed should adhere to the disciplinary procedure set by the Company. The Contractor shall ensure that none of its associate/personnel is engaged in any unlawful activities or any other activity subversive of the Company's interest, failing which the same shall be termed as breach of the terms of agreement and annexures thereto and suitable action may be taken against the Contractor as per the terms & conditions of the Agreement. The Contractor will ensure that none of the manpower engaged by it will demonstrate before the offices of the Company in any manner whatsoever. In case any of the manpower engaged by Contractor is found indulging in such activities, the same shall be termed as breach of the terms of agreement and annexure thereto and the Contractor will take suitable action against such of their employees and submit the ATR with company.
- (J) The Contractor shall ensure compliance with minimum wage requirements of the correct category and shall ensure the following:
 - (a) Timely payment of minimum wages to deployed manpower as per the rate notified from time to time by the Government of National Capital Territory of Delhi.
 - (b) Compliance with all other relevant PF, ESI, Insurance and other laws as applicable per statute.
 - (c) To retain Challans/Receipt issued by Statutory Authorities like Regional Provident

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



Fund Commissioner (RPFC)/including its own Pension Provident Fund Trust for previous month & proof of payment towards compliance of other statutory provisions like E.S.I., GST etc.

- (d) Contractor will also produce challan/receipt with respect to payment of GST as a proof for such statutory payment.
- (K) Contractor shall comply with provisions of the Payment of Wages Act 1936, Minimum wages Act-1948, Employee's Provident Fund & Miscellaneous Provision Act 1952, ESI Act 1948, Company's Liability Act 1936, Industrial Dispute Act 1947, Maternity Benefit Act 1961, Contract Labour (Regulations & abolition) Act 1970, Delhi Shops & Establishment Act or any modification thereof, THE SEXUAL HARASSMENT OF WOMEN AT WORKPLACE (PREVENTION, PROHIBITION AND REDRESSAL) ACT, 2013 or any other Act relating to rules made hereunder from time to time. For the said purpose the Contractor shall get itself covered under the Employee's Provident Fund & Miscellaneous provision Fund 1952&ESI directly with the appropriate Regional Provident Fund Commissioner, if not done so far and shall intimate to the Company the Code No. allotted by the RPFC&ESI Authorities within one month from the date of commencement of the work under agreement.
- (L) Contractor shall organize periodic awareness session on POSH, 2013 and strict compliance to POSH, 2013.
- (M) Contractor shall have a detailed HR policy for retirement, training, safety, job suitability, health etc. for it's employees. Further the Contractor shall have proper grievance redressal process for addressing HR issues raised by it's employees.

36. DEPLOYMENT OF RESOURCES

- 36.1. The contractor shall deploy adequate resources for the smooth execution of work assigned to them. The contractor shall provide complete details including name, address, and Aadhar Card number of resource deployed.
- 36.2. The contractor shall deploy qualified & experienced resources comprising engineers, supervisors, diploma holders, skilled, semi-skilled & unskilled staff in accordance with the requirements.
- 36.3. The resource deployed by the contractor shall exercise highest level of integrity at work place and shall not involve in any type of malpractice. In case any resource of the contractor is found involved in any malpractice, the contractor shall indemnify the company for the loss incurred by the company on account of such malpractice/misconduct.
- 36.4. In case the contractor or the resource deployed by him unable to execute the work assigned to it as per satisfaction of the company or the workmen of the Contractor refuses to work, going on strike or for any other reason likely to lead to loss of productivity, the company shall have right of engaging any other agency or resorting to any other suitable means without giving any reason and to recover the cost incurred out of the amount payable or become due to the contractor.

37. REPLACEMENT OF RESOURCE(S)

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 37.1. Should the Company consider at its sole judgment that the persons deployed by the Contractorarenot suitable for the job for whatsoever reason, the Company will have the option either (i) to seek prompt replacement deputing the other person at the cost of Contractor or (ii) to terminate this work order/agreement in part or as a whole.
- 37.2. If the Company finds any employee of the Contractor guilty of any misconduct, incompetence or negligence, the Contractor shall, if so intimated by the Company,withdraw such employee from the work of company and replace him with a qualified and competent manpower. Contractor shall keep the Company informed of all manpower replacements and all such data shall be submitted with the person nominated by Company along with personal & qualification details of such persons deputed as replacement.
- 37.3. If any employee of the Contractor found indulged in unfair practices or causing direct or indirect damage to Company's Image/Property/Revenue, immediate action shall be taken by the Contractor and the Contractor shall suitablycompensate the company for all loss incurred by the Company. Contractor shall have retrenchment / removal policy in place to handle such matters.

38. CONTRACTOR'S OBLIGATIONS

A) General Obligations

- 38.1 The performance of Services as completed by the Contractor shall be wholly in accordance with the Contract and fit for the purposes for which they are intended to and as defined in the Contract. The Services shall include any Service which is necessary to satisfy the Company's requirements and as implied by the Contract.
- 38.2 The Contractor shall execute the Services within the time frame for completion as specified in the order/agreement and Scope of Work. Without prejudice to the provisions of the Contract, before commencing the Services, the Contractor shall satisfy itself regarding the BYPL's requirements. The Contractor shall give notice to BYPL, within forty-eight (48) hours of the receipt of BYPL's requirements, of any error, fault or other defect in the BYPL's requirements or such items of reference.
- 38.3 The Contractor takes full responsibility for the adequacy and stability of Services to be performed at the Site.
- 38.4 The Contractor shall at all times endeavour to adopt best practices as is prevalent in like industry and shall always be required to achieve the desired quality and confirm to the schedule of Service(s) at no additional cost to the company/BYPL.
- 38.5 The Contractor is deemed to have satisfied itself as to the correctness and sufficiency of the BYPL's requirements and other terms of the Contract relating to its risks, liabilities and obligations set out in or implied by the Contract and all matters and things necessary for the proper performance of the Services.
- 38.6 The Contractor acknowledges the responsibility of the following during the performance of the Services:
 - (a) The proper transportation of Manpower and materials upto the Site and back.
 - (b) Availability of skilled Manpower in time.
 - (c) Compliance with the HSE Conditions and adherence to Contractual terms;
 - (d) Protection of the environment and adjacent structures and taking steps for remedying any damage caused to the environment or adjacent structures during the performance of the Services by the Manpower.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 38.7 The Contractor shall, whenever required by the BYPL, submit details of the arrangement and methods which the Contractor proposes to adopt for the performance of the Services. No alteration to these arrangements or methods shall be made without the approval of BYPL.
- 38.8 Train its Manpower in the manner as reflected in their training manual, requirements of BYPL and as per the best industry practice before the deployment at the Site. Contractor shall maintain training records. Contractor ensures to replace Manpower of same specification in order to reliever / absenteeism of Manpower.
- 38.9 In case the Contractor comes across with any ambiguity and/ or discrepancy in the BYPL's requirements, it shall immediately Communicate such ambiguity and/ or discrepancy to BYPL, for seeking appropriate instructions to resolve such ambiguities and discrepancies.
- 38.10 Contractor to maintain sufficient cash flow as working capital to meet daily expenses for the Manpower.
- 38.11 Contractor to coordinate and maintain close liaison with local police and administrators. Contractor to visit Site periodically and as per specific request of Company/BYPL.
- 38.12 Notwithstanding anything contrary in the Contract, Contractor must make judicious and economical use of resources of the company/BYPL at the Site, including, but not limited to resources such as space, water and electricity. In the opinion BYPL discover the misuse of resources by the Manpower, after serving notice to the Contractor if Contractor fails to adhere to this Article, BYPL reserves right to recover a suitable amount as per BYPL discretion. BYPL decision in this regard shall be final & binding.
- 38.13 The Contractor shall not use the name of the company/BYPL in any manner for credit arrangement or otherwise and it is agreed that the company/BYPL shall not in any way be responsible for any debts, liabilities or obligations of the Contractor or its Manpower.
- 38.14 In case, if the company/BYPL is of the opinion, after due consultation with the Contractor, that extra Manpower or material / equipment is/are required for reasons of improving the quality and nature of Services at the Site, the Contractor shall arrange for the same timely at the same price specified in the Contract.
- 38.15 Contractor to ensure that the Manpower deployed should have bank account which their payment must be directly credited to their bank account by the Contractor. The Contractor shall submit the copy of its instructions to the bank to transfer the salary / wages to the account of its Manpower deputed under the contract to the company/BYPL on or before 7th day of every month for the previous month's salary transfer of individual Manpower to their bank.
- 38.16 Contractor to maintain list of Manpower in shifts and attendance muster at the Site entrance for Manpower deployed under the Contract.
- 38.17 Staff working hours will be governed by the Factories Act and Applicable Law as per State where Site is located and Manpower have been deployed.
- 38.18 Contractor must ensure that child labour is not to be deployed at the Site.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 38.19 A detailed Site specific deployment chart shall be submitted by the Contractor to Company within 5 working days before commencement of Services.
- 38.20 Contractor must ensure to conduct at least bi-weekly surprise checking at Site where their Manpower is deployed and performing Services to ascertain performance as per Contract. Contractor shall provide adequate quick response team and surveillance team for this purpose
- 38.21 Contractor shall develop its own network and arrangements and shall be solely responsible to recruit its own personnel for providing Services.
- 38.22 In case of accident of whatsoever nature at the site where the Manpower is injured or dies, it would be the sole responsibility of the Contractor to settle the matter without any risk and cost of the BYPL.
- 38.23 Contractor to submit documents related to Manpower along with Contractor's organisation chart, authorised signatories & etc., before commencement of Services under the Contract.
- 38.24 In case death, injury to any Manpower of the Contractor, Contractor is sole responsible under Workmen Compensation Act and any other Applicable Law. Contractor must not violate any statutory provisions / Applicable Law and shall keep BYPL indemnified, in full, from any claim associated with injury/death to its employee deployed under the agreement. Contractor to compliant with all Applicable Laws. Any breach in statue / Applicable Law , BYPL reserves right to recover reasonable compensation at the discretionary of BYPL.

B) Compliance with Applicable Laws by Contractor

- 38.25 The Contractor shall fully familiarize itself and conform in all aspects with all Applicable Laws. The Contractor shall be bound to give all notices, file all returns, etc., required by Applicable Laws, as aforesaid and to pay all fees and charges in respect thereof. Contractor must have experienced manpower with knowledge to handle all statutory compliance related matters
- 38.26 The Contractor shall not be absolved from any of its obligations under Applicable Laws or the Contract or claim any additional amount from the Company/BYPL or seek any extension of time due to its ignorance of any Applicable Law.
- 38.27 The Contractor shall indemnify the company/BYPL against all costs, expenses, penalties and liabilities incurred/ suffered by any of the Company due to non-compliance of any Applicable Law by the Contractor in relation to the performance of the Services.
- 38.28 Contractor is required to obtain requisite license issued by the licensing officer/competent authority in the Government office before commencement of Services.
- 38.29 Contractor shall ensure that it remains in compliance with Applicable Laws at all times and maintained registers and records with all particulars as may be specified in the Applicable Laws.
- 38.30 Payment of gratuity (if any) to Manpower will be sole responsibility of the Contractor.
- 38.31 Contractor to submit details of payments made to PF and ESIC authorities with a list of Manpower deployed at the Site with copy of deposit challans.-List of Manpower with PF

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



and ESIC numbers to maintained up to date by Contractor and if required to be shared with BYPL.

C) Contractor's Other Obligations

- 38.32 The Contractor shall also provide the necessary proof of remittances of EPF, Pension amount and ESIC for the previous month, along with their invoices for the current month to Company. Without such proof, the invoices will not be processed for payment.
- 38.33 The employees deployed by the Contractor shall be employees of the Contractor.
- 38.34 At no point in time shall any employee of the Contractor claim to be the employee of the Company.
- 38.35 The Contractor is committed to recruit and provide qualified, experienced, well-trained, physically & mentally fit personnel in accordance with the Company's standard, duly verified by the local police Station as regards their antecedents and backgrounds.
- 38.36 The Contractor shall ensure that, the Contractor's manpower deployed at the Company shall be in good health, shall have proper eyesight and shall not have any medical problems which may endanger his life and the life of the other Company employees appointed at the said location. The Contractor shall ensure that, the Contractor's personnel deployed at the Company shall be entirely responsible for the stock of the commodities stored at the said location. To ensure such safety, the Contractor shall, before deploying any employee in the premises, shall have him medically examined by a registered medical practitioner at its own cost and expenses and produce a medical certificate certifying that the said employee is medically fit. It is further agreed that without such medical certificate, Company shall not permit any such Contractor's personnel to work in its premises. It is further agreed that Company may, from time to time, call upon the Contractor to have all or any of its Contractor's personnel examined.
- 38.37 The Contractor shall fully guide, supervise and monitor the Contractor's manpower deployed in Company locations by its Supervisors.
- 38.38 Supervisors will inspect every location at least once every 15 days during day/night to check the level of control exercised by Contractor's personnel. The Supervisors will take digital photographs of Contractor's personnel in the location during their inspection. The photographs will contain date and time stamp to identify the date the photographs are taken and send the photographs to Company along with their inspection report on weekly basis.
- 38.39 The Contractor undertakes to provide required resources to maintain desired service level. In case of any failure in services due to paucity of resources, BYPL shall be within its rights to make necessary deductions in addition to such rights as available under contract.

38.40 TIMELY DISBURSEMENT OF WAGES

The Contractor shall ensure that monthly wages/salary disbursed to its manpower timely but not later than 7th of each month. Though the company endeavours to process Contractor's bills on time as per the payment timelines mentioned in agreement (payment terms), under no circumstances delay in disbursement of wages shall be acceptable, it is the Contractor's responsibility to ensure the same, accordingly the bidders are expected to quote their rates to fulfil their obligations towards the timely

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 2200000083]



disbursal of wages and all other benefits including PF/ESI/Bonus/leave pay/allowances etc.

It may please be noted that BYPL reserves the right to terminate the agreement in case of second or subsequent repeated instances of delay in disbursal of the wages.

39. THE COMPANY/BYPL'S OBLIGATIONS/RESPONSIBILITIES

- 39.1 BYPLmay check the competencies of the manpower for the work for which they are deputed to ensure that requisite skill and competency levels are being met with by the Contractor.
- 39.2 BYPL shall not exercise direct control (including matters of payments, discipline and removal/termination) and supervision over the Contract Manpower and that shall be done by the Contractor. However, BYPL shall have a right to assess the abilities and skills of the Manpower deployed by the Contractor to ensure the quality of Service provided under the Contract, without actually managing or directing such Contract Manpower.
- 39.3 The contractor shall ensure to maintain the registers like muster roll, wage register, etc., and shall share the copy of the same with BYPL as and when demanded,
- 39.4 The Company/BYPL reserves the right to engage other party(ies) to perform similar or identical Services to be performed by Contractor under this Contract / Agreement for which Contractor shall not have any objections.

40. INDEMNITY

The Contractor shall indemnity, defend, save and hold harmless all directors, company and its employees against any and all suits, proceedings, actions, demands and third party claims for any loss, damage, cost and expense suffered by company on account of the negligence, act or omission inaction by the Contractor or its employees under this Agreement. Agencies shall also wholly indemnity and compensate company against any theft, misappropriation, fraudulent act or omission, any collusion with customer/s, intentional recording of incorrect reading/DATA, or any other offence under the applicable laws or breach of obligation under the present agreement, and would also render itself liable to appropriate legal action being initiated against it by company.

The Contractor shall also be responsible and liable to company for any loss or damage caused to company for any negligence or inaction, damage to the property of company caused by the Contractor or its employees.

41. SECRECY & CONFIDENTIALITY

41.1 The technical information, data and other related documents forming part of order and the information obtained during the course of investigation under this order shall bethe Company's exclusive property and shall not be used for any other purpose except for the execution of the order. The technical information drawing, records and other document shall not be copied, transferred, or divulged and/or disclosed to third party in full/part, not misused in any form whatsoever except to the extent for the execution of this order.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 41.2 These technical information, drawing and other related documents shall be returned to the Company with all approved copies and duplicates including data/drawing/plans as are prepared by the Contractor during the executions of this order, if any, immediately after they have been used for agreed purpose.
- 41.3 In the event of any breach of this provision, the Contractor shall indemnify the Company against any loss, cost or damage or claim by any party in respect of such breach.
- 41.4 The Contractor shall not use the name/logo/emblem of the Company in any manner either for credit arrangement or otherwise and it is agreed that the Company shall not in any way be responsible for the debts, liabilities or obligations of the Contractor and/or his employees.
- 41.5 The Contractor hereby covenant that the Contractor shall be responsible for theft, if any committed, by his staff and the Contractor shall indemnify Company from and against all claims, demands, actions, suits and proceedings, whatsoever that may be brought or made against the Company by or on behalf of any person, body, authority whatsoever and whomsoever and all duties, penalties, levies, taxes, losses, damages, costs, charges and expenses and all other liabilities of whatsoever nature which the Company may be liable to pay, incur or sustain by virtue of or as a result of the performance or nonperformance or observance or non- observance by the Contractor of any of the terms and conditions of this agreement. The Company shall have full power and rights at its discretion to pay or defend or compromise any suits, claims or demands brought or made, whether pending or threatened touching upon this agreement as it may consider necessary or desirable and shall be entitled to recover from the Contractor all sums of money including all legal costs, charges and expenses incurred by virtue of any such compromises which shall not be called into question by the Contractor but shall be final and binding on the Contractor.
- 41.6 Contractor shall submit signed NDA as per the format 4.3 attached.

42. NON-EXCLUSIVITY

The award of the work order/agreement to the Contractor shall not preclude the Company from awarding the same order for similar work at the same rates, or on any terms and conditions to other party or parties. The Company at its discretion may place the order on any other party.

43. SEVERABILITY

If any provision of this Agreement is or becomes invalid or unenforceable by the courts of any jurisdiction to which it is subject, such invalidity or unenforceability shall not prejudice the remaining provisions of this Agreement, which shall continue in full force and effect.

44. ASSIGNMENT & SUBLETTING

The Contractor shall not, without company's prior consent in writing assign or sublet or transfer any portion of services awarded to the Contractor as envisaged herein and falling under this contract. Moreover, any such consent shall not relieve the Contractor from any obligation, responsibility, or duty under this Contract.

45. ASSIGNMENT BY THE COMPANY

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



The rights and obligations of BYPL under the Contract shall be assignable to Affiliates, associate company, joint venture or any other company including change in Management Control and BYPL's lenders without consent of the Contractor. Upon written notice of seven Business Days (07 days) by BYPL, the Contract shall be deemed to have been assigned to the third party under this Article. This Article fulfils its meaning notwithstanding the notice is not accepted by the Contractor and BYPL shall not be obliged to the Contractor after seven days (07) of issue of any further notice.

46. NO JOINT VENTURE

The Contractor shall not constitute a joint venture, consortium or other unincorporated grouping of two or more Persons, following the execution of the Contract.

47. WAIVER OF RIGHTS

No delay or forbearance by company in exercising any right or power under this Agreement shall be construed as a waiver of such right or power, nor shall any single or partial exercise of such right or power preclude any further exercise of such right of power.

48. THE COMPANY'S RIGHT TO VARY QUANTITIES

The Company reserves the right to vary the quantity i.e. increase or decrease the Numbers/ quantities without any change in terms and conditions during the execution of the Order. BYPL may increase or reduce the area/ scale of operations after starting of execution of the contract and the size of contract may be adjusted accordingly.

49. CONTRACTOR'S EQUIPMENT

- 49.1. All Contractor's Equipment and Temporary Works provided by the Contractor or any permitted Subcontractor, shall, when brought on to the Site, be deemed to be exclusively intended for execution of the Works and not be removed without the consent, in writing, of the Company's Representative.
- 49.2. Upon completion of the Works, the Contractor/permitted Subcontractor shall remove from the Site, all itsEquipment and Temporary Works and its unused materials.
- 49.3. The Company shall not at any time be liable for the loss or damage to any of the constructional plant, Temporary Works or materials.
- 49.4. The Contractor shall, upon written request by the Company's Representative, produce to the Company's Representative, all documents evidencing title to or the contractual arrangement giving the right to the Contractor to use the Contractor's Equipment. In the event of failure to comply with such request within seven (7) days, then without prejudice to any other rights, the Company shall be entitled to withhold the payments due to the Contractor under the Contract.

50. AVAILABILITY OF TOOL & PLANT (T&P)

The contractor shall provide T&P to their staff as mentioned in Scope of work. The contractor shall provide all tools in the beginning of contract and shall ensure the proper availability of tools and tackles as per that list throughout the contractual period. These tools shall be of make as specified in the Scope of work. It shall be responsibility of contractors to replenish and maintain the existing T&P on regular basis.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



51. FREE ISSUE MATERIAL

- 51.1. The Company, may provide free issue materials to Contractor in those cases only where it is specifically mentioned in the Contract. Transportation of free issue materials from site / store or place of availability at site to the work area shall be in scope of the contractor.
- 51.2. Contractor shall submit Reconciliation Statement of these free issue materials along with monthly bill. Reconciliation Statement will show issued quantity of free issue materials/ quantity consumed in work and quantity balance in contractor's stock.
- 51.3. The Contractor shall have to furnish an Indemnity Bond for materials which are free issued by the Purchaser. Further the contractor shall be responsible for the safe custody of materials till the materials are utilized, fabricated, erected and accounted for in all respects.

52. VENDOR CODE OF CONDUCT

Contractor confirms to have gone through the Policy of BYPL on legal and ethical code required to be followed by Vendors encapsulated in the "Vendor Code of Conduct" displayed on the official website of BYPL (www.bsesdelhi.com) also, which shall be treated as a part of the agreement.

Contractor undertakes that he shall adhere to the Vendor code of Conduct and also agrees that any violation of the Vendor Code of Conduct shall be treated as breach of the agreement.

In event of any such breach, irrespective of whether it causes any loss/damage, company (BYPL) shall have the right to recover loss/damage including liquidated damages from Contractor.

The Contractor herby indemnifies and agrees to keep indemnified the company (BYPL) against any claim/litigation/liability/penalty including litigation cost arising out of any violation of Vendor Code of Conduct by the Contractor or its officers, agents & representatives etc.

53. DISCLOSURE OF RELATIONSHIP

The Contractor acknowledges& undertakes that the Contractor or any partner of the Contractor or director of the Contractor is not related to any of the officers of the Company or the Company's Representative, or alternatively, is a close relative of an officer of the Company or the Company's Representative and has no financial interest/stake in the Company's business. The Parties agree that breach of the above provisions shall entitle the Company to terminate the Contract under Clause 23, without payment of any compensation to the Contractor. The Contractor agrees and acknowledges and shall ensure that its employees, directors and partners do not develop any such interest during the Contract Period.

54. MSME

54.1. If the Contractor is covered under the definition of supplier/Contractor under the purview of Micro, Small & Medium Enterprises Development Act, 2006, it shall declare so at the time of its registration as vendor with the Company failing which it will be presumed that it is a non-MSME unit.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- 54.2. Contractor shall provide to Company the proof of classification of its enterprise and filing memorandum with the authorities concerned under the Micro, Small & Medium Enterprises Development Act, 2006 (herein referred to as "the MSMED Act") within one week of receipt of the Contract
- 54.3. The Contractor further declares and undertakes to intimate Company of any change in its status or constitution under this section from time to time under this Contract. The Contractor must provide MSME registration number along with PAN card and GST registration number on Tax Invoice failing which the Contractor shall not claim any benefit under the MSME Act.
- 54.4. The Contractor to furnish the undertaking to the Company in this regard.

55. COVID GUIDELINES

Looking to the prevailing Covid19 situation, Contractorwill ensure that the work carried out in the field by their staff shall be as per the guidelines issued by MHA / BYPL/ Engineer-in-charge from time to time. Further Contractor shall be required to provide to their staff masks/ sanitizers/ all PPEs required for working in Covid19 situation. The Contractor shall further ensure to work as per the guidelines issued by BYPL and the instruction of the Engineer in charge.

56. CLEANLINESS & PRECAUTIONS TO BE TAKEN WHILE DOING WORK AT SITE TO PREVENT DUST POLLUTION

All debris shall be removed and disposed off at assigned areas on daily basis. Surplus excavated earth shall be disposed of in an approved manner. In short, the contractor shall be fully responsible for keeping the work site clean at all times. In case of non-compliance, company shall get the same done at Contractor's risk and costs.

While carrying out any civil work including road/ pit digging, plinth/ fence making, road restoration etc contractor shall adhere to below mentioned guidelines.

- (a) No construction material/ debris shall be stored on metalled road.
- (b) Wind breakers of appropriate height on all sides of ear marked area using CGI sheets shall be raised to ensure that no construction material dust fly outside ear marked area.
- (c) The construction material i.e. coarse sand, stone aggregates, excavated earth, cement and any other material to and from the site shall be transported under wet and covered condition to ensure their non-slippage en-route to avoid air contamination.
- (d) The contractor shall provide mask and helmet to every worker working on the construction site and involved in loading/unloading and carriage of construction material and construction debris to prevent inhalation of dust particles.
- (e) Over loading of vehicles shall be strictly prohibited
- (f) The construction material at site shall be stored under wet and covered condition.
- (g) The dumping sites for temporarily storing the excavated earth shall be properly levelled, watered and rehabilitated by plantation to avoid flying of dust.
- (h) The worker at the site shall be sensitized to adopt / observe the dust controlled measures in true spirit.
- (i) If any C&D waste is generated at site the same will be transported to the C&D waste

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



site only and the record for the same will be maintained by the agency.

- (j) Wet jet in grinding and stone cutting is being permitted at site.
- (k) The necessary record for dust control is being maintained by the department on day to day basis and being monitored regularly.
- (I) Contractor shall ensure that no tree shall be harmed and no tree roots shall be destroyed/cut while performing the task under agreement.
- (m) The contractor shall comply the provisions of The Delhi Preservation of Trees Act 1994.

The Execution contractor shall be responsible for all the preventive and protective environmental steps as per guidelines. Any violations from the above guidelines have been viewed very seriously by the authorities. Contractor shall be liable for the penalties / other action by the authorities, the contractor shall indemnify BYPL from all liabilities on this account.

57. ENVIRONMENTAL, HEALTH & SAFETY

The Contractor will ensure that the Environment, Health & Safety (EHS) requirements are clearly understood and faithfully implemented at all levels at site as per instruction of Company/BYPL. Contractors must comply with the requirements, as follows:

(i) Comply with all of the elements of the EHS Plan and any regulations applicable to the work

(ii) Comply with the procedures provided in the interests of Environment, Health and Safety

(iii) Ensure that all of their employees designated to work are properly trained and competent

(iii) Ensure that all plant and equipment they bring on to site has been inspected and serviced in accordance with legal requirement and manufacturer's or supplier/Contractor s' instructions

(iv) Make arrangements to ensure that all employees designated to work on or visit the site present themselves for site induction prior to commencement of work
 (v) Provide details of any hazardous substances to be brought onsite

(vi) Ensure that a responsible person accompanies any of their visitors to site

All personnel deputed by Contractor under agreement shall be accountable for the following:

- (a) Use the correct tools and equipment for the job and use safety equipment and protective clothing supplied, e.g. helmets, goggles, ear protection, etc. as instructed
- (b) Keep tools in good condition
- (c) Report to the Supervisor any unsafe or unhealthy condition or any defects in plant or equipment
- (d) Develop a concern for safety for themselves and for others
- (e) Prohibit horseplay
- (f) Not to operate any item of plant unless they have been specifically trained and are authorized to do so.

58. ACCEPTANCE

Acceptance of the CONTRACT implies and includes acceptance of all terms and conditions enumerated in the CONTRACT, in the technical specification and drawings made available to the Contractor consisting of general conditions and complete scope of work.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



Contractor's and Company's contractual obligations are strictly limited to the terms set out in the CONTRACT.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



<u>SECTION – V</u>

SCOPE OF WORK

1 **GENERAL GUIDELINES**

- a. Building Design shall be in accordance with the National Building Code (NBC) of India and other relevant Indian Standards.
- b. All civil works shall be carried out as per applicable Indian Laws, Standards and Codes. All materials shall be of the best quality conforming to this specification, relevant Indian Standards and Codes.
- c. The specifications are intended for a general description of work, quality and workmanship. The Specifications are not however exhaustive to cover minute details and the work shall be executed according to the relevant latest Indian Standards/IRC specifications/CPWD specifications. In the absence of the above, the work shall be executed according to the best prevailing practices in the trade, recommendations of relevant American or British Standards or to the instructions of the BSES Project Manager. The IS standards/IRC specifications attached hereto. They shall be latest edition/version of the same issued 15 days prior to the date of opening of this tender. The Contractor is expected to get himself clarified on any doubts about the specifications, etc. before bidding and the discussions recorded in writing with BYPL in respect of interpretation of any portion of this document.
- d. The Contractor shall furnish all design, drawings, labor, tools, equipment, materials, temporary works, constructional plant and machinery, fuel supply, transportation and all other incidental items not shown or specified but as may be required for complete performance of the Works in accordance with approved drawings, specifications and direction of BYPL.
- e. BYPL shall provide the land on as is basis; the contractor shall visit the substation site to ascertain the quantum of work, present condition of the land before submitting the offer. No request for commercial changes will be entertained post award of work due to any claim related to site condition / plot condition.
- f. The contractor shall provide all instruments, materials and personnel to BYPL for checking the detailed layout and shall be solely responsible for the correctness of the layout and levels. The contractor shall make his own arrangements for water and electricity.
- g. The Contractor shall take all necessary precautions to protect all the existing equipment's, structures, facilities & buildings, etc. from damage. In case any damage occurs due to the activities of the Contractor on account of negligence, ignorance, accidental or any other reason whatsoever, the damage shall be made good by the Contractor at his own cost to the satisfaction of the Engineer. The Contractor shall also take all necessary safety measures, at his own cost, to avoid any harm / injury to his workers and staff from the equipment & facilities of the power station.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- h. During the progress of work, the Engineer will exercise supervision of the work to ensure that the technical provisions of the contract are being followed and the work is being executed accurately and properly. However, such supervision shall in no way relieve the Contractor of the responsibility for executing the work in accordance with the specifications.
- i. Before submitting the bid, the Contractor shall inspect and examine the site and its surroundings and shall satisfy himself as to the nature of the ground and subsoil, the availability of materials necessary for completion of the work, means of access to site and in general shall himself obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect his offer. No extra claim consequent on any misunderstanding or otherwise shall be allowed.

2 DESIGN AND EXECUTION CRITERIA

2.1 Design Criteria

- a. The minimum grade of concrete and reinforcement shall be as per BOQ.
- b. Necessary protection to the foundation work. If required shall be provided to take care of any special requirements for aggressive alkaline soil. Black cotton soil or any other type of soil, which is detrimental/harmful to the concrete foundations.

2.2 Cement

- a. Unless otherwise specified or called for by Engineer, the fresh ordinary Portland cement conforming to IS-8112 of 1976 (latest revision) i.e. 43 grade shall be used for the works.
- b. The record of cement shall be maintained by the contractor.
- c. Cement shall be stored in a perfectly water-tight and well-ventilated site store capable of accommodating cement to ensure continuity of the work and having a raised and perfect dry floor. Each parcel or consignment of cement shall be stacked separately therein to permit easy access for inspection and a record shall be kept so that each parcel or consignment may be identified. Cement which has become stale or otherwise unsuitable and any bags or the like containing hardened lumps or cakes of cement, consequent to storage at Contractor's site stores will be rejected and shall be removed from the site and disposed of as directed by the Engineer. The cost of such rejected quantities shall be borne by the Contractor.

2.3 Concrete

a. RMC shall be used for execution. Design Mix of grades of concrete as per BOQ items and wherever required as per provisions of IS: 456 and other applicable codes shall generally be used for civil work. RMC must be of ACC/Ultratech.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- b. The curing period shall commence immediately after the concrete is finally screened and continued for a period as specified by EIC. The top and side surfaces of concrete shall be kept moist and be protected from the direct rays of the sun during the period. The Contractor shall submit to the Engineer's proposals for ensuring continuous protection of the concrete during the curing period.
- c. Mix Design shall be carried along with other Raw material testing from approved lab from approved lab and same shall be submitted for BYPL approval.

2.4 Steel

The reinforcing bars shall be Fe-500D generally conform to various requirements of IS: 1786 (for High Strength deformed steel bars and wires for concrete reinforcement).

2.5 Aggregates

- a. Aggregates shall consist of natural sand, crushed stone and gravel and shall be chemically inert, strong, hard, clean, durable against weathering of limited porosity, free from deleterious materials and shall conform to the applicable standards. If so desired by the Engineer, they shall be washed and screened.
- b. Sampling and testing shall be as per the applicable standards and shall be carried out under the supervision of Engineer. The cost of all test, sampling, etc. shall be borne by the Contractor.
- c. All coarse and fine aggregates shall be stacked separately and shall avoid contamination with foreign materials. Segregates aggregates shall be rejected.

The necessary arrangements for field tests shall be done at site. The material testing register and weighing material register shall be maintained for field and lab mandatory tests by the contractor's authorized site engineer, having a degree in Civil Engineering or a minimum of three years experience with a diploma in civil egg. A copy of all the certificates shall be submitted to BSES officials.

- a. Water used for both mixing and curing shall be as per applicable standards.
- b. Potable waters are generally satisfactory. Where water can be shown to contain an excess acid, alkali, sugar or salt, the Engineer may refuse to permit its use.
- c. Water test certificate provide by the vendor.
- 2.6 Bricks
- a. Bricks as per CPWD specifications can only be used for masonry work. Contractor shall ascertain himself regarding the availability of bricks at site before submitting his offer.

b. Ensure that the bricks are free from cracks, warpage and of uniform colour.
 NIT No: CMC/BY/24-25/RS/SvS/VK/50
 [RFx No: 2200000083]
 Bidder Seal & Signature



- c. Manufacturer's test report & Material Test reports for all the materials shall be submitted for approval prior to the utilization for work.
- d. Contractor shall make his own arrangements for the storage of adequate quantity of material.
- 2.7 Levelling, Excavation, Backfill& Compaction
- a. The area shall be properly levelled before construction. If fill material is required, the fill material shall be suitable as per the requirement & level. The fill shall be such a material and the site so designed as to prevent the erosion by wind and water of material from its final compacted position or the in-situ position of undisturbed soil. Backfill material around foundations or other works shall be suitable for the purpose for which it is used and compacted to the density described under Compaction. If rocky strata are available at the site then the contractor has to make all the necessary arrangements for rock cutting& its disposal.
- b. The thickness of fill material under the foundations shall be such that the maximum pressure from the footing, transferred through the fill material and distributed onto the original undisturbed soil will not exceed the allowable soil bearing pressure of the original undisturbed soil. For expansive soils, the fill materials and other protections etc. to be used under the foundation are to be approved by BYPL. All the areas excavated in due course of construction must be filled by the vendor.
- c. Whenever the water table is met during the excavation, it shall be dewatered and the water table shall be maintained below the bottom of the excavation level during excavation, concreting and backfilling.
- d. Material unsuitable for the founding of foundations shall be removed and replaced by suitable fill material and to be approved by BYPL. Excavated material not suitable or not required for backfill shall be disposed of in areas as directed by BYPL. Excavation and backfill for foundations shall be in accordance with the relevant IS code.
- e. The density to which fill materials shall be compacted shall be as per, the relevant IS and as per the direction of BYPL. All compacted sand filling shall be confined as far as practicable. Backfilled earth shall be compacted to a minimum of 95% of the Standard Proctor's density at OMC. The subgrade for the roads and embankment filling shall be compacted to a minimum of 95% of the Standard Proctor's density at OMC. The subgrade shall be compacted to 70% relative density (minimum).

2.8 General Requirement Site Surfacing/Stone Filling

The material required for site surfacing/stone filling shall be free from all types of organic materials and shall be of standard quality, and as approved by BYPL. The material to be used for stone filling/site surfacing shall be uncrushed/crushed/broken stone of 20 mm



nominal size (ungraded single size) conforming to Table 2 of IS:383 - 1970. Hardness and flakiness shall be as required for wearing courses are given below:

a. Flakiness Index

One test shall be conducted per *500* cum of aggregate as per IS:2386 Part-I and the maximum value is 25%.

2.9 Antiweed Treatment, Stone Spreading & PCC

- a. The Contractor shall furnish all labour, equipment and materials required for the complete performance of the work in accordance with the drawings specification and as per the direction of BYPL.
- b. Before taking up stone filling, antiweed treatment shall be applied in the specified area wherever gravel filling is to be done, and the area shall be thoroughly de-weeded including the removal of roots. The recommendation of the local agriculture or horticulture department shall be sought wherever feasible while choosing the type of chemical to be used. Nevertheless, the effectiveness of the chemical shall be demonstrated by the contractor and monitored over a period of two to three weeks by the Engineer-in-Charge. The final approval shall be given by the Engineer-in-Charge and final approval given based on the results.
- c. The antiweed chemical shall be procured from reputed manufacturers. The dosage and application of chemicals shall be strictly followed as per the manufacturer's recommendation. The contractor shall be required to maintain the area free of weeds for a period of 1 year from the date of application of 1st dose of antiweed chemicals.

2.10 TRENCH

- a. The trench shall be of M30 grade RCC type.
- b. All the material wherever required for trenches shall be supplied by contractor.
- c. Power Cable trench and Control cable trench shall be separate
- d. The factory made precast removable RCC drain covers (with lifting arrangement) as per the layout drawing shall be provided. The precast covers shall be constructed using RCC of appropriate grade of appropriate load bearing capacity as per direction of EIC.

2.11 WAREHOUSE BUILDING

a. Rolling shutter, Doors and windows with grill shall be provided in Building wherever required. Fire Doors/Fire windows shall be provided as per Fire norms/NBC. UPVC door.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- b. Green Building concept must be implemented in warehouse construction design for maximum day lighting and ventilation.
- c. Suitable toilet (both ladies & gents), connection with exiting sewerage line/Septic tank with soak pit, water supply provision shall be provided. Water and Sewer line connections to be done with running line of CIVIC agency, if approval of CIVIC agency is available.
- d. In building suitable Ramp with SS handrail shall be provided, Ramp shall be provided with Granite finish.
- e. All buildings shall have 750 mm wide plinth protection all round.
- f. Exterior paint wherever required shall be provided.

2.12 PERPHIREIAL ROAD

- a. Inside substation roads to be provided for access along with car parking for three cars and two Wheeler Adequate turning space for vehicles shall be provided and bend radius shall be set accordingly.
- b. Road construction shall be as per IRC standard.
- c. Adequate provision shall be made for road drainage.
- d. All the culverts and its allied structure (required for road/rail, drain, trench crossings, etc.) shall be designed for class AA loading as per IRC standard/IS code. All trenches inside the substation shall cross the road through culverts.

2.13 BOUNDARY WALL

RCC framed structure (cas in situ / Precast) with brick infill masonry work in 1:4 cment sand mortar boundary wall shall be provided with column spacing of about 3m c/c, height of boundary wall shall be kept as 2.4m above FGL, above wall, Y shape Hot deep Galvanised angle shall be provided with 10 runs of galvanised punched tape and 750 dia concertina coil. Bounday wall shall have grit plaster on both the side. Below FGL, wall shall be designed as retaining wall as per site requirement.

2.14 OUTDOOR YARD WORKS

Out door Bay extension/contruction shall be done by using hot deep galvanised structures with bolted construction. Galvanisation shall be as per relvent IS code.

2.15 RAIN WATER HARVESTING WORKS

Suitable Rain water harvesting system shall be provided as per Delhi Jal Baord norms. Adequacy certificate for the same shall be obtained from the Delhi Jal board by contractor.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



The proper coordination & execution of all interfacing civil works activities shall be planned in advance and executed in such a manner that interfacing activities do not become bottlenecks and dismantling, breakage etc. is reduced to the minimum.

4 INSPECTION, TESTING& QUALITY CONTROL

- a. Construction Quality shall be properly controlled by the contractor. The contractor shall work as per the Field Quality Plan provided by BYPL. All the Tests specified in the Field Quality Plan shall be done by the contractor.
- b. Weekly construction status will be updated by the contractor to BYPL to ensure the work progress & the construction quality.
- c. A Civil Engineer shall be deployed by the contractor for construction quality control. Civil Engineer has to review ongoing construction work and check materials and workmanship. For Supervision of execution work min 10 years of experience civil engineers shall be posted till the handing over of the work to client.
- d. Necessary arrangements for field tests shall be made at the site. The contractor has to do the following tests from NABL-accredited approved labs:
- Raw material test : For Cement, sand, aggregates, water, brick, Steel, Structural steel.
- > Cube Test for compressive strength of concrete

5 STATUTORY RULES

- a. The contractor shall comply with all the applicable statutory rules pertaining to factories act (as applicable for the State). Fire Safety Rules of Tariff Advisory Committee. Water Act for pollution control and coordinate with the forest department for necessary approval prior to tree cutting.
- b. Plastering on structural members (in fire prone areas) etc. shall be made according to the recommendations of Tariff Advisory Committee.
- c. Statutory clearance and norms of State Pollution Control Board shall be followed as per Water Act for effluent quality from plant.
- d. Use of C&D waste material as per Order DPCC/EC/9311/WMC-11/2014-15/3044-3068 dt. 14.01.2020.

6 **DEVIATIONS**

Deviations from this Specification shall be stated in writing with the tender by reference to the Specification clause/GTP/Drawing and a description of the alternative offer. In the absence of such a statement, it will be assumed that the bidder complies fully with this specification. No deviation will be acceptable post-order.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



7 TOOLS &PLANTS :

The following minimum T&P shall be deployed at the site:

- 1. Concrete mixing machine
- 2. 3 sets of vibrator
- 3. Plate compactor
- 4. Curing arrangements
- 5. Field Testing Equipment
- 6. Auto level
- 7. 2 nos Concrete braking machine (Hilti make)
- 8. PPE

Any other Tools and plants required for successful completion shall also be arranged by contractor.

8 **Retrofitting Work:**

Retrofitting an office building to mitigate the risk of earthquake-induced damage involves strengthening the structure to ensure its safety and stability during seismic events. This process typically includes evaluating the current structural conditions, identifying weaknesses, and applying interventions to improve the building's resistance to earthquakes. The retrofitting works are aimed at enhancing the performance of the building without compromising its functionality or aesthetic appeal. Below is a detailed scope of work for retrofitting an office building to withstand earthquake forces.

The retrofitting of an office building to safeguard it against earthquake damage requires careful planning, expert analysis, and precise execution. By strengthening key structural components, reinforcing foundations, and implementing seismic isolation techniques, the building's ability to resist seismic forces is significantly improved, reducing the risk of damage or collapse during an earthquake. A comprehensive scope of work ensures that the building remains functional and safe for its occupants, while meeting the necessary seismic safety standards.

The project will involve comprehensive civil retrofitting across several office buildings, requiring specialized expertise in structural engineering, construction, and materials.

The general scope of work for the civil retrofitting project includes, but is not limited to, the following activities:

8.1 Concrete and Masonry Repairs:

- **Concrete Repairs:** Removal of damaged or deteriorated concrete, followed by reapplication of repair materials such as high-strength concrete, epoxy, and polymer-modified mortars.
- **Waterproofing:** Comprehensive waterproofing of structural members, including basement walls, roofs, and other exposed surfaces.
- **Masonry Rehabilitation:** Repair, repointing, and reinforcement of brick and block masonry walls to restore structural integrity.
- Seismic Reinforcements: Installation of seismic reinforcements (such as horizontal and vertical seismic bands) in existing masonry and concrete structures to increase their ability to withstand seismic forces.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- Waterproofing of Roofs: Application of high-quality waterproofing membranes or coatings to ensure complete water resistance and prevent future leaks. This will include surface preparation, priming, and the application of membrane systems such as PU coating.
- **Roof Drainage System:** Inspection, repair, and, if necessary, replacement of existing roof drainage systems, including gutters, downspouts, and rainwater pipes.

8.3 Building Facade and Exterior Works:

- **Facade Repairs:** Repair and restoration of exterior finishes, including painting, plastering, and cladding.
- **Structural Reinforcements:** Strengthening of exterior structural elements, including balconies, parapets, and exterior walls.
- **Weatherproofing:** Installation of weather-resistant coatings and materials to prevent water ingress and reduce energy consumption.
- **Repair of Boundary Wall:** Restoration and strengthening of damaged sections of the boundary wall using materials such as high-strength concrete, masonry, and appropriate reinforcements. **Removal of Damaged Pavement:** The contractor will be responsible for the removal of damaged or deteriorated CC pavements and the preparation of the site for recasting.
- **Recasting of CC Pavements:** The contractor will recast the damaged sections of the CC pavement with high-strength concrete, ensuring proper compaction, surface finish, and alignment

8.4 Renovation of Toilet Blocks:

- **Demolition and Removal:** Demolition of existing non-functional elements such as damaged sanitary fixtures, tiles, flooring, and partitions.
- **Replacement of Fixtures:** Installation of new sanitary ware, including toilets, wash basins, faucets, mirrors, and other necessary fixtures.
- **Plumbing and Drainage:** Replacement or upgrading of plumbing lines, drainage systems, and water supply systems within the toilet blocks.
- Interior Finishing: Installation of new tiles, flooring, partitions, and ceiling finishes as required, ensuring a clean, functional, and aesthetically pleasing result.
- Ventilation and Lighting: Upgrading of ventilation and lighting systems to meet modern standards.
- Sewerage Work: Comprehensive sewerage work for toilet blocks, including:
- **Replacement of Sewerage Pipes:** Removal and replacement of outdated or damaged sewerage pipes and lines to ensure proper waste disposal.
- **Drainage System Upgrades:** Upgrading of existing drainage systems, ensuring they are fully functional and meet modern standards.
- **New Sewage Connections:** If necessary, installation of new sewage connections to the municipal sewer system or to an on-site treatment plant.

8.5 Interior Modifications and Rehabilitation:

• Interior Refurbishment: Repair and rehabilitation of internal partitions, ceilings, and flooring.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



• **Electrical Works:** Necessary modifications to electrical systems during retrofitting work to meet updated safety standards.

8.6 Miscellaneous Works:

- **Site Clean-up:** Removal of debris, waste, and surplus materials from the construction site upon completion.
- **Safety and Compliance:** Strict adherence to all relevant health and safety regulations, building codes, and environmental standards.

8.7 Air Conditioning Works (Split and Window ACs, Five-Star Rating):

- Assessment and Design: Conduct a detailed evaluation of the existing air conditioning system (if any) and propose an upgraded design for split and window air conditioning units to achieve a five-star rating in energy efficiency, comfort, and sustainability.
- Selection of HVAC Units: The contractor is required to recommend and install split and window air conditioning units that are energy efficient ensuring optimum cooling and energy efficiency. Recommended brands include:
 - > Daikin
 - Mitsubishi Electric
 - > O general

8.8 Installation:

- The work comprising of complete installation of split and window AC units, including:
 - > Ducting, piping, and electrical connections for split units.
 - Mounting and proper placement of window AC units to optimize cooling performance.
 - > Ensuring that installation complies with all safety standards and local regulations.
- Energy Efficiency Compliance: Ensure all units meet are highly energy efficient reducing energy consumption and operational costs
- **Performance Testing:** Complete testing of installed systems to ensure all units function correctly, meet efficiency standards, and maintain comfort levels in the office environment.
- Maintenance and Warranty: Provide a comprehensive maintenance plan, including periodic servicing of air conditioning systems, and a warranty period of at least 5 year on compressor and 1 year on other components for all installed units.

8.9 Smoke Detectors, Fire Alarm System, and Safety Works:

- Smoke Detection System: Installation of smoke detectors in strategic locations across the building to ensure early detection of any fire hazards. These detectors will be connected to the building's fire alarm system for immediate alerts.
- Fire Alarm System: The contractor will install a comprehensive fire alarm system, which will include:
 - **Manual Call Points (MCPs):** Installation of accessible manual call points for occupants to alert the building management in case of an emergency.

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



- **Audible and Visual Alarms:** Installation of both audible and visual alarms throughout the building to ensure immediate notification of all occupants in the event of a fire or emergency.
- **Control Panel:** Installation of a central control panel that monitors the status of all smoke detectors, alarms, and emergency systems.

8.10 **Provision and Installation of Modular Furniture:**

- Modular Workstations and Cubicles: Provide and install modular office workstations and cubicles designed for efficient workspace usage. These units will include:
 - **Individual Workstations:** Configurations for both individual and shared workstations, including work surfaces, partitions, chairs, and task lighting.
 - **Storage Units: Modular storage solutions** such as file cabinets, drawer units, to optimize space and improve organization.
 - **Executive Tables:** Installation of **executive desks/tables** with premium finishes, suitable for senior management, including options for cable management, storage, and accessories.
 - **Conference Tables and Chairs:** Supply and installation of **modular conference tables** and chairs, customizable to different sizes and configurations.
- Accessories and Add-Ons: Provision of accessories such as double cable management systems, power outlets, monitor arms, task lighting, and privacy screens for workstations and cubicles to improve the functionality and comfort of the office spaces.
- **Customization and Finishing:** Ensure that the modular furniture is customizable in terms of size, shape, material, and color to align with the design aesthetics of the office spaces.

8.11 LAN Connectivity System:

- Network Design and Planning: The contractor will design and implement a local area network (LAN) connectivity system for the building, ensuring robust and efficient data communication infrastructure for the office spaces.
- **Structured Cabling System:** Installation of **structured cabling** (fiber optics and copper cables) throughout the building to provide connectivity for workstations, phones, and other office equipment.
- **Data Ports and Switches:** Provision of **data ports** at each workstation or office area, ensuring easy access to network resources, along with the installation of high-performance network **switches** and routers for smooth data transmission.
- Server Room Setup: Design and installation of a dedicated server room with the necessary power, cooling, and network racks to accommodate servers, switches, and other critical network equipment.
- **Testing and Configuration:** Full testing of the LAN connectivity system to ensure proper functionality, high-speed internet access, and seamless network integration throughout the office building.
- Security Measures: Installation of network security systems, including firewalls and intrusion detection/prevention systems to safeguard the LAN from external threats.

9 APPROVED MAKES

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



S No	Item Detail	Approved make	Remarks
1	Exhaust fan	Crompton/Havells/Bajaj	
2	Lighting fixture	Havells/Crompton/Philips	
3	Structural Steel Built-up Section	Tata/SAIL	
4	Ceramic tiles	Kajaria/Johnson	Size not less than 600mmX600 mm/ as per site condition
5	Toilets fittings	Jaquar/Hindware make	
6	Toilet door	Green ply	Both Sides laminated
7	Toilet Flooring	Kajaria/Johnson	Anti-skid tiles of Size 600 mm X 600 mm / as per site condition
8	Glass door fittings	Ozone makes	As per approved Drawings
9	Mortise Lock and Door closer other hardware	Dorma/ Ozone/Dorset.	
10	Aluminium Doors and Windows	Hindalco/Jindal	Aluminium powder coated
11	Electrical cable	Havells/Polycab/Finolex/KEI	
12	Electrical conduit	Setia	Heavy Duty
13	Switch socket	Legrand/North West/Anchor	
14	Cement OPC-43	ACC/Ultratech/J K Laxmi	
15	TMT Bar	Tata/SAIL	
16	Plastic Paint (emulsion paint)	Asian/ Berger	Three or more coat of Apcolite or equivalent over a primer coat
17	Sanitary pipes	Astral/Skipper/Ashirwad/Supreme	Ring fitted (Drain Pro or equivalent)
18	Almirah, Chair and tables	Godrej/Tata	

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



BSES Yamuna Power Limited											
19	Water Proofing	Dr fixit / BASF	For Roof: Pu based Flexi PU 270 i, insulation XPS board with M20 grade screed shall be used. For Toilet: Fast flex								
20	Fire Door	Shaktimann/ Navair international/ Pacifice fire (subject to they shall submit the test certificate from CBRI for 2 hrs fire rating as per IS code)									
21	SS handrail	Ozone/ Jindal	SS pipe shall be of Jindal make								
22	Exterior paint	Asian/ Berger	3 or more coats of Apex Ultima Protek Duralife over the primer coat of Ultima Protek Duralife Basecoat								
23	МСВ	Havells, Legrand, Northwest, L&T									
24	False ceiling	Amstrong /Armgyp Ceiling	Grid/Gypsum								
25	Putty	JK white/Birla									
26	POP	Shree/ Sarkani									
27	Trench Covers	КК									
28	MS pipe	Apolo / Jindal									
29	Pre painted galvalume sheet (AZ 150)	JSW/Tata									

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]

Bidder Seal & Signature



SECTION - VI

PRICE BID

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



SECTION – VI (PRICE BID)

S.No.	Description of item	Qty	Unit	Amount (₹) excluding GST
1	PACKAGE-I (As per price breakup provided in Attachment-I)	1	LS	
2	PACKAGE-II (As per price breakup provided in Attachment-II)	1	LS	
3	PACKAGE-III (As per price breakup provided in Attachment-III)	1	LS	
4	PACKAGE-IV (As per price breakup provided in Attachment-IV)	1	LS	
5	PACKAGE-V (As per price breakup provided in Attachment-V)	1	LS	
6	PACKAGE-VI (As per price breakup provided in Attachment-VI)	1	LS	
	Grand Tota	al (excluding	g GST)	
				-
		GST	@18%	
	Grand Tota		-	-
	Grand Tota	GST (al (Including	-	-
NOTE			-	-
NOTE 1)		al (Including	g GST)	- ct including the
	The price quoted above shall remain firm for the entire o	al (Including	g GST) e contra	-
1)	The price quoted above shall remain firm for the entire of extension period, if any. Reverse Auction (RA) is mandatory. RA methodology sh	al (Including luration of th nall be inform	e contra ned sepa	arately to all the age-wise price
1) 2)	The price quoted above shall remain firm for the entire of extension period, if any. Reverse Auction (RA) is mandatory. RA methodology sh qualified bidders prior to RA. The bids will be evaluated commercially based on the to quoted by the bidders. However, BYPL reserves the right	al (Including duration of th nall be inform nall all-inclusion to split the rmat/item des	e contra ned sepa ive pack work/pa	arately to all the age-wise price ickage for awardin
1) 2) 3)	The price quoted above shall remain firm for the entire of extension period, if any. Reverse Auction (RA) is mandatory. RA methodology sh qualified bidders prior to RA. The bids will be evaluated commercially based on the to quoted by the bidders. However, BYPL reserves the right the contracts to more than one bidders. The bidder shall quote the prices strictly in the above for	al (Including Juration of th nall be inform otal all-inclusi nt to split the mat/item des oned above;	e contra ned sepa ive pack work/pa scription	arately to all the age-wise price ickage for awardin /content. The bid

BSES	
3SES Yamuna Power Limited	
7) All materials are to be arranged by the contractor contractor, wherever applicable.	and test certificates are to be furnished by the
For,	
Bidder Name:	
Signed by:	
Signature:	
Date:	
NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]	Bidder Seal & Signature
N A NO. 2200000000j	

	ATTACH							
	-A- Civil Repairing works at 33KV Grid Kailash Nagar. PACKAGE-I-P	rice Break	ир					
ART	B-Civil Repairing works at 11KV substation near Ram Mandir Vivek Vihar							
	C-Civil Repairing works at 66KV GRID Computer Centre Sonia Vihar (D)KWN							
6.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
1	Earth work in excavation by mechanical means (hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth. 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed : All kinds of soil.	30.00	276.80	125.00	431.80	CUM		
2	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	100.00	50.00	15.00	165.00	CUM		
3	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 30 cm girth upto and including 60 cm girth	10.00	28.00	6.00	44.00	Each		
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	24.00	8.00	0.00	32.00	CUM		
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	20.00	76.80	18.00	114.80	CUM		
6	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)		38.00	0.00	43.00	CUM		
7	Centring and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases of columns.	35.00	490.00	23.00	548.00	SQM		
8	Centring and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platform	50.00	135.00	0.00	185.00	SQM		
9	Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete. cold twisted bars	1200.00	14000.00	200.00	15400.00	KG		
	Add for plaster drip course/groove in plastered surface or moulding to R.C.C. projections	50.00	100.00	0.00	150.00	М		
	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in cement mortar 1 : 4 (1 cement : 4 coarse sand)	15.00	35.00	0.00	50.00	CUM		
12	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	30.00	118.00	5.00	153.00	CUM		
13	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	100.00	60.00	130.00	290.00	SQM		
14	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	4800.00	800.00	1640.00	7240.00	KG		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities			e/x GST
15	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	200.00	115.00	0.00	315.00	SQM		
16	Cement plaster skirting (upto 30 cm height) with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement. 18 mm thick	20.00	35.00	0.00	55.00	SQM		
17	Providing and fixing glass strips in joints of terrazo/cement concrete floors 40 mm wide and 4 mm thick.	100.00	400.00	0.00	500.00	М		
18	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1:4 (1cement : 4 coarse sand) : 25 mm thick	10.00		0.00	10.00	SQM		
19	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12mm (average) thick cement mortar 1:3 (1cement : 3coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	10.00		0.00	10.00	SQM		
	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc.,complete.	30.00	15.00	35.00	80.00	SQM		
21	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	80.00	15.00	45.00	140.00	SQM		
22	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate of 10 mm and down gauge) including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design : In 75 x75 mm deep chase	140.00	55.00	200.00	395.00	М		
	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	35.00	5.00	24.00	64.00	Each		
24	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	500.00	100.00	325.00	925.00	SQM		
25	15 mm cement plaster on rough side of single or half brick wall of mix 1:4 (1 cement : 4 coarse sand)	500.00	100.00	300.00	900.00	SQM		
26	Neat cement punning	600.00	20.00	670.00	1290.00	SQM		
	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.(Per Bag of 50 KG cement used in the mix)	60.00	300.00	36.00	396.00	Each		
28	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	1500.00	0.00	1760.00	3260.00	SQM		
	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	1500.00	0.00	1760.00	3260.00	SQM		
	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :Two or more coats on new work	1500.00	0.00	1760.00	3260.00	SQM		
31	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	500.00	120.00	280.00	900.00	SQM		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
32	Washed stone grit plaster on exterior walls of height upto 10 metre above ground level, in two layers, under layer 12mm cement plaster 1:4 (1cement: 4 coarse sand), furrowing the under layer with scratching tool, applying cement slurry on the under layer @ 2 Kg of cement per square metre, top layer 15mm cement plaster 1:1/2:2 (1 cement: 1/2 coarse sand :2 stone chipping 10mm nominal size), in panels with groove all around as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings, complete as per specification and direction of Engineer-in- charge (Payment for providing grooves shall be made separately).	350.00	800.00	940.00	2090.00	SQM		
	Forming groove of uniform size from 12x12mm and upto 25x15mm in the top layer of washed stone grit plastered surface as per approved pattern, including providing and fixing aluminum channels of appropriate size and thickness (not less than 2 mm), nailed to the under layer with rust proof screws and nails and finishing the groove complete as per specifications and direction of the Engineer-in-Charge.	350.00	1470.00	2170.00	3990.00	Μ		
34	Extra for using white cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	950.00	900.00	940.00	2790.00	SQM		
35	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	800.00	0.00	350.00	1150.00	SQM		
36	Removing dry or oil bound distemper water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	2000.00	0.00	2110.00	4110.00	SQM		
37	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/ structure, upto 25 metre height, above ground level including additional rows of scaffholding in stepped manner as per requirement of site, made with 40mm dia. M.S. tube 1.5 m centre to centre horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and / or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once only for execution of all items for such works.	280.00	0.00	0.00	280.00	SQM		
38	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of engineer in charge. Nominal concrete: 1:3:6 or richer mix (i/c equivalent design mix)	20.00	45.00	2.00	67.00	CUM		
39	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	150.00	155.00	50.00	355.00	CUM		
	Demolishing brick work manually /by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-In-charge.: In cement mortar	18.00	36.00	0.00	54.00	CUM		
41	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 m lead.	511.00	800.00	0.00	1311.00	KG		
42	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead:For thickness of tiles 10 mm to 25 mm	150.00	0.00	65.00	215.00	SQM		
43	Demolishing mud phaska in terracing and disposal of material within 50 metres lead (15.27-AR282) Page 87 (80.00	40.00	95.00	215.00	CUM		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total		e/x GST	e/x GST
					Quantities			
	Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 metres lead of: G.S. Sheet	50.00	0.00	45.00	95.00	SQM		
45	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	1500.00	150.00	1520.00	3170.00	SQM		
46	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	200.00	90.00	0.00	290.00	М		
47	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	1.00	1.00	1.00	3.00	Each		
	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including W.C. pan with ISI marked white solid plastic seat and lid	1.00	1.00	2.00	4.00	Each		
49	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern	2.00	1.00	3.00	6.00	Each		
50	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	2.00	1.00	3.00	6.00	Each		
51	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe- 32 mm dia	4.00	2.00	4.00	10.00	Each		
52	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Internal work - Exposed on wall : 20 mm nominal outer dia Pipes., (18.7.2-AR358)	25.00	20.00	40.00	85.00	М		
	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Concealed work, including cutting chases and making good the walls etc.)	25.00	25.00	35.00	85.00	М		
	Providing and fixing brass bib cock of approved quality : 20 mm nominal bore	4.00	1.00	4.00	9.00	Each		
	Providing and fixing brass stop cock of approved quality : 20 mm nominal bore	4.00	1.00	4.00	9.00	Each		
	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	1.00 5000.00	0.00 1000.00	1.00 10000.00	2.00 16000.00	Each PER LITRE		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.)
	·	PART A	PART B	PART C	Total Quantities			e/x GST
58	Removing of damaged / broken / twisted IRC welded mesh fencing panels repairing of damaged / broken members, replacing new members if required, setting right the fencing panel in proper shape and size as per site requirement, re-fixing of panel at old location / new location in proper position and required alignment, Rate includes the cost of all labour, T & P, welding rods, welding machine, etc complete. The cost of structural steel and nut bolts, washers, IRC welded Mesh etc., if required will be paid separately.	400.00	0.00	0.00	400.00	SQM		
	Providing and fixing 60 cm long PVC rain water spout in proper line and level in cement mortar 1:4 (1 cement : 4 fine sand) in the existing khurra level, dismantling wall/ pipe and making hole of required size for fixing of pipe, filling CC 1:3:6 (1cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) between wall and pipe, plastering both sides of walls with cement mortar 1:4 (1 cement :4 fine sand)and making the pipe joint leak proof.	30.00	5.00	24.00	59.00	Each		
60	Chipping of Unsound Concrete :Cleaning the concrete surface by removing dirt and debris, marking defective locations and Chipping/removing of loose/Unsound/weak concrete from slabs beams, columns etc by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge. Upto 75mm average. Protactive coating: Applying two coats of surface applied Bipolar Corrosion inhibitor FAIRCRETE C SURFACE APPLIED or equivalent as per manufacturer's specification and direction of the Engineer	72.00	0.00	100.00	172.00	SQM		
	Rust Removal & Anti corrosive coating				0.00			
	Providing and applying Reebaklens RR, a combination of acid based material, corrosion inhibitors and dispersing agents rust remover, for removal of all rust/ scales/corrosion from reinforcement bars before microconcreting or patch repair, having Specific Gravity 1.16-1.22. Reebaklens RR Shall be applied with brush for complete wetting of rusted metal surface at coverage of 2-2.5 Sqm/ltr. & allow it to react for 16-24 hours. After 24 hours, a white layer will appear which will protect further corrosion of metal /steel for about 5-7 days. Before applying any protective coating, the surface should be wire brushed and thoroughly cleaned for dust with dry cloth.		0.00	5.00	10.00	SQM		
63	Providing and applying Nitozinc Primer an epoxy based zinc rich anti corrosive primer having adhesive bond strength ≥ 1.5 MPa as per ASTM D4541, & shall comply to per ASTM B-117 to be applied on well cleaned, fully exposed and all loose scale , rust free rust free surface obtained by grit blasting or suitable means , to be done with coverage @4.5sqm/litres to achieve a minimum thickness of 40microns DFT or as per direction of Engineer-In charge.	5.00	0.00	5.00	10.00	SQM		
	Providing and applying Renderoc SP40 shrinkage compensated fiber reinforced polymer modified wet spray repair mortar on the prepared surface and curing with curing compound. The repair mortar used shall be single component and shall be mixed with water at water powder ratio of 0.18 and shall have drying shrinkage < 1000 microstrain as per ASTM C 157-93; compressive strength > 40 MPa ; Flexural Strength > 7 Mpa as per ASTM C 348, bond strength > 6 MPa as per ASTM C 1042, etc complete. Product used shall have CE (CE-29842) marking and compliance according to Construction Products Directive 89/106/EEC (CPD). Cost of curing compound shall be paid separately. Thickness 25mm. [Polymer Modified Mortar for Surface Repair (Lesser thickness & Larger surface area- Wet spray mortar)]	40.00	0.00	100.00	140.00	SQM		
65	Providing and applying Concure 1315, a acrylic polymer based non-degrading single component having solid content 33% to be applied over the freshly casted concrete members. The coating shall be applied using brush/roller/roller @ consumption of 200ml/coat/sqm. The coating shallcomply to ASTM C1315 Type 2, & shall have moisture retention < 0.4 kg/m ² as per ASTM C156, Adhesion of tile cement : >0.5 N/mm ² .[Curing Compound]	40.00	0.00	100.00	140.00	SQM		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
66	Polyurethane Waterproofing by Dr.Fixit Flexi PU 270(I) : Removing & chipping off of existing losse plaster. Clean the surface from contaminants with brush. Remove any sharp protrusion on the blinding layer by chipping and local repairs. Surface Preparation: All surfaces which are to receive the coating must be free from oil, laitance, grease, wax, dirt or any other form of foreign matter which might affect adhesion. Cut back any protrusions. Typically concrete surfaces can be cleaned using high pressure water jet or by proper wire brushing/grinder.All cracks, construction joints,honey combed/damaged surface to be repair with PMM and cracks to be chase out by cutting 25mm x 25mm "V" shape groove all along the crack, cleaning cracks and sealing it using Mesto Grout HS , curing etc., all complete as per the manufactureres specification and direction of engineer-in-charge. L Shape, Augular Fillet: Providing 50 mm X 50 mm angle fillets on the vertical up-stands, parapet wall junction corners, service units and properly dressed by preparing polymer modified mortar with Pidicrete URP or equivalent in the ratio of 1:3 by adding polymer 10% by weight of the cement, add little water, until the required consistency is achieved. Injection Grouting: Providing and applying injection grouting treatment by chemical injection grout process at construction joints, wall joints, honey comb areas etc. in concrete surface or the area using nozzles of min 25-50mm deep in slabs along with construction joints consisting of injection cement slurries of different viscosities under pressure by pump using injection grout waterproofing chemical (Pidicrete AM) mixed with neat cement slurry and sealing off nozzles after the injection operation. Screeding: Providing and laying of average 75mm thick (or suitable thickness for necessary slope) concrete screed of minimum M 20 grade concrete. PU Waterproofing Coating: Supplying and applying, Dr.Fixit Flexi PU 270(I) highly flexible is a liquid-applied, highly permanent elastic, cold applied and co		136.00	620.00	1356.00	SQM		
	Supply, precast RCC trench cover of various size varying 1500 mm in length, 450 mm in width & 50 mm in thickness, with 3 mm thick 50mm wide, ms strip all around welded to the steel reinforcement bar of 6mm dia, 100 mm centre to centre & two no. hooks of 12 mm dia bar for lifting gaving finishing top surface & grade of cement concrete M-20. (AR478)	50.00	0.00	0.00	50.00	SQM		
	Drilling and fixing NRV injection packers in RC members for Epoxy or PU Injection including, drilling holes in structural members at the intervals as per recommendations/ requirements, cleaning the holes by air blower prior to fixing nozzles. Insert 12 mm dia., 50-75 mm long injection packers in cleaned holes with solvent free, moisture insensitive epoxy resin based putty or equivalent. Cut the packers by cut of wheel after completion of grouting without damaging structural elements.	400.00	0.00	0.00	400.00	Nos		
69	Providing and injecting approved ultra low viscous, solvent free high strength epoxy resin conforming to ASTM C 881 into cracks/ honey-comb area of concrete/ masonry by suitable gun/ pump at required pressure as per directions of Engineer-in-Charge.	92.00	0.00	0.00	92.00	KG		
70	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-in-charge	88.00	0.00	0.00	88.00	SQM		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
71	Construction of Horizontal and Vertical Seismic Band as per IS: 13925 by cutting chase in existing plaster by mechanical cutter, removing plaster, raking expose joints, cleaning, providing and fixing 3.25 mm dia (Gauge 10) Galvanised steel wire fabric mesh with spacing 25 mm x 25 mm to be fixed & firmly anchored to the surface of Brick masonary, stone masonary or concrete by means of GI steel shear key or bolts and tying the mesh to the bolts with GI binding wire including fixing the steel bars in position using epoxy resin anchor grout of approved make complete with cost of labour, tool & plants etc. complete as required for fixing as per direction of Engineer-in-charge.	450.00	0.00	0.00	450.00	SQM		
72	Provide and install sacrificial zinc anodes Fosroc Galvashield XPI, to prevent the initiation of corrosion in steel reinforcement within chloride-contaminated or carbonated concrete, or in new construction. Each anode unit must contain a minimum of 60 grams of zinc, compliant with ASTM B418-95a, Type I, die-cast around steel tie wires, ensuring proper separation if multiple tie wires are used. The anodes must be encapsulated in a highly alkaline cementitious mortar with a pH of 14 or higher, free from sulfates, chlorides, bromides, or any other corrosive elements to steel. The encapsulating mortar should feature an interconnected and fine pore structure to dissolve, transport, and accommodate zinc corrosion products away from the anode surface without causing additional stress to the concrete cover, maintaining a pH > 14 near the uncorroded zinc for the specified service life. Anode units shall be supplied with integral, well-separated tie wires (without splices if multiple wires are used) and loop ties for direct attachment to the reinforcing steel. Anodes should be covered with a bed mortar with resistivity less than 50 kOhm-cm or similar to the parent concrete on cleaned steel reinforcement before applying passivation coating. The scope includes supply, installation, spacing calculations, quality assurance procedures, and must adhere to manufacturer specifications. Approved brand shall be M/s Fosroc Galvashield Anodes/Vector Galvashield/IPSS	50.00	0.00	0.00	50.00	Nos		
	Supply and apply Nitobond AR, an acrylic-based emulsified solution containing a minimum of 43% solids and compatible with cementitious materials. The bonding agent shall provide sufficient bond strength when applied directly on concrete or when mixed with neat cement. Ensure proper application to achieve effective adhesion between substrates and subsequent layers of cementitious materials, adhering to manufacturer's recommendations for optimal performance and durability in construction applications. Nitobond AR is particularly suitable when a longer working period after applying the bonding agent is required	200.00	0.00	0.00	200.00	Sqm		
	Surface Preparation: Make a 'V' groove 5 mm wide and 5 mm deep over the crack line using an electrically operated angle grinder with a diamond concrete saw blade. Clean the groove thoroughly with an air blower as directed by the Engineer-in-charge.	65.00	0.00	0.00	65.00	Mtr		
75	Sealing with Epoxy Repair Mortar: Seal the exposed 'V' groove (5 mm deep, 5 mm wide) with a solvent- free, moisture-tolerant, thixotropic, two-part structural adhesive and epoxy repair mortar cum surface leveling mortar. Ensure the epoxy repair mortar has compressive strength \ge 60 N/mm ² (7 Days, BS 6319), flexural strength \ge 20 N/mm ² (7 Days, BS 6319), and tensile strength \ge 10 N/mm ² (7 days, ASTM C 307). Use products like NITOMORTAR S OF FOSROC, Sikadur®-31 of Sika, MasterBrace 2200 BASF, or equivalent of Pidilite.	65.00	0.00	0.00	65.00	Mtr		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
76	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) a) Rebar 10 mm Dia x 14 mm holes x 100mm depth		0.00	0.00	50.00	Nos		
77	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) b) Rebar 12 mm Dia x 16 mm holes dia x 120 mm depth		0.00	0.00	20.00	Nos		
	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) c) Rebar 16 mm Dia x 20 mm holes dia x 160 mm depth		0.00	0.00	10.00	Nos		
79	Strengthening: Carbon fibre wrap/Carbon Laminates							

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total		e/x GST	e/x GST
					Quantities			
80	Providing and applying uni directional, high strength carbon fiber sheets Nitowrap CWS of 450 GSM/ dry fabric thickness. The FRP fabric used shall be of zero degree unidirectional fibers having fiber density of 1.8 g/cc and shall have tensile strength > 4900 MPa ; tensile modulous > 230 GPa and ultimate elongation of 2.1%. The substrate shall be primed with Nitowrap 30 epoxy primer & Nitowrap 410 impregnating resin saturant shall be used for saturating the fibers. Saturant used shall have tensile strength of >30 MPa; Elongation > 2% ; Flexural strength > 30 MPa ; Tensile Modulous > 2400 MPa & Flexural Modulous > 1700 MPa when tested as per ASTM D638 Type I and ASTM D 790 & Glass Transition Temperature > 50 deg Celcius as per ASTM E 1356. The adhesion of the entire system(FRP Sheet, Saturant and primer combined) with concrete shall be > 3.5 MPa with concrete failure as per ASTM D 4541. (Product :- Nitowrap CWS of 450 GSM of Fosroc, Sikawrap® 930 G of Sika / MasterBrace FIB 73/900 of BASF) Surface preparation: Grinding/ moulding concrete substrate cleaning it with wire brush removing oil, laitance if present, rounding sharp edges to min 25mm radius etc. complete. Profiling : Applying compatible primer of approved make and brand on prepared substrate, filling the holes and uneven surface with thixotropic putty etc. complete. Wrapping : Wrapping the fiber sheet with recommended overlapping to structural element at desired oriention using tamping roller to avoid any air voids etc. repeat the same procedure for multiple layer with the interval of 8 hrs. Sand Pasting : Applying second coat of saturated after 12 hrs. rectify air voids if any, paste the coarse sand on it to make surface rough to take any further finishes	1.00	0.00	0.00	1.00	SQM		
	(Mode of measurement : Per sqm surface area of application per layer).							
81	Supply and install fiber anchors to be embedded at a depth of 75 mm with 75 mm protrusion, spaced at 500 mm center to center. (Product make: Fosroc/ Sika/ BASF)	50.00	0.00	0.00	50.00	Nos		
	PU Grout to arrest water leakage				0.00			
	Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03, and foam density of 0.024g ± 0.003. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60		0.00	0.00	5.00	Kg		
83	Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03 , and foam density of $0.024g \pm 0.003$. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete. Nitofill UR63	5.00	0.00	0.00	5.00	Kg		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
84	Supply and apply Dekguard E2000, a high-performance elastomeric protective anticarbonation coating for concrete and masonry. The protective coating system includes a penetrating silane-siloxane primer (Dekguard Primer) and a single-component elastomeric anticarbonation aliphatic acrylic coating (Dekguard E2000). Ensure the total dry film thickness of the protective coating system is not less than 200 microns. The coating system shall provide CO2 diffusion resistance of at least 50 meters (equivalent air layer thickness), static crack accommodation of minimum 2mm, and adhesion greater than 1.0 N/mm ² as per ASTM D 4541. The product used must meet specified performance standards for durability and protection against carbonation. Apply in accordance with manufacturer's guidelines to ensure effective long-term performance and adherence to project requirements	37.00	0.00	0.00	37.00	Sqm		
	Providing, cutting and laying SWG10 welded wire mesh and mesh size 50x50 mm including anchoring it on the wall with 4.75mm bar by drilling and fixing with cement slurry as per drawing details, specification and instruction by the Engineer.	39.00	0.00	0.00	39.00	Sqm		
86	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water-to- powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite) a) Without addition of aggregate	0.50	0.00	0.00	0.50	TON		
87	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water-to- powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm² after 24 hours, 35 N/mm² after 7 days, and 45 N/mm² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite) b) With addition of 6 mm down aggregate in 3:1 (3 Micro concrete: 1 aggregate 6 mm & down)	0.50	0.00	0.00	0.50	TON		
88	12mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	16.00	0.00	0.00	16.00	SQM		
89	15mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	5.00	0.00	0.00	5.00	SQM		
90	6mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	39.00	0.00	0.00	39.00	SQM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total		e/x GST	e/x GST
91	Openable -WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000 SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: OPENABLE;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick. Section for frame should be 48mm x 50mm, Section for Mullion should be of 48mm x 50mm, Section for Glazed Shutter Frame and Shutter Frame Sections should be cut to length and metre joined with Polypropylene Corner Brackets. Mullion Section should be joined with Frame/Mullion using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter.Each Glazed Shutter should be provided with S.S. Pivot Hinges-1set, Seccolor Handle & Seccolor Stay.Window Frame should be fixed to brick/concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filledup by sellicon sealant , gaps more than 5mm shall be filled with backer rod of approved quality).Glass shutter & Fixed Glass portions should be provided with Gill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws. The rates shall include P/F of all hardware as per site requirement.	8.00	10.00	0.00	Quantities 18.00	SQM		
92	Fixed - WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000 SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: FIXED;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick. Section for frame should be 48mm x 50mm, Section for Glazed Shutter Frame should be of 47mm x 20mm, and Section for Fixed Glass Bead should be of 12mm x 12mm.Frame and Shutter Frame Sections should be used all around glass in shutter. Each Glazed Shutter should be provided with S. Pivot Hinges-1set, Seccolor Handle & Seccolor Stay.Window Frame should be fixed to brick/concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filledup by sellicon sealant , gaps more than 5mm shall be filled with backer rod approved).Glass shutter & Fixed Glass portions should be provided with a glass of 5MM Plain Float Glass.Windows should be provided with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.The rates shall include P/F of all hardware as per site requirement.	4.00	10.00	0.00	14.00	SQM		

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
	·	PART A	PART B	PART C	Total		e/x GST	e/x GST
		17.50			Quantities			
	INJECTION GROUTING - USE OF COMPACTION GROUTING TECHNIQUE injection of very stiff	47.50		0.00	47.50	SQM		
	grout material to densify the treated soils by radially displacing the soil particles into a closer spacing.							
94	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of	0.00	76.00	0.00	76.00	Cum		
	centring, shuttering, finishing and reinforcement - All work upto plinth level-1:1.5:3 (1 Cement : 1.5							
	coarse sand : 3 graded stone aggregate 20 mm nominal size)							
	6 mm cement plaster of mix : 1:3 (1 cement: 3 fine sand)	0.00	115.00	0.00	115.00	SQM		
	Distempering with oil bound washable distemper of approved brand and manufacture to give an even	0.00	350.00	150.00	500.00	Sqm		
	shade. New work (two or more coats) over and including water thinnable priming coat with cement primer (13.41.1-AR210)							
97	Demolishing R.C.C. work manually /by mechanical means including stacking of steel bars and disposal	0.00	30.00	0.00	30.00	Cum		
	of unserviceable material within 50 metres lead as per direction of Engineer-In-charge.(15.3-AR268)							
98	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment	0.00	35.00	0.00	35.00	Sqm		
	shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer-In-							
	charge. (15.5-AR269)							
	Providing and laying 60mm thick faciory made cement concrete interlocking paver block of M -30 grade	0.00	250.00	0.00	250.00	Sqm		
	made by block making machine with strong vibratory compaction, of approved size, design & shape,							
	laid in required colour and pattern over and including 50mm							
	thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.							
	SUPPLY, INSTALLATION OF KK MAKE FACTORY MADE 70MM THICK PRECAST RCC TRENCH	0	100.00	244.00	344.00	Each		
	COVER OF VARIOUS SIZE UPTO 1500 MM IN LENGTH, 300 MM IN WIDTH WITH TMT STEEL							
	REINFORCEMENT BAR OF 8MM DIA 4NOS ALONG LENGTH AND 6MM DIA C/C SPACING OF 150							
	MM & TWO NO. GI HOOKS OF FOR LIFTING, MINIMUM GRADE OF CEMENT CONCRETE M-30							
	GRADE, TRENCH COVER SHALL HAVE BOTH KK AND BYPL LOGO WITH FOLLOWING SIZE.							
	300 LENGTH X 1400 WIDTH X 70MM THICKNESS-536 PCS							
	300 LENGTH X 11300 WIDTH X 70MM THICKNESS-89 PCS							
101	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses,	0	10.00	0.00	10.00	CUM		
	plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts, etc. upto floor five							
	level excluding cost of centring, shuttering, finishing and reinforcement. : 1:1.5:3 (1 Cement : 1.5 coarse							
	sand : 3 graded stone aggregate 20 mm nominal size) (5.2.2-AR34)							
	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat	0	0.00	350.00	350.00	Sqm		
	applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @2.20kg/10							
	sqm).(13.46.1-AR214)							

S.No.	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
	Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595mm of approved texture, design and patterns as per CPWD Specification 2019, to be laid in true horizontal level suspended on inter-locking metal T-Grid of hot dipped galvanised iron section of 0.33mmthick (galvanized @ 120 grams per sqm including both sides)comprising of main-T runners of size 24x38 mm of length 3000 mm,cross - T of size 24x32 mm of length 1200 mm and secondaryintermediate cross-T of size 24x32 mm of length 600mm to formgrid module of size 600 x 600 mm, suspended from ceiling usinggalvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 12x50 mm long dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 76x25x25x1.6 mm fixed with grid and Z cleat of size 25x37x25x1.6mm thick with precut hole on both 25mm flange to pierce into 12x50mm or even bigger size dash fastener if require, fixed with Glavanised iron perimeter wall angle or size 24x24x0.40 mm of length 3000 mm to be fixed on periphey wall / partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directionsof the Engineer-in Charge. With 15 mm thick tegular/butt edged without perforation plain/designer light weight calcium silicate Anti-Microbial Bio-Safe coated false ceiling tiles Confirming to JIS-Z2801 and ASTM G-21	0	0.00	50.00	50.00	Sqm		
	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	0	0.00	2.00	2.00	CUM		
105	Filling available excavated earth (excluding rock) in trenches plinth, sides of foundations etc. in layers not exceeding 20 cm in depth : consolidating Ea deposited layer by ramming and watering, lead upto 50 m and lift upto 1.5 m (2.25-AR15)	0	0.00	15.00	15.00	CUM		
106	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement – All work upto plinth level 1:2:4 (1 cement : 2 coarse sand: 4 graded stone aggregate 20 mm nominal size).	0	0	1	1.00	CUM		
107	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying , excluding the cost of centering, shuttering finishing and reinforcement, including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/retard setting of concrete, improve workability without impairing strength and durability as per direction of the Engineer - in - charge. (Note :- Cement considered in this item is @ 330 kg/cum). All works upto plinth level (5.37.1)	0	0	70	70.00	CUM		
108	Providing/fixing by welding (IRC fabric) welded mesh of size 25x75 mm of weight not less than 7.75 kg/ sqm to the frame of MS angles, tees, etc. including priming coat of approved brand. (AR85)	0	0	501	501.00	KG		
109	P/F drainage pump of approved quality and make(cromton ,greaves make , KIRLOSKER / KSB /WASP) pump 5 HP .3 phase as direction of Engineer -in charge	0	0	2	2.00	Each		
110	Supplying and stacking of good earth with fine mix good building malba at site including royalty and carriage for all leads & lifts	0	0.00	33	33.00	Cum		
				·	Total C	ost e/x GST	@18% of Package I	

	ATTACHMENT-II PACKAGE-II-Price Breakup						
PART-	A-Construction of MMG/MLCC -A Block Jhilmil Industrial Area						
	B-Civil Repairing works at Complaint Centre, B Block, Preet Vihar, Laxmi Nagar						
S.No	Description		ntities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	CIVIL WORK						
1	Earth work in excavation by mechanical means (hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth. 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed : All kinds of soil.		50.00	674.00	CUM		
2	Extra for every additional lift of 1.5 m or part thereof in excavation /banking excavated or stacked materials. All kinds of soil	412.00	0.00	412.00	CUM		
3	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered). Depth not exceeding 1.5 m	274.00	0.00	274.00	SQM		
4	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered).Depth exceeding 1.5 m but not exceeding 3 m	86.00	0.00	86.00	SQM		
5	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth,consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.		0.00	618.00	CUM		
6	Supplying chemical emulsion in sealed containers including delivery as specified. Chlorpyriphos/ Lindane emulsifiable concentrate of 20%	262.00	0.00	262.00	Ltr		
7	Diluting and injecting chemical emulsion for anti-termite treatment (excluding the cost of chemical emulsion) in bases of footings, vertical faces of brick wall/ RCC column, under floors, along external walll, apron, etc complete as per relevant IS codes (plinth area shall be measured for payment): With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration		0.00	258.00	SQM		
8	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	60.00	50.00	110.00	CUM		
9	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.		0.00	50.00	SQM		
10	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete. (make- ACC, Lafarage, Afcon, Ultra Tech) Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the minimum specified cement. All works upto plinth level : Concrete of M10 grade with minimum cement content of 220 kg /cum		0.00	56.00	CUM		

S.No	Description	Quar	ntities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the cost of centering, shuttering finishing and reinforcement, including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability & Corrosion Resistance and water profing as per direction of the Engineer - in - charge. (Note :- Cement content considered in this item is @ 330 kg/cum). All works upto plinth level (5.37.1) Make -ACC, Altratech, lafarge	300.00	0.00	300.00	CUM		
	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the cost of centering, shuttering finishing and reinforcement, including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability Corrosion Resistance and water profing as per direction of the Engineer - in - charge. (Note :- Cement content considered in this item is @ 330 kg/cum). All works above plinth level upto floor V level (5.37.2-AR40)) Make -ACC, Altratech, lafarge	128.00	0.00	128.00	СИМ		
	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	2.00	20.00	22.00	CUM		
	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	28.00	13.00	41.00	CUM		
	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: 1:1½:3 (1 cement : 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	2.00	0.00	2.00	CUM		
	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	56.00	0.00	56.00	CUM		
	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	30.00	5.00	35.00	CUM		
	Centring and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases of columns.	84.00	4.00	88.00	SQM		
19	Centring and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platform	732.00	10.00	742.00	SQM		
20	Centring and shuttering including strutting, propping etc. and removal of form for: Lintels, beams, plinth beams, girders, bressumers and cantilevers	406.00	0.00	406.00	SQM		
21	Centring and shuttering including strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts	510.00	0.00	510.00	SQM		
22	Centring and shuttering including strutting, propping etc. and removal of form for: Stairs, (excluding landings) except spiral-staircases	108.00	0.00	108.00	SQM		
	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc., including cost of de-shuttering and decentering at all levels, over a height of 3.5 m, for every additional height of 1 metre or part thereof (Plan area to be measured). Suspended floors, roofs, landing, beams and balconies (Plan area to be measured)	554.00	0.00	554.00	SQM		

S.No	Description		ntities	Total	Unit	Rate	Amount
		PART-A		Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete. cold twisted bars (Make- TATA/ SAIL)	60000.00		68000.00	KG		
	Add for plaster drip course/groove in plastered surface or moulding to R.C.C. projections	190.00	10.00	200.00	M		
	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in cement mortar 1 : 4 (1 cement : 4 coarse sand)	46.00	6.00	52.00	CUM		
	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)		12.00	209.00	CUM		
	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.Granite stone slab colour black, Cherry/Ruby red : Area of slab upto 0.50 sqm		0.00	110.00	SQM		
	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.Granite stone slab colour black, Cherry/Ruby red : Area of slab over 0.50 sqm		0.00	74.00	SQM		
	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	200.00	0.00	200.00	KG		
	P/F MS chequred plate i/c cutting, straightening, rounding of edges, making lifting arrangment & fixing by welding to M.S angle frame etc. (AR142)	100.00	0.00	100.00	KG		
	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.Double charge vitrified tile polished finish of size. Size of Tile 800 x 1200 mm		0.00	384.00	SQM		
	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer) with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make in all colours & shade in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1cement: 3 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joint with white cement & matching pigments etc. complete. Size of Tile 800x800 mm		0.00	12.00	SQM		
	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.). Make- Jindal Ozone TATA Sale		0.00	318.00	KG		
	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.		85.00	269.00	SQM		

S.No	Description		ntities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Cement plaster skirting (upto 30 cm height) with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement. 18 mm thick	16.00	11.00	27.00	SQM		
	Providing and fixing glass strips in joints of terrazo/cement concrete floors 40 mm wide and 4 mm thick.	332.00	235.00	567.00	М		
	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate of 10 mm and down gauge) including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design : In 75 x75 mm deep chase		105.00	199.00	м		
39	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.		16.00	24.00	Each		
	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter metre 319.75	80.00	55.00	135.00	м		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Single tee with door 12.42.3.2 110x110x110 mm	16.00	0.00	16.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Bend 87.5° 110 mm bend	8.00	15.00	23.00	Each		
	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests		1.00	3.00	Each		
44	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including W.C. pan with ISI marked white solid plastic seat and lid		1.00	7.00	Each		
	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern		2.00	8.00	Each		
46	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm C.P. brass pillar tap		2.00	7.00	Each		
	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe- 32 mm dia	5.00	4.00	9.00	Each		
48	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Internal work - Exposed on wall)		32.00	282.00	М		
	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Concealed work, including cutting chases and making good the walls etc.)		27.00	227.00	М		
	Providing and fixing brass bib cock of approved quality : 20 mm nominal bore	5.00	4.00	9.00	Each		

S.No	Description		ntities	Total	Unit	Rate	Amount
		PART-A		Quantities	<u> </u>	(In Rs.)e/x GST	(In Rs.) e/x GST
	Providing and fixing brass stop cock of approved quality : 20 mm nominal bore	5.00	4.00	9.00	Each		
	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	5.00	1.00	6.00	Each		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.		5000.00	6000.00	PER LITRE		
	Providing and Laying 110 mm dia PVC pipe (Heavy duty-working pressure 6Kg/cm2) of Prakash or equivalent make as per required slope for sewer line including jointing etc. complete as per direction of Engineer-in-charge (Wt. of pipe-22 Kg approx).		45.00	345.00	M		
	Providing and fixing UPVC (SWR) pipes Class B conforming to IS 13592 for soil, waste and vent pipes including all fittings rubber ring type (plain or access door) e.g. bends, junctions, cowls, offsets, access pieces etc., jointing with rubber ring joints(a) 80 mm dia		10.00	210.00	М		
	Providing and fixing UPVC floor traps, self closing type having 50mm lead water seal with or without vent arm etc. complete including cost of cutting and making good the walls and floors wherever required. (110 x80 mm)		5.00	11.00	Each		
57	P/F of CP jalli of appd design and shape: 100 mm dia. (AR522)	6.00	5.00	11.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Bend 87.5°-110 mm bend. (12.42.5.2-AR180)	20.00		20.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. coupler- 110 mm. (12.42.1.2-AR174)	20.00	15.00	35.00	Each		
	Providing and Fixing bevelled edge mirror of superior quality glass (Modi /Sant Gobain) complete with 6 mm thick hard board fixed to wooden cleats with cp brass screws and washers etc complete. (17.31-AR508)	5.00	1.85	6.85	Sqm		
61	Providing and fixing health faucet hindware or parryware make as per direction of EIC (Based on MR)	5.00	2.00	7.00	Each		
62	Providing and fixing C.P. brass angle valve for basin mixer and gyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore : 15 mm nominal bore (18.53.1-AR423)		12.00	17.00	Each		
	Providing and fixing uplasticised PVC connection pipe with brass unions: 45 cm length, 15 mm NB, (18.21.2.1-AR390)	5.00	8.00	13.00	Each		
	Providing and fixing C.P. brass long body bib cock hindware/parryware conforming to IS standards and weighing not less than 690 gms: 15 mm nominal bore. (18.51.1-AR421)		6.00	14.00	Each		
	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group B		40.00	45.00	PNT		
	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 A switch (DSR-1.24.3)	25.00	25.00	50.00	Each		
67	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required6 pin 15/16 A socket outlet Each (DSR- 1.24.5)	25.00	25.00	50.00	Each		
	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch (AR582)	5.00	40.00	45.00	Each		
69	"P/F URINAL PARTITIONS 3/4"" THK GRANITE 600 MMX1350 MM OF APPD DESIG AND SHADE INCLUDING FIXING IN THE WALLS AS REQUIRED BY CHASING & MAKING GOOD THE WALLS WHEREVER REQUIRED ALSO PROVIDING EDGE MOULDING TO THE GRANITE PARTITION COMPLETE JOB AS PER INSTRUCTION OF EIC.		3.00	8.00	SQM		
	Providing and fixing square-mouth S.W. gully trap class SP-1complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 Kg. as per standard design : 100x100mm size P type with common burnt clay F.P.S (non modular) bricks of class designation 75 (19.4.1.1-AR446)		5.00	10.00	Each		

S.No	Description	Quar	Quantities		Unit	Rate	Amount
		PART-A	PART-B	Total Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
71	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	1078.00	320.00	1398.00	SQM		
72	15 mm cement plaster on rough side of single or half brick wall of mix 1:4 (1 cement : 4 coarse sand)	594.00	290.00	884.00	SQM		
73	6 mm cement plaster of mix : 1:3 (1 cement: 3 fine sand)	732.00	345.00	1077.00	SQM		
74	Neat cement punning	298.00	42.00	340.00	SQM		
	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.(Per Bag of 50 KG cement used in the mix)		0.00	40.00	Each		
	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	1282.00	985.00	2267.00	SQM		
	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	1282.00	985.00	2267.00	SQM		
	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	34.00	200.00	234.00	SQM		
	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :Two or more coats on new work	1282.00	985.00	2267.00	SQM		
80	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	10.00	305.00	315.00	SQM		
	Washed stone grit plaster on exterior walls of height upto 10 metre above ground level, in two layers, under layer 12mm cement plaster 1:4 (1cement: 4 coarse sand), furrowing the under layer with scratching tool, applying cement slurry on the under layer @ 2 Kg of cement per square metre, top layer 15mm cement plaster 1:1/2:2 (1 cement: 1/2 coarse sand :2 stone chipping 10mm nominal size), in panels with groove all around as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings, complete as per specification and direction of Engineer-in- charge (Payment for providing grooves shall be made separately).		950.00	1332.00	SQM		
	Forming groove of uniform size from 12x12mm and upto 25x15mm in the top layer of washed stone grit plastered surface as per approved pattern, including providing and fixing aluminum channels of appropriate size and thickness (not less than 2 mm), nailed to the under layer with rust proof screws and nails and finishing the groove complete as per specifications and direction of the Engineer-in-Charge.		1695.00	2727.00	М		
83	Extra for using Silver cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	382.00	0.00	382.00	SQM		
84	Extra for providing & mixing the dark shade pigment in top layer of washed stone grit plaster. (AR-55)	382.00	0.00	382.00	SQM		
	Extra for using marble chips of size 7 to 10 mm nominal size in place of stone chipping 10 mm nominal size in Washed stone grit plaster on exterior walls (AR158)		0.00	382.00	SQM		
86	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	34.00	950.00	984.00	SQM		
87	Supplying and stacking at site. Good earth	78.00	0.00	78.00	CUM		

S.No	Description	Quar	ntities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
88	Providing and erecting 2.00 metre high temporary barricading at site; each panel of size 2.50mx2.00m made of 40x40x6mm angle iron or50x50x3mm hollow MS tube posts/horizontal members/bracings covered with 1.63mm thick MS sheet. The sheet shall be fixed with 30x5mm MS flat by suitable welding/ riveting. The panels shall be made so that gap of 50cm above the ground is available making overall height as 2.5m. MS channel ISLC 75 @ 5.70 kg/m, 50cm long shall be provided at the bottom having oval shaped holes of size 50x25mm at both ends with 50cm long MS angle 40x40x6mm bracing. Suitable arrangement shall be made to fix the barricading to avoid from overturning by providing 250mm long expansion fasteners at both ends. The work shall be executed as per drawing/direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in-Charge. The barricading provided shall be retained in position at site continuously i/c shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. Rate include its maintenance for damages, painting, all incidentals, labour materials, equipments and works required to execute the job. The barricading shall not be removed without prior approval of Engineer in-Charge.(Note :- One time payment shall be made for providing barricading from start of work till completion of work i/c shifting. The barricading provided shall remain to be the property of the contractor on completion of the work).		0.00	92.00	Μ		
89	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.		0.00	110.00	SQM		
90	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in- Charge. 60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.	15.00	0.00	15.00	SQM		

S.No	Description	Quan	tities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Polyurethane Waterproofing by Dr.Fixit Flexi PU 270(1) : Removing & chipping off of existing losse plaster. Clean the surface from contaminants with brush. Remove any sharp protrusion on the blinding layer by chipping and local repairs. Surface Preparation: All surfaces which are to receive the coating must be free from oil, laitance, grease, wax, dirt or any other form of foreign matter which might affect adhesion. Cut back any protrusions. Typically concrete surfaces can be cleaned using high pressure water jet or by proper wire brushing/ grinder.All cracks, construction joints,honey combed/damaged surface to be repair with PMM and cracks to be chase out by cutting 25mm x 25mm "V" shape groove all along the crack, cleaning cracks and sealing it using Mesto Grout HS , curing etc., all complete as per the manufactureres specification and direction of engineer- in-charge. L Shape, Augular Fillet: Providing 50 mm X 50 mm angle fillets on the vertical up-stands, parapet wall junction corners, service units and properly dressed by preparing polymer modified mortar with Pidicrete URP or equivalent in the ratio of 1:3 by adding polymer 10% by weight of the cement, add little water, until the required consistency is achieved. Injection Grouting: Providing and applying injection grouting treatment by chemical injection grout process at construction joints, wall joints, honey comb areas etc. in concrete surface or the area using nozzles of min 25 50mm deep in slabs along with construction joints consisting of injection cement slurries of different viscosities under pressure by pump using injection grout waterproofing chemical (Pidicrete AM) mixed with neat cement slurry and sealing off nozzles after the injection operation. Screeding: Providing and laying of average 75mm thick (or suitable thickness for necessary slope) concrete screed of minimum M 20 grade concrete. PU Waterproofing chemical, highly permanent elastic, cold applied and cold curing single component polyurethane cold applied coating s	298.00	295.00	593.00	SQM		
	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C., kitchen and the like as required as per direction of the Engineer-in-charge, consisting of : (i) 1st course of applying cement slurry @ 4.4 kg/sqm mixed with water proofing compound conforming to IS 2645 in recommended proportions including rounding off junction of vertical and horizontal surface. (ii) 2nd course of 20 mm cement plaster 1:3 (1 cement : 3 fine sand) mixed with water proofing compound in recommended proportion including rounding off junction of vertical and horizontal surface. (iii) 3rd course of applying blown or residual bitumen applied hot at 1.7 kg. per sqm of area. (iv) 4th course of 400 micron thick PVC sheet. (Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/ sqm).	13.50	0.00	13.50	SQM		
	Supply, installation Heavy duty factory made precast RCC trench covers (KK make) factory made 50mm thick of various size upto 1500 mm in length, 300 mm in width with TMT steel reinforcement bar of 10mm dia 4nos along length and 8mm dia c/c spacing of 150 mm & two no. GI hooks of for lifting, minimum grade of cement concrete M-35 grade, trench cover shall have both KK and BYPL logo.	30.00	0.00	30.00	SQM		

S.No	Description	Quantities		Total	Unit	Rate	Amount
	·	PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Supply & Installation of 46mm thick Metal fire check door of 120 minutes' fire rating confirming to BS: 476 Part 22 and IS: 3614 Part II fabricated with 2 nos. 1.2mm thick galvanized sheet with infill of fire rated Acrylic Sealant and non-combustible core bonded to both faces of sheet with lock seam joints at stile edges and internal reinforcement at top, bottom and stile edges for Fire Rating. The door frames are manufactured from 1.6mm thick galvanized steel sheet pressed form to double rebate profile of size 143mm x 57mm duly filled with vermuculite based concrete mix. The door frames and door shutters are finished with powder coated		0.00	16.00	SQM		
	Smoke grey finish.(as per approved shade) Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum		0.00	32.20	SQM		
	toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately) 30 mm thick						
	Providing and fixing pressed steel door frames conforming to IS: 4351, manufactured from commercial mild steel sheet of 1.60 mm thickness, including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25 mm, or base ties of 1.60 mm, pressed mild steel welded or rigidly fixed together by mechanical means, including M.S. pressed butt hinges 2.5 mm thick with mortar guards, lock strike-plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface as directed by Engineer-in-charge: Fixing with adjustable lugs with split end tail to each jamb.		0.00	72.50	M		
	Providing and fixing M.S. Tubular frames for doors, windows, ventilators and cupboard with rectangular/ L- Type sections, made of 1.60 mm thick M.S. Sheet, joints mitred, welded and grinded finish, with profiles of required size, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer. Fixing with 15x3 mm lugs 10 cm. long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	40.00	0.00	40.00	Kg		
	Fastener:- Supply of Fasteners 10 X 80 mm (08 Nos for Each Door) Hilti make	112.00	0.00	112.00	Each		
	Hinges:- Supply of SS Ball Bearing Hinges of Size 102 X 76 X 3mm Complete With Ss Screws of DORMA (Model No : 3090F) Make	56.00	0.00	56.00	Each		
	Vision Panel:- Supply of 6 MM Thick Clear Glass - Schott- Pyran Make- (200 X 300mm)	14.00	0.00	14.00	Each		
	Door Closer:-Supply of DORMA (Model No. TS - 78) Make Door Closer SS D Handle :- Supply of 450 mm Long / 25 mm Dia / SS 304, Finish : Satin of DORMA (Model No. TGDIH) Make	14.00 14.00	0.00	14.00 14.00	Each Pair		
	Panic Bar S/L :-Supply of DORMA (Model No. PHCR 1000) Make Single Leaf Panic Bar Single Point, Silver Finish		0.00	14.00	Each		
104	Panic Trim:- Supply of DORMA (Model No. PHCR 2905) Make Panic Trim with Latch Handle	14.00	0.00	14.00	Each		

S.No	Description			Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
105	WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: OPENABLE;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick. Section for frame should be 48mm x 50mm, Section for Mullion should be of 48mm x 50mm, Section for Glazed Shutter Frame should be of 47mm x 20mm, and Section for Fixed Glass Bead should be of 12mm x 12mm.Frame and Shutter Frame Sections should be cut to length and metre joined with Polypropylene Corner Brackets. Mullion Section should be joined with Frame/Mullion using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter.Each Glazed Shutter should be provided with S.S. Pivot Hinges-1set, Seccolor Handle & Seccolor Stay.Window Frame should be fixed to brick/concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filledup by sellicon sealant).Glass shutter & Fixed Glass portions should be provided with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.		0.00	28.00	SQM		
106	WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: FIXED;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick.Section for frame should be 48mm x 50mm, Section for Mullion should be of 48mm x 50mm, Section for Glazed Shutter Frame should be 47mm x 20mm, and Section for Fixed Glass Bead should be of 12mm x 12mm.Frame and Shutter Frame Sections should be cut to length and metre joined with Polypropylene Corner Brackets. Mullion Section should be joined with Frame/Mullion using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter.Each Glazed Shutter should be provided with S.S. Pivot Hinges- 1set, Seccolor Handle & Seccolor Stay.Window Frame should be fixed to brick/concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filledup by sellicon sealant).Glass shutter & Fixed Glass portions should be provided with a glass of 5MM Plain Float Glass.Windows should be provided with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.		0.00	12.00	SQM		

S.No	Description	Quan	tities	Total	Unit	Rate	Amount
			PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
107	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with :12.5 mm thick tapered edge gypsum plain boa	128.70	0.00	128.70	SQM		
108	FALSE CEILING IN ARMSTRONG FINE FISSURED BUTT EDGE TILES 595X595MM : PROVIDING & FIXING OF ARMSTRONG FINE FISSURED BUTT EDGE TILE CEILING "COMPLETE IN ALL RESPECTS USING ARMSTRONG CHANNELS,HANGERS ETC. ITEM ""COMPLETE WITH ALL EDGE CUT TILES AND REQUIRED CUTTING FOR LIGHTS, " "SPEAKERS, DETECTORS, DIFFURES, ETC.TILE CODE- ARMSTRONG FINE FISSURED NF BUTT EDGE (AR230) Make - GYPROC.	247.55	0.00	247.55	SQM		
109	S/F PVC conduit : Supplying and fixing of following sizes of PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 25mm (AR572)	200.00	0.00	200.00	М		
110	Circuit / sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 4 sq. mm + 1 X 4 sq. mm earth wire.	200.00	75.00	275.00	М		
111	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	400.00	150.00	550.00	М		
112	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 6 sq. mm + 1 X 6 sq. mm earth wire	150.00	0.00	150.00	М		
113	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group C (AR559)	116.00	0.00	116.00	Each		
114	P/F/T/C 6/16A 5 pin modular socket controlled by 16 A switch.(complete set modular). (AR693)	44.00	0.00	44.00	Each		
115	Providing, Fixing, Testing & Commissioning Of 3nos 6A 5pin socket & 1no 6A switch in 5 module plate. (AR760)	32.00	0.00	32.00	Each		
116	S / F light plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection. painting etc. as required. (For light plugs to be used in non residential buildings). (AR593)	18.00	0.00	18.00	Each		

S.No	Description		tities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	S / F power plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and .fixing 6 pin 15 / 16 & 5 / 6 amps modular socket outlet and 15 / 1 6 amps modular switch, connection, painting etc. as required. (AR594)	22.00	0.00	22.00	Each		
	Providing and fixing circular/hexagonal m.s. sheet ceiling fan box "with clamp of internal dia 140 mm, 73 mm height, 3 mm thick rim, " top and bottom lid of 1.5 mm m.s. sheet. lids shall be screwed into "m.s. box by means of 3 mm round headed screws, clamps shall be made "of 12 mm dia ms bar bend to shape as per std. drawing with overall length as 80 cm.		0.00	18.00	Each		
119	Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 Amps. (AR617)	2.00	0.00	2.00	Each		
	S / F 'C' series. SP MCB : Supplying and fixing 5 amps to 32 amps rating, 240 volts. 'C' series, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. : Single pole (AR787)"	16.00	0.00	16.00	Each		
	S/F SP MCB DB consumer unit : Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board consumer unit, 240 volts. on surface/ recess, complete with tinned copper busbar, neutral busbar, earth bar, din bar, hinged front acrylic cover for the MCB knobs, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required. (But without MCB / RCCB / Isolator) : 2 + 8 way (AR785)	2.00	0.00	2.00	Each		
122	Providing and fixing of LED Tubelight of 40Watt as per direction of EIC	32.00	0.00	32.00	Each		
	Providing and fixing Industrial type Axial Exhaust fan of propeller type / axial type shall be provided for rooms with suitable drive motor, DOL starter, rain protection cowl with screen, grouting bolts etc. Fan for battery room shall be bifurcated type spark proof construction as per direction of Engineer incharge sweep of 600mm .(Make-Crompton).	10.00	0.00	10.00	Each		
124	Providing and fixing ceiling Fan 1400 mm of approved make.	6.00	0.00	6.00	Each		
125	Demolition and disposal from site as per MCD/DPCC norms of existing building (boundary wall if applicable)RCC work ,Brick work ,Steeel work ,Door & windows ,Flooring ,False ceiling ,Grade slab , plinth protection electrical fitting ,Plumbing, foundation , boundary wall (if applicable) or any other items not mentioned above and taking out all material and giiving recovery rate on sq feet basis of covered area.		0.00	534.00	Sqm		
	LUM,LED,CEILING;36W;140-270V;600X600MM P/F/T/C LUMINAIRE,LED,TYPE:CEILING;POWER:36 W;VOLTAGE:140-270 V;LAMP SIZE:600X600 MM;MOUNTING:RECESSED;INGRESS PROTECTION:IP 20; MAKE:CROMPTON;MODEL:LCTLRN 36 FO CDL;ADDITIONAL INFORMATION:LED 36 W EFFICIENCY 85 PERCENT SURGE PROTECTION UP TO 2.5 KV: SYSKA / HAVELLS OR EQUIVALENT	20.00	0.00	20.00	NOS		
127	P/F Focus light 7 wt of syska or equivalent make	40.00	0.00	40.00	NOS		
128	Supply & Application of Under Deck Insulation Using 27 Kg Density 50 mm Thick EPS Slabs with using 4 Nos of 3 inch Length Plastic Stem and Wheel Properly Drilled and Nailed on the Ceiling. We will be responsible for supply of all necessary Insulation and ancillary materials and Skilled work men Tools & Shackles	350.00	0.00	350.00	SQM		
	Supply & Application UltraTech Decor is coloured, textured and imprinted concrete M30 grade (min 100mm thickness) of approved colour and patterns manufactured by using UV resistant colour hardener with monolithic nature allows nothing to grow through gaps	100.00	0.00	100.00	SQM		
130	Providing and laying R. C.C. pavement of mix M-25 with ready mixed concrete from batching plant. The ready mixed concrete shall be laid and finished with screed board vibrator, vacuum dewatering process and finally finished by floating, brooming with wire brush etc. Corrosion Resistance and water profing complete as per specifications and directions of Engineer-incharge. (The panel shuttering work and R/f Steel shall be paid for separately). (Note:- Cement content considered in this item is @ 330 kg/cum. Excess/less cement used as per design mix is payable/ recoverable separately). Make -ACC, Altratech, lafarge	20	0.00	20.00	cum		

S.No	Description		ntities	Total	Unit	Rate	Amount
	Providing and laying roof insulation with 40 mm thick impervious sprayed, closed cell free Rigid Polyurethane foam over deck insulation conforming to IS - 12432 Pt. III (density of foam being 40-45 kg/ cum), over a coat of polyurethane primer applied @ 6-8 sqm per litre, laying 400 G polythene sheet over PUF spray and providing a wearing course of 40 mm thick cement screed 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 20 mm nominal size) in chequered rough finish, in panels of 2.5 m x 2.5 m and embedding with 24 G wire netting and sealing the joints with polymerized mastic, all complete as per direction of Engineer-in-	PART-A 300	0.00	Quantities 300.00	SQm	(In Rs.)e/x GST	(In Rs.) e/x GST
132	Charge. Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	3000	4500	7500.00	KG		
133	Providing and fixing JSW/ Bluescope pre coated galvanized rib & flute design profile sheets (size, shape and pitch of corrugation as approved by Engineer in-charge) 0.50 mm (+0.05%) total coated thickness with Aluminium zinc coating 150 grams per sqm on both sides (AZ 150 as per AS 1397 - 1993), in minimum 300 mpa yield strength with super durable polyester colourboard XRW of approved color. Total coating thickness of 35 microns, comprising of 20 mm microns exterior coat on top surface and 5 micron reverse on back surface over 5 micron epoxy primer coats on both surface includgin" side and laps of approved color and shade as per EIC. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length up to 12 meters or as desired by Engineer-in- charge The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete up to any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting toR size and shape wherever required. The sheets shall have brand make marking of manufacturer giving product details on the back of sheet at every regular interval for conforming genuinely of material. (Based on 12.50-A187)"	500	180	680.00	SQm		
134	Provide and install sacrificial zinc anodes Fosroc Galvashield XPI, to prevent the initiation of corrosion in steel reinforcement within chloride-contaminated or carbonated concrete, or in new construction. Each anode unit must contain a minimum of 60 grams of zinc, compliant with ASTM B418-95a, Type I, die-cast around steel tie wires, ensuring proper separation if multiple tie wires are used. The anodes must be encapsulated in a highly alkaline cementitious mortar with a pH of 14 or higher, free from sulfates, chlorides, bromides, or any other corrosive elements to steel. The encapsulating mortar should feature an interconnected and fine pore structure to dissolve, transport, and accommodate zinc corrosion products away from the anode surface without causing additional stress to the concrete cover, maintaining a pH > 14 near the uncorroded zinc for the specified service life. Anode units shall be supplied with integral, well-separated tie wires (without splices if multiple wires are used) and loop ties for direct attachment to the reinforcing steel. Anodes should be covered with a bed mortar with resistivity less than 50 kOhm-cm or similar to the parent concrete on cleaned steel reinforcement before applying passivation coating. The scope includes supply, installation, spacing calculations, quality assurance procedures, and must adhere to manufacturer specifications. Approved brand shall be M/s Fosroc Galvashield Anodes/Vector Galvashield/IPSS		50	566.00	Nos		
	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material.Beyond 60 cm girth upto and including 120 cm girth	0	1	1.00	Each		
	Trimming of any no. of branches of any size of any type of tree overhanging on building / terrace so as to keep them away from building by at least 2.00 mtr at the time of trimming in such a way that they do not fall on the bldg, terrace, GI/ACC shed, live transformer, electric/telephone wire by any means Use axe, saw, ropes etc. as per site conditions. The trimmed material to be disposed to the MCD bin by any means. Nothing shall be allowed to be burnt or flamed. (AR494)	0	6	6.00	Each		
137	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	0	50	50.00	Sqm		

S.No	Description		ntities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
138	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc.,complete.	0	12	12.00	Sqm		
139	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	0	150	150.00	Sqm		
140	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including water thinnable priming coat with cement primer	0	180	180.00	Sqm		
	Extra for using white cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	0	950	950.00	Sqm		
142	Removing dry or oil bound distemper water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	0	1185	1185.00	SQM		
143	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/ structure, upto 25 metre height, above ground level including additional rows of scaffholding in stepped manner as per requirement of site, made with 40mm dia. M.S. tube 1.5 m centre to centre horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and / or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once only for execution of all items for such works.	0	150	150.00	SQM		
144	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of engineer in charge. Nominal concrete: 1:3:6 or richer mix (i/c equivalent design mix)	0	12	12.00	CUM		
145	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	0	82	82.00	CUM		
146	Demolishing brick work manually /by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-In-charge.: In cement mortar	0	4	4.00	CUM		
147	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 m lead.	0	380	380.00	KG		
148	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead:For thickness of tiles 10 mm to 25 mm	0	130	130.00	SQM		
149	Demolishing mud phaska in terracing and disposal of material within 50 metres lead (15.27-AR282)	0	44	44.00	CUM		
	Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 metres lead of: G.S. Sheet	0	155	155.00	SQM		
151	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	0	625	625.00	SQM		

S.No	Description		ntities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
152	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	0	98	98.00	М		
153	Providing and laying 60mm thick faciory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	0	270	270.00	SQM		
154	Removing of damaged / broken / twisted IRC welded mesh fencing panels repairing of damaged / broken members , replacing new members if required, setting right the fencing panel in proper shape and size as per site requirement, re-fixing of panel at old location / new location in proper position and required alignment, Rate includes the cost of all labour , T & P , welding rods, welding machine, etc complete. The cost of structural steel and nut bolts, washers, IRC welded Mesh etc., if required will be paid separately.	0	75	75.00	SQM		
155	Providing and fixing 60 cm long PVC rain water spout in proper line and level in cement mortar 1:4 (1 cement : 4 fine sand) in the existing khurra level, dismantling wall/ pipe and making hole of required size for fixing of pipe, filling CC 1:3:6 (1cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) between wall and pipe, plastering both sides of walls with cement mortar 1:4 (1 cement :4 fine sand)and making the pipe joint leak proof.	0	16	16.00	Each		
156	Chipping of Unsound Concrete :Cleaning the concrete surface by removing dirt and debris, marking defective locations and Chipping/removing of loose/Unsound/weak concrete from slabs beams, columns etc by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge. Upto 75mm average. Protactive coating: Applying two coats of surface applied Bipolar Corrosion inhibitor FAIRCRETE C SURFACE APPLIED or equivalent as per manufacturer's specification and direction of the Engineer	0	92	92.00	SQM		
157	Providing and applying Reebaklens RR, a combination of acid based material, corrosion inhibitors and dispersing agents rust remover, for removal of all rust/ scales/corrosion from reinforcement bars before microconcreting or patch repair, having Specific Gravity 1.16-1.22. Reebaklens RR Shall be applied with brush for complete wetting of rusted metal surface at coverage of 2-2.5 Sqm/ltr. & allow it to react for 16-24 hours. After 24 hours, a white layer will appear which will protect further corrosion of metal /steel for about 5-7 days. Before applying any protective coating, the surface should be wire brushed and thoroughly cleaned for dust with dry cloth.	0	7	7.00	SQM		
158	Providing and applying Nitozinc Primer an epoxy based zinc rich anti corrosive primer having adhesive bond strength ≥ 1.5 MPa as per ASTM D4541, & shall comply to per ASTM B-117 to be applied on well cleaned, fully exposed and all loose scale, rust free rust free surface obtained by grit blasting or suitable means, to be done with coverage @4.5sqm/litres to achieve a minimum thickness of 40microns DFT or as per direction of Engineer-In charge.	0	7	7.00	SQM		
159	Providing and applying Renderoc SP40 shrinkage compensated fiber reinforced polymer modified wet spray repair mortar on the prepared surface and curing with curing compound. The repair mortar used shall be single component and shall be mixed with water at water powder ratio of 0.18 and shall have drying shrinkage < 1000 microstrain as per ASTM C 157-93; compressive strength > 40 MPa ; Flexural Strength > 7 Mpa as per ASTM C 348, bond strength > 6 MPa as per ASTM C 1042, etc complete. Product used shall have CE (CE-29842) marking and compliance according to Construction Products Directive 89/106/EEC (CPD). Cost of curing compound shall be paid separately. Thickness 25mm. [Polymer Modified Mortar for Surface Repair (Lesser thickness & Larger surface area- Wet spray mortar)]	0	92	92.00	SQM		

S.No	Description		ntities	Total	Unit	Rate	Amount
100			PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
160	Providing and applying Concure 1315, a acrylic polymer based non-degrading single component having solid content 33% to be applied over the freshly casted concrete members. The coating shall be applied using brush/roller/roller @ consumption of 200ml/coat/sqm. The coating shallcomply to ASTM C1315 Type 2, & shall have moisture retention < 0.4 kg/m ² as per ASTM C156, Adhesion of tile cement : >0.5 N/mm ² .[Curing Compound]	0	92	92.00	SQM		
161	Providing and laying of average 75mm thick (or suitable thickness for necessary slope) concrete screed of minimum M 20 grade concrete.	0	10	10.00	SQM		
162	Supply, precast RCC trench cover of various size varying 1500 mm in length, 450 mm in width & 50 mm in thickness, with 3 mm thick 50mm wide, ms strip all around welded to the steel reinforcement bar of 6mm dia, 100 mm centre to centre & two no. hooks of 12 mm dia bar for lifting gaving finishing top surface & grade of cement concrete M-20. (AR478)	0	10	10.00	SQM		
163	Drilling and fixing NRV injection packers in RC members for Epoxy or PU Injection including, drilling holes in structural members at the intervals as per recommendations/ requirements, cleaning the holes by air blower prior to fixing nozzles. Insert 12 mm dia., 50-75 mm long injection packers in cleaned holes with solvent free, moisture insensitive epoxy resin based putty or equivalent. Cut the packers by cut of wheel after completion of grouting without damaging structural elements.	0	485	485.00	Nos		
164	Pressure Grouting with Epoxy Resin: Perform pressure grouting using Conbextra EP10, a low viscous solvent-free two-component epoxy resin with a density of 1050 kg/m ³ . Ensure the epoxy resin has viscosity < 0.6 poise (ASTM D1200), compressive strength > 80 MPa (ASTM D 695), and bond strength > 4 MPa (ASTM C882). Use products with CE marking and compliance according to Construction Products Directive 89/106/EEC. Mix epoxy resin and maintain desired pressure using an air compressor. Grout the material through prefixed nozzles in structural elements until refusal, sealing the nozzles with epoxy putty afterward. Monitor and seal leakages through other nozzles as required. Complete the operation within the pot life of the material. Clean the grouting gun and accessories with thinner after the operation to prevent jamming.	0	42	42.00	KG		
165	Providing and applying bond coat on the prepared surface with two component epoxy based bonding coat Nitobond EP of Fosroc make or equivalent, having specific gravity 1.15 to 1.2 gm/cc,. The bonding agent shall be applied by brush & should remain in tacky state after application for a minimum period of 5-6 hrs at 20 deg C & 2-3 hrs at 30 deg C. Laying of reinstatement polymer modified mortar or micro concrete shall be completed within the overlay time of bonding coat.	0	95	95.00	SQM		
166	Construction of Horizontal and Vertical Seismic Band as per IS: 13925 by cutting chase in existing plaster by mechanical cutter, removing plaster, raking expose joints, cleaning, providing and fixing 3.25 mm dia (Gauge 10) Galvanised steel wire fabric mesh with spacing 25 mm x 25 mm to be fixed & firmly anchored to the surface of Brick masonary, stone masonary or concrete by means of GI steel shear key or bolts and tying the mesh to the bolts with GI binding wire including fixing the steel bars in position using epoxy resin anchor grout of approved make complete with cost of labour, tool & plants etc. complete as required for fixing as per direction of Engineer-in-charge.	0	240	240.00	SQM		
167	Constructing brick masonry manhole in cement mortar 1:4 (1 cement:4 coarse sand) RCC top slab with 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement: 4 coarse sand: 8 graded stone aggregate 40mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1cement: 3 corse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), finished with a floating coat of neat cement complete as per standard design : Inside size 90x80cm and 45cm deep including Cl cover with frame(light duty) 455x610mm internal diamensions, total weight of cover and frame to be not less than 38kg (weight of cover 23kg and weight of frame 15kg) With common burnt clay F.P.S (non modular) bricks with class designation 7.5 (19.7.1.1-AR449)		2	2.00	Each		
168	supply of 9" dia exhaust fan with gravity louers & bird screen	0	3	3.00	Each		
169	Providing and Laying 150 mm dia PVC pipe (Heavy duty-working pressure 6Kg/cm2) of Prakash or equivalent make as per required slope for sewer line including jointing etc. complete as per direction of Engineer-in-charge (Wt. of pipe-22 Kg approx).	0	70	70.00	м		

S.No	Description		ntities	Total	Unit	Rate	Amount
170	Descriptions and the immediate seconds 4.5.40 (4 and the 5 are not a 40 mediate barrier and the 40 mediate barr	PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) upto haunches of S.W. pipes including bed concrete as per standard design : 150 mm dia SW pipe, (19.3.2-AR444)	0	70	70.00	М		
	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations (a) Laying brick bats with mortar using broken bricks/brick bats 25mm to 115mm size with 50% of cement mortar 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge over 20 mm thick layer of cement mortar of mix 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs. (b) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/ sqm of cement admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge (c) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1cement :4coarse sand) admixed with rowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. (d) The whole terraces so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineer-in-Charge. With average thickness of 120 mm and minimum thickness at khurra as 65 mm		275	275.00	Sqm		
172	Supply and apply Nitobond AR, an acrylic-based emulsified solution containing a minimum of 43% solids and compatible with cementitious materials. The bonding agent shall provide sufficient bond strength when applied directly on concrete or when mixed with neat cement. Ensure proper application to achieve effective adhesion between substrates and subsequent layers of cementitious materials, adhering to manufacturer's recommendations for optimal performance and durability in construction applications. Nitobond AR is particularly suitable when a longer working period after applying the bonding agent is required	0	120	120.00	Sqm		
173	Surface Preparation: Make a 'V' groove 5 mm wide and 5 mm deep over the crack line using an electrically operated angle grinder with a diamond concrete saw blade. Clean the groove thoroughly with an air blower as directed by the Engineer-in-charge.	0	65	65.00	М		
174	Sealing with Epoxy Repair Mortar: Seal the exposed 'V' groove (5 mm deep, 5 mm wide) with a solvent-free, moisture-tolerant, thixotropic, two-part structural adhesive and epoxy repair mortar cum surface leveling mortar. Ensure the epoxy repair mortar has compressive strength ≥ 60 N/mm ² (7 Days, BS 6319), flexural strength ≥ 20 N/mm ² (7 Days, BS 6319), and tensile strength ≥ 10 N/mm ² (7 days, ASTM C 307). Use products like NITOMORTAR S OF FOSROC, Sikadur®-31 of Sika, MasterBrace 2200 BASF, or equivalent of Pidilite.	0	65	65.00	М		
175	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) a) Rebar 10 mm Dia x 14 mm holes x 100mm depth	0	50	50.00	Nos		

S.No	Description	Quar	ntities	Total	Unit	Rate	Amount
	•	PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
176	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) - Rebar 10 mm Dia x 14 mm holes x 100mm depth	0	20	20.00	Nos		
177	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) - Rebar 16 mm Dia x 20 mm holes x 160mm depth	0	10	10.00	Nos		
178	Providing and applying uni directional, high strength carbon fiber sheets Nitowrap CWS of 450 GSM/ dry fabric thickness. The FRP fabric used shall be of zero degree unidirectional fibers having fiber density of 1.8 g/cc and shall have tensile strength > 4900 MPa ; tensile modulous > 230 GPa and ultimate elongation of 2.1%. The substrate shall be primed with Nitowrap 30 epoxy primer & Nitowrap 410 impregnating resin saturant shall be used for saturating the fibers. Saturant used shall have tensile strength of >30 MPa; Elongation > 2% ; Flexural strength > 30 MPa ; Tensile Modulous > 2400 MPa & Flexural Modulous > 1700 MPa when tested as per ASTM D638 Type I and ASTM D 790 & Glass Transition Temperature > 50 deg Celcius as per ASTM E 1356. The adhesion of the entire system(FRP Sheet, Saturant and primer combined) with concrete shall be > 3.5 MPa with concrete failure as per ASTM D 4541. (Product :- Nitowrap CWS of 450 GSM of Fosroc, Sikawrap® 930 G of Sika / MasterBrace FIB 73/900 of BASF) Surface preparation: Grinding/ moulding concrete substrate cleaning it with wire brush removing oil, laitance if present, rounding sharp edges to min 25mm radius etc. complete. Profiling : Applying compatible primer of approved make and brand on prepared substrate, filling the holes and uneven surface with thixotropic putty etc. complete. Wrapping 1: Wrapping the fiber sheet with recommended overlapping to structural element at desired oriention using tamping roller to avoid any air voids etc. repeat the same procedure for multiple layer with the interval of 8 hrs. Sand Pasting : Applying second coat of saturated after 12 hrs. rectify air voids if any, paste the coarse sand on it to make surface rough to take any further finishes (Mode of measurement : Per sqm surface area of application per layer).	0	50	50.00	Sqm		
-	Supply and install fiber anchors to be embedded at a depth of 75 mm with 75 mm protrusion, spaced at 500 mm center to center. (Product make: Fosroc/ Sika/ BASF)	0	50	50.00	Nos		

S.No	Description		tities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03 , and foam density of $0.024g \pm 0.003$. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete. Nitofill WS60	0	10	10.00	Kg		
	Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03 , and foam density of $0.024g \pm 0.003$. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete. Nitofill UR63	0	10	10.00	Kg		
	Supply and apply Dekguard E2000, a high-performance elastomeric protective anticarbonation coating for concrete and masonry. The protective coating system includes a penetrating silane-siloxane primer (Dekguard Primer) and a single-component elastomeric anticarbonation aliphatic acrylic coating (Dekguard E2000). Ensure the total dry film thickness of the protective coating system is not less than 200 microns. The coating system shall provide CO2 diffusion resistance of at least 50 meters (equivalent air layer thickness), static crack accommodation of minimum 2mm, and adhesion greater than 1.0 N/mm ² as per ASTM D 4541. The product used must meet specified performance standards for durability and protection against carbonation. Apply in accordance with manufacturer's guidelines to ensure effective long-term performance and adherence to project requirements	0	147	147.00	Sqm		
	Providing, cutting and laying SWG10 welded wire mesh and mesh size 50x50 mm including anchoring it on the wall with 4.75mm bar by drilling and fixing with cement slurry as per drawing details, specification and instruction by the Engineer.	0	147	147.00	Sqm		
	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water-to- powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S- 346 of BASF or equivalent of Pidilite)-Without addition of aggregate	0	3	3.00	TON		

S.No	Description	Quar	ntities	Total	Unit	Rate	Amount
		PART-A	PART-B	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water-to- powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S- 346 of BASF or equivalent of Pidilite)-With addition of 6 mm down aggregate in 3:1 (3 Micro concrete: 1 aggregate 6 mm & down)	0	3	3.00	TON		
	12mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	0	290	290.00	SQM		
187	15mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	0	104	104.00	SQM		
	6mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	0	255	255.00	SQM		
	Fixed - WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000 SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: FIXED;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick. Section for frame should be 48mm x 50mm, Section for Mullion should be of 48mm x 50mm, Section for Glazed Shutter Frame should be of 47mm x 20mm, and Section for Fixed Glass Bead should be of 12mm x 12mm.Frame and Shutter Frame Sections should be cut to length and metre joined with Polypropylene Corner Brackets. Mullion Section should be joined with Frame/Mullion using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter.Each Glazed Shutter should be provided with S.S. Pivot Hinges-1set, Seccolor Handle & Seccolor Stay.Window Frame should be fixed to brick/concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filled up by sellicon sealant , gaps more than 55M Plain Float Glass.Window should be provided with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.The rates shall include P/F of all hardware as per site requirement.	0	14	14.00	SQM		
			Total	Cost e/x GST@	018% of I		
	IT WORK						A
5.No 1	Description		Qty.			Rate (In Rs.)	Amount (In Rs.)
1	IT Points		70 Total (Cost e/x GST@	PNT		
				JUST 6/X GOT@	10% OT II		
III	FIRE WORK						
S.No	Description		Qty.		Unit	Rate (In Rs.)	Amount (In Rs.)
	Smoke detector		<u>– ury.</u> 15		Ea	Rate (III RS.)	Amount (in KS.)
	Alarm/Hooter		13		Ea		
	Fire alarm panel		1		Ea		
	Cabel		150		Mtr		
	-			ost e/x GST@ ²			

S.No	Description	Quantities PART-A PART-B	Total Quantities	Unit	Rate	Amount
		PARI-A PARI-D	Quantities		(In Rs.)e/x GST	(In Rs.) e/x GST
IV	AC WORK					
S.No	Description	Qty.		Unit	Rate (In Rs.)	Amount (In Rs.)
1	Supply & Installation of Split AC 1.5 Ton,5 Star Inverter AC with R-32/410 green Gas and Max Ambient	15		NOS		
	Temp-50 deg c with 3 metre copper pipe,pvc drain pipe and power cable. Make : Bluestar/voltas/Dakin					
2	Supply and installation of Stabilizer 4KVA voltage range (170V - 270 V) suitable for Inverter Split AC, Split AC Make : V-Guard/Blue Gaurd	15		NOS		
3	Supply and Installation of Out Door Unit Stand	15		NOS		
4	Supply and installation of extra copper pipe required for 1.5 ton & 2.0 Ton split AC installation as per site	45		MTR		
	requirement (Suction line -1/2" + Liquid line- 1/4") with suitable foam insulation.(Over and above 3.0 Meter supplied with AC unit)					
5	Supply and installation of extra PVC Hard drain pipe 25mm with Accessories required for installation.	45		MTR		
	Supply and Installation of Electrical Cable (3C * 2.5 Sq.mm) (Over and above 3.0 Meter supplied with AC unit)	100		MTR		
			Tot	al Cost e/	x GST@18% of IV	
V	FURNITURE WORK					
S.No	Description	Qty.		Unit	Rate (In Rs.)	Amount (In Rs.)
	Curvilinear Worksurface Cockpit (Prelam)- 1500 X 1500 X 450 X 750	10		Nos.		
	Worksurface (Prelam)- 1200 X 600 X 25	45		Nos.		
	Keyboard Drawer with Mouse Tray (M.S)-510 X 450 X 55	55		Nos.		
	CPU Trolley (Metallic)- 245 X 245 X 240	55		Nos.		
	Pedestal 3D(2D+1 FD) on Castors (Prelam)-400 X 495 X 702	55		Nos.		
	Board Side (BSL) 600 X 18 X 725	25		Nos.		
	Panel 62mm Sonata TA System-Prelam/Softboard/Fabric/LWB double race way - 1194 mm Height	75		m²		
8	Table Board Prelam 25 mm thk Board - 1500x750x750	3		Nos.		
	Side Runner prelam-900x375x750	3		Nos.		
10	Vertical Storage Unit (Prelam)-894 X 450 X 1200	20		Nos.		
11	Low Back Staff Chairs-Low back chair for staff with triangle PP arms with gas lift & push back arrangement,m			Nos.		
	High Back Chair	10		Nos.		
13	MS Legs-75x725	10		Ea		
			Tot	al Cost e	/x GST@18% Of V	
		Total cost e	/x GST@18%	of Packad	ıe-II (I+II+III+IV+V)	

	Package-I							
	PACKAGE-III-Price	Breakup						
	A-Construction of S.st. no09, IP Extension Patparganj							
	B :- Substation No. 12 Patparganj							
	C :- Civil Repairing works at Planning & Construction Station No. 2 FIE PPG					1		1
S.No	Description		Quantities			Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
I	CIVIL WORK							
1	Earth work in excavation by mechanical means (hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth. 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed : All kinds of soil.	320.00	400.00	100.00	820.00	CUM		
2	Extra for every additional lift of 1.5 m or part thereof in excavation /banking excavated or stacked materials. All kinds of soil	280.00	275.00	0.00	555.00	CUM		
3	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered). Depth not exceeding 1.5 m	77.40	55.20	0.00	132.60	SQM		
4	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered).Depth exceeding 1.5 m but not exceeding 3 m	23.00	27.00	0.00	50.00	SQM		
5	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth,consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	500.00	300.00	0.00	800.00	CUM		
6	Supplying chemical emulsion in sealed containers including delivery as specified. Chlorpyriphos/ Lindane emulsifiable concentrate of 20%	88.00	90.00	0.00	178.00	Ltr		
7	Diluting and injecting chemical emulsion for anti-termite treatment (excluding the cost of chemical emulsion) in bases of footings, vertical faces of brick wall/ RCC column, under floors, along external walll, apron, etc complete as per relevant IS codes (plinth area shall be measured for payment): With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration	292.00	200.00	0.00	492.00	SQM		
8	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	54.00	50.00	100.00	204.00	CUM		
9	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	50.00	54.00	54.00	158.00	SQM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
10	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete. (make- ACC, Lafarage, Afcon, Ultra Tech) Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the minimum specified cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. All works upto plinth level : Concrete of M10 grade with minimum cement content of 220 kg /cum	12.00	10.00	0.00	22.00	СОМ		
11	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying , excluding the cost of centering, shuttering finishing and reinforcement, including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability & Corrosion Resistance and water profing as per direction of the Engineer - in - charge. (Note :- Cement content considered in this item is @ 330 kg/cum). All works upto plinth level (5.37.1) Make -ACC, Altratech, lafarge	70.00	90.00	0.00	160.00	CUM		
12	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying , excluding the cost of centering, shuttering finishing and reinforcement, including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability Corrosion Resistance and water profing as per direction of the Engineer - in - charge. (Note :- Cement content considered in this item is @ 330 kg/cum). All works above plinth level upto floor V level (5.37.2-AR40)) Make -ACC, Altratech, lafarge	54.00	38.00	0.00	92.00	CUM		
13	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	2.00	2.00	0.00	4.00	CUM		
14	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	24.00	25.00	0.00	49.00	CUM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
15	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: 1:11/2:3 (1 cement : 11/2 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).		2.00	0.00	4.00	CUM		
16	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	26.00	20.00	0.00	46.00	CUM		
17	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	12.00	15.00	35.00	62.00	CUM		
18	Centring and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases of columns.	42.00	42.00	650.00	734.00	SQM		
19	Centring and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platform	362.00	350.00	450.00	1162.00	SQM		
20	Centring and shuttering including strutting, propping etc. and removal of form for: Lintels, beams, plinth beams, girders, bressumers and cantilevers	184.00	185.00	0.00	369.00	SQM		
21	Centring and shuttering including strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts	250.00	295.00	0.00	545.00	SQM		
22	Centring and shuttering including strutting, propping etc. and removal of form for: Stairs, (excluding landings) except spiral-staircases	24.00	46.00	0.00	70.00	SQM		
23	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc., including cost of de-shuttering and decentering at all levels, over a height of 3.5 m, for every additional height of 1 metre or part thereof (Plan area to be measured). Suspended floors, roofs, landing, beams and balconies (Plan area to be measured)	292.00		0.00	292.00	SQM		
24	Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete. cold twisted bars (Make- TATA/ SAIL)	23500.00	20100.00	16500.00	60100.00	KG		
25	Add for plaster drip course/groove in plastered surface or moulding to R.C.C. projections	20.00	22.00	750.00	792.00	М		
	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate of 10 mm and down gauge) including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design : In 75 x75 mm deep chase		90.00	98.00	216.00	М		
27	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	86.00	80.00	10.00	176.00	CUM		
	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.Granite stone slab colour black, Cherry/Ruby red : Area of slab upto 0.50 sqm	65.00	90.00	0.00	155.00	SQM		
29	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	50.00	400.00	300.00	750.00	SQM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
30	15 mm cement plaster on rough side of single or half brick wall of mix 1:4 (1 cement : 4 coarse sand)	150.00	414.00	320.00	884.00	sqm		
31	P/F MS chequred plate i/c cutting, straightening, rounding of edges, making lifting arrangment & fixing by welding to M.S angle frame etc. (AR142)	10.00	10.00	0.00	20.00	KG		
32	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Double charge vitrified tile polished finish of size 800X1200	314.00	0.00		314.00			
33	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including water thinnable priming coat with cement primer	314.00	0.00	180.00	494.00	SQM		
34	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	14.00	12.00	200.00	226.00	SQM		
35	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :Two or more coats on new work		694.00	920.00	1614.00	SQM		
36	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	124.00	100.00	0.00	224.00	KG		
37	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	26.00	26.00	80.00	132.00	SQM		
38	Cement plaster skirting (upto 30 cm height) with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement. 18 mm thick	4.00	4.00	11.00	19.00	SQM		
39	Providing and fixing glass strips in joints of terrazo/cement concrete floors 40 mm wide and 4 mm thick.	46.00	46.00		92.00	М		
40	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	90.00	12.00	200.00	302.00	М		
41	Removing dry or oil bound distemper water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	8.00	0.00	1120.00	1128.00	sqm		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities	1	e/x GST	e/x GST
42	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of engineer in charge. Nominal concrete: 1:3:6 or richer mix (i/c equivalent design mix)	80.00	0.00	12.00	92.00	cum		
	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	16.00	76.00	99.00	191.00	cum		
	Demolishing brick work manually /by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-In-charge.: In cement mortar	8.00	0.00	11.00	19.00	cum		
45	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 m lead.	2.00	0.00	300.00	302.00	kg		
46	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead:For thickness of tiles 10 mm to 25 mm	6.00	0.00	145.00	151.00	sqm		
47	Demolishing mud phaska in terracing and disposal of material within 50 metres lead (15.27-AR282)	6.00	0.00	42.00	48.00	sqm		
48	Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 metres lead of: G.S. Sheet	5.00	0.00	1345.00	1350.00	sqm		
49	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	5.00	0.00	98.00	103.00	sqm		
50	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	250.00	0.00	285.00	535.00	M		
51	Providing and laying 60mm thick faciory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	200.00	0.00	100.00	300.00	sqm		
52	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	5.00	2.00	1.00	8.00	Each		
	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including W.C. pan with ISI marked white solid plastic seat and lid	5.00	6.00	2.00	13.00	Each		
54	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	5.00	5.00	1.00	11.00	Each		

Page 123 of 266 ATTACHMENT-III

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
55	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	1000.00	5.00	4.00	1009.00	Each		
	Providing and Laying 110 mm dia PVC pipe (Heavy duty-working pressure 6Kg/cm2) of Prakash or equivalent make as per required slope for sewer line including jointing etc. complete as per direction of Engineer-in-charge (Wt. of pipe-22 Kg approx).	300.00	200.00	0.00	500.00	М		
	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.Internal work - Exposed on wall : 20 mm nominal outer dia Pipes., (18.7.2-AR358)	100.00	0.00	25.00	125.00	М		
	Providing and fixing brass bib cock of approved quality : 20 mm nominal bore	3.00	5.00	4.00	12.00	Each		
	Providing and fixing brass stop cock of approved quality : 20 mm nominal bore	3.00	5.00	4.00	12.00	Each		
	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	10.00	5.00	1.00	16.00	Each		
	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	10.00	1000.00	5000.00	6010.00	ltr		
	Providing and Fixing bevelled edge mirror of superior quality glass (Modi /Sant Gobain) complete with 6 mm thick hard board fixed to wooden cleats with cp brass screws and washers etc complete. (17.31-AR508)	3.00	3.00	1.85	7.85	Sqm		
	Providing and fixing health faucet hindware or parryware make as per direction of EIC (Based on MR)	3.00	3.00	2.00	8.00	Each		
64	Providing and fixing C.P. brass angle valve for basin mixer and gyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore : 15 mm nominal bore (18.53.1-AR423)	3.00	3.00	12.00	18.00	Each		
	Providing and fixing uplasticised PVC connection pipe with brass unions: 45 cm length, 15 mm NB, (18.21.2.1-AR390)	3.00	3.00	8.00	14.00	Each		
	Providing and fixing C.P. brass long body bib cock hindware/parryware conforming to IS standards and weighing not less than 690 gms: 15 mm nominal bore. (18.51.1-AR421)	3.00	3.00	6.00	12.00	Each		
67	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group B	3.00	3.00	40.00	46.00	PNT		
68	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 A switch (DSR-1.24.3)	25.00	25.00	25.00	75.00	Each		
69	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required6 pin 15/16 A socket outlet Each (DSR- 1.24.5)	25.00	25.00	25.00	75.00	Each		
70	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch (AR582)	5.00	5.00	45.00	55.00	Each		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities	1	e/x GST	e/x GST
71	"P/F URINAL PARTITIONS 3/4"" THK GRANITE 600 MMX1350 MM OF APPD DESIG AND SHADE INCLUDING FIXING IN THE WALLS AS REQUIRED BY CHASING & MAKING GOOD THE WALLS WHEREVER REQUIRED ALSO PROVIDING EDGE MOULDING TO THE GRANITE PARTITION COMPLETE JOB AS PER INSTRUCTION OF EIC.	5.00	5.00	2.00	12.00	SQM		
	Providing and fixing square-mouth S.W. gully trap class SP-1complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 Kg. as per standard design : 100x100mm size P type with common burnt clay F.P.S (non modular) bricks of class designation 75 (19.4.1.1-AR446)	5.00	5.00	4.00	14.00	Each		
73	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	480.00	400.00	300.00	1180.00	SQM		
74	15 mm cement plaster on rough side of single or half brick wall of mix 1:4 (1 cement : 4 coarse sand)	414.00	414.00	320.00	1148.00	SQM		
	6 mm cement plaster of mix : 1:3 (1 cement: 3 fine sand)	362.00	382.00		744.00	SQM		
	Neat cement punning	292.00	292.00	320.00	904.00	SQM		
	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.(Per Bag of 50 KG cement used in the mix)	40.00	40.00	45.00	125.00	sqm		
	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.		694.00	920.00	2290.00	SQM		
	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	676.00	694.00	920.00	2290.00	SQM		
80	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	12.00	12.00	200.00	224.00	SQM		
	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :Two or more coats on new work		694.00	920.00	2290.00	SQM		
82	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	10.00	10.00	205.00	225.00	SQM		
83	Washed stone grit plaster on exterior walls of height upto 10 metre above ground level, in two layers, under layer 12mm cement plaster 1:4 (1cement: 4 coarse sand), furrowing the under layer with scratching tool, applying cement slurry on the under layer @ 2 Kg of cement per square metre, top layer 15mm cement plaster 1:1/2:2 (1 cement: 1/2 coarse sand :2 stone chipping 10mm nominal size), in panels with groove all around as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings, complete as per specification and direction of Engineer-in- charge (Payment for providing grooves shall be made separately).	250.00	200.00	785.00	1235.00	SQM		
84	Forming groove of uniform size from 12x12mm and upto 25x15mm in the top layer of washed stone grit plastered surface as per approved pattern, including providing and fixing aluminum channels of appropriate size and thickness (not less than 2 mm), nailed to the under layer with rust proof screws and nails and finishing the groove complete as per specifications and direction of the Engineer-in-Charge.	674.00	674.00	2180.00	3528.00	М		
85	Extra for using Silver cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	250.00	200.00	785.00	1235.00	SQM		
86	Extra for providing & mixing the dark shade pigment in top layer of washed stone grit plaster. (AR-55)	250.00	200.00		450.00	SQM		
87	Extra for using marble chips of size 7 to 10 mm nominal size in place of stone chipping 10 mm nominal size in Washed stone grit plaster on exterior walls (AR158)	250.00	200.00		450.00	SQM		
	Page 125 o							
	ATTACHMEN	T-III						

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
88	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	12.00	12.00	200.00	224.00	SQM		
89	Supplying and stacking at site. Good earth	200.00	302.00		502.00	CUM		
	Providing and erecting 2.00 metre high temporary barricading at site; each panel of size 2.50mx2.00m made of 40x40x6mm angle iron or50x50x3mm hollow MS tube posts/horizontal members/bracings covered with 1.63mm thick MS sheet. The sheet shall be fixed with 30x5mm MS flat by suitable welding/ riveting. The panels shall be made so that gap of 50cm above the ground is available making overall height as 2.5m. MS channel ISLC 75 @ 5.70 kg/m, 50cm long shall be provided at the bottom having oval shaped holes of size 50x25mm at both ends with 50cm long MS angle 40x40x6mm bracing. Suitable arrangement shall be made to fix the barricading to avoid from overturning by providing 250mm long expansion fasteners at both ends. The work shall be executed as per drawing/direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in-Charge. The barricading provided shall be retained in position at site continuously i/c shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. Rate include its maintenance for damages, painting, all incidentals, labour materials, equipments and works required to execute the job. The barricading provided shall remain to be the property of the contractor on completion of the work).	40.00	20.00	0.00	60.00	sqm		
91	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	110.00	20.00	0.00	130.00	SQM		
92	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge. 60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.	15.00	15.00	0.00	30.00	SQM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities	1	e/x GST	e/x GST
	Polyurethane Waterproofing by Dr.Fixit Flexi PU 270(I) : Removing & chipping off of existing losse plaster. Clean the surface from contaminants with brush. Remove any sharp protrusion on the blinding layer by chipping and local repairs. Surface Preparation: All surfaces which are to receive the coating must be free from oil, laitance, grease, wax, dirt or any other form of foreign matter which might affect adhesion. Cut back any protrusions. Typically concrete surfaces can be cleaned using high pressure water jet or by proper wire brushing/ grinder.All cracks, construction joints,honey combed/damaged surface to be repair with PMM and cracks to be chase out by cutting 25mm x25mm "V" shape groove all along the crack, cleaning cracks and sealing it using Mesto Grout HS , curing etc., all complete as per the manufactureres specification and direction of engineer-in-charge. L Shape, Augular Fillet: Providing 50 mm X 50 mm angle fillets on the vertical up-stands, parapet wall junction corners, service units and properly dressed by preparing polymer modified mortar with Pidicrete URP or equivalent in the ratio of 1:3 by adding polymer 10% by weight of the cement, add little water, until the required consistency is achieved. Injection Grouting: Providing and applying injection grouting treatment by chemical injection grout process at construction joints, well joints, honey comb areas etc. in concrete surface or the area using nozzles of min 25-50mm deep in slabs along with construction joints consisting of injection operation. Screeding: Providing and applying and applying, Dr.Fixit Flexi PU 270(I) highly flexible is a liquid-applied, highly permanent elastic, cold applied and cold curing single component polyurethane cold applied, highly permanent elastic, cold applied and cold curing single component polyurethane cold applied, highly permanent elastic, cold applied and cold curing single component polyurethane cold applied, highly permanent elastic, cold applied and cold curing single component polyurethane cold appl	270.00	255.00	270.00	795.00	SQM		
94	 Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C., kitchen and the like as required as per direction of the Engineer-in-charge, consisting of : (i) 1st course of applying cement slurry @ 4.4 kg/sqm mixed with water proofing compound conforming to IS 2645 in recommended proportions including rounding off junction of vertical and horizontal surface. (ii) 2nd course of 20 mm cement plaster 1:3 (1 cement : 3 fine sand) mixed with water proofing compound in recommended proportion including rounding off junction of vertical and horizontal surface. (iii) 3rd course of applying blown or residual bitumen applied hot at 1.7 kg. per sqm of area. (iv) 4th course of 400 micron thick PVC sheet. (Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/ sqm). 	13.50	13.50	0.00	27.00	SQM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
	Supply, precast RCC trench cover of various size varying 1500 mm in length, 450 mm in width & 50 mm in thickness, with 3 mm thick 50mm wide, ms strip all around welded to the steel reinforcement bar of 6mm dia, 100 mm centre to centre & two no. hooks of 12 mm dia bar for lifting gaving finishing top surface & grade of cement concrete M-20. (AR478)	30.00	30.00	0.00	60.00	SQM		
96	Supply & Installation of 46mm thick Metal fire check door of 120 minutes' fire rating confirming to BS: 476 Part 22 and IS: 3614 Part II fabricated with 2 nos. 1.2mm thick galvanized sheet with infill of fire rated Acrylic Sealant and non-combustible core bonded to both faces of sheet with lock seam joints at stile edges and internal reinforcement at top, bottom and stile edges for Fire Rating. The door frames are manufactured from 1.6mm thick galvanized steel sheet pressed form to double rebate profile of size 143mm x 57mm duly filled with vermuculite based concrete mix. The door frames and door shutters are finished with powder coated Smoke grey finish.(as per approved shade)	10.00	10.00	0.00	20.00	SQM		
	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately) 30 mm thick	13.91	13.91	0.00	27.82	SQM		
	Providing and fixing pressed steel door frames conforming to IS: 4351, manufactured from commercial mild steel sheet of 1.60 mm thickness, including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25 mm, or base ties of 1.60 mm, pressed mild steel welded or rigidly fixed together by mechanical means, including M.S. pressed butt hinges 2.5 mm thick with mortar guards, lock strike-plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface as directed by Engineer-in-charge: Fixing with adjustable lugs with split end tail to each jamb.	85.05	85.05	0.00	170.10	М		
99	Providing and fixing M.S. Tubular frames for doors, windows, ventilators and cupboard with rectangular/ L-Type sections, made of 1.60 mm thick M.S. Sheet, joints mitred, welded and grinded finish, with profiles of required size, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer. Fixing with 15x3 mm lugs 10 cm. long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).	20.00	20.00	0.00	40.00	Kg		
100	Fastener:- Supply of Fasteners 10 X 80 mm (08 Nos for Each Door) Hilti make	40.00	40.00	0.00	80.00	Each		
101	Hinges:- Supply of SS Ball Bearing Hinges of Size 102 X 76 X 3mm Complete With Ss Screws of DORMA (Model No : 3090F) Make	20.00	20.00	0.00	40.00	Each		
	Vision Panel:- Supply of 6 MM Thick Clear Glass - Schott- Pyran Make- (200 X 300mm)	6.00	6.00	0.00	12.00	Each		
103	Door Closer:-Supply of DORMA (Model No. TS - 78) Make Door Closer	6.00	6.00	0.00	12.00	Each		
104	SS D Handle :- Supply of 450 mm Long / 25 mm Dia / SS 304, Finish : Satin of DORMA (Model No. TGDIH) Make	4.00	4.00	0.00	8.00	Pair		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
105	Panic Bar S/L :-Supply of DORMA (Model No. PHCR 1000) Make Single Leaf Panic Bar Single Point, Silver Finish	6.00	6.00	0.00	12.00	Each		
106	Panic Trim:- Supply of DORMA (Model No. PHCR 2905) Make Panic Trim with Latch Handle	6.00	6.00	0.00	12.00	Each		
107	WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: OPENABLE;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick.Section for frame should be 48mm x 50mm, Section for Mullion should be of 48mm x 50mm, Section for Glazed Shutter Frame and Shutter Frame Sections should be joined with Frame/Mullion using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter.Each Glazed Shutter should be fixed to brick/concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filledup by sellicon sealant).Glass shutter & Fixed Glass portions should be provided with a glass of 5MM Plain Float Glass.Windows should be provided with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.		10.00	25.00	45.00	SQM		

S N E C 12 C ar to	VINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON TEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000SERIES; MAKE: ICL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: FIXED;Providing and fixing	PART-A 6.00	PART-B	PART-C	Total	1	e/x GST	e/x GST
S N E C 12 C ar to	TEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000SERIES; MAKE: ICL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: FIXED;Providing and fixing	6.00			Quantities			e/x GST
Gi ar Fr be 1s us th Fi pr	to 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 20 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick nd back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick. Section for frame should be 48mm x 50mm, Section for Mullion should be of 8mm x 50mm, Section for Glazed Shutter Frame should be of 47mm x 20mm, and Section for Fixed Glass Bead should be of 12mm x 12mm.Frame and Shutter Frame Sections should be cut to length nd metre joined with Polypropylene Corner Brackets. Mullion Section should be joined with frame/Mullion using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should e used all around glass in shutter.Each Glazed Shutter should be fixed to brick/concrete masonry by sing Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps nrough frames. (after fixing the windows, gap shall be filledup by sellicon sealant).Glass shutter & ixed Glass portions should be provided with a glass of 5MM Plain Float Glass.Windows should be rovided with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm IS flat. Total grill unit should be powder coated and fixed to window frame with screws.		6.00	25.00	37.00	SQM		
sp (b) wi da ar ce fla dii 23 ha of of x : of in as gr dr :1	roviding and fixing false ceiling at all height including providing and fixing of frame work made of pecial sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick <i>i</i> th flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with ash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle angers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of ngle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm entre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered anges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a 'irection perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 30 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high aving flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help f rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing f gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges f the board with recommended jointing compound , jointing tapes , finishing with jointing compound n 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all s per manufacturer's specification and also including the cost of making openings for light fittings, rills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per rawings, specification and direction of the Engineer in Charge but excluding the cost of painting with 12.5 mm thick tapered edge gypsum plain boardconforming to IS:	60.00	41.50	0.00	101.50	SQM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities]	e/x GST	e/x GST
	FALSE CEILING IN ARMSTRONG FINE FISSURED BUTT EDGE TILES 595X595MM : PROVIDING & FIXING OF ARMSTRONG FINE FISSURED BUTT EDGE TILE CEILING "COMPLETE IN ALL RESPECTS USING ARMSTRONG CHANNELS, HANGERS ETC. ITEM ""COMPLETE WITH ALL EDGE CUT TILES AND REQUIRED CUTTING FOR LIGHTS, " "SPEAKERS, DETECTORS, DIFFURES, ETC.TILE CODE-ARMSTRONG FINE FISSURED NF BUTT EDGE (AR230) Make - GYPROC.	120.44	130.00	0.00	250.44	SQM		
111	S/F PVC conduit : Supplying and fixing of following sizes of PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 25mm (AR572)	150.00	150.00	0.00	300.00	М		
	Circuit / sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 4 sq. mm + 1 X 4 sq. mm earth wire.	200.00	100.00	75.00	375.00	М		
	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	200.00	150.00	150.00	500.00	М		
	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 6 sq. mm + 1 X 6 sq. mm earth wire	100.00	100.00	0.00	200.00	М		
	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group C (AR559)	56.00	56.00	40.00	152.00	Each		
	P/F/T/C 6/16A 5 pin modular socket controlled by 16 A switch.(complete set modular). (AR693)	24.00	24.00	0.00	48.00	Each		
	Providing, Fixing, Testing & Commissioning Of 3nos 6A 5pin socket & 1no 6A switch in 5 module plate. (AR760)	18.00	18.00	0.00	36.00	Each		
118	S / F light plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection. painting etc. as required. (For light plugs to be used in non residential buildings). (AR593)	12.00	12.00	0.00	24.00	Each		
	S / F power plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and .fixing 6 pin 15 / 16 & 5 / 6 amps modular socket outlet and 15 / 1 6 amps modular switch, connection, painting etc. as required. (AR594)	14.00	14.00	0.00	28.00	Each		
	Providing and fixing circular/hexagonal m.s. sheet ceiling fan box "with clamp of internal dia 140 mm, 73 mm height, 3 mm thick rim, " top and bottom lid of 1.5 mm m.s. sheet. lids shall be screwed into "m.s. box by means of 3 mm round headed screws, clamps shall be made "of 12 mm dia ms bar bend to shape as per std. drawing with overall length as 80 cm.	10.00	10.00	0.00	20.00	Each		
121	Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 Amps. (AR617)	2.00	2.00	0.00	4.00	Each		
122	S / F 'C' series. SP MCB : Supplying and fixing 5 amps to 32 amps rating, 240 volts. 'C' series, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. : Single pole (AR787)"	16.00	16.00	0.00	32.00	Each		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
123	S/F SP MCB DB consumer unit : Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board consumer unit, 240 volts. on surface/ recess, complete with tinned copper busbar, neutral busbar, earth bar, din bar, hinged front acrylic cover for the MCB knobs, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required. (But without MCB / RCCB / Isolator): 2 + 8 way (AR785)	2.00	2.00	0.00	4.00	Each		
124	Providing and fixing of LED Tubelight of 40Watt as per direction of EIC	18.00	18.00	0.00	36.00	Each		
	Providing and fixing Industrial type Axial Exhaust fan of propeller type / axial type shall be provided for rooms with suitable drive motor, DOL starter, rain protection cowl with screen, grouting bolts etc. Fan for battery room shall be bifurcated type spark proof construction as per direction of Engineer incharge sweep of 600mm .(Make-Crompton).	2.00	2.00	0.00	4.00	Each		
	Providing and fixing ceiling Fan 1400 mm of approved make.	6.00	6.00	0.00	12.00	Each		
	Demolition and disposal from site as per MCD/DPCC norms of existing building (boundary wall if applicable) RCC work ,Brick work ,Steeel work ,Door & windows ,Flooring ,False ceiling ,Grade slab , plinth protection electrical fitting ,Plumbing, foundation , boundary wall (if applicable) or any other items not mentioned above and taking out all material and giiving recovery rate on sq feet basis of covered area.	300.00	300.00	0.00	600.00	Sqm		
128	LUM,LED,CEILING;36W;140-270V;600X600MM P/F/T/C LUMINAIRE,LED,TYPE:CEILING;POWER:36 W;VOLTAGE:140-270 V;LAMP SIZE:600X600 MM;MOUNTING:RECESSED;INGRESS PROTECTION:IP 20; MAKE:CROMPTON;MODEL:LCTLRN 36 FO CDL;ADDITIONAL INFORMATION:LED 36 W EFFICIENCY 85 PERCENT SURGE PROTECTION UP TO 2.5 KV: SYSKA / HAVELLS OR EQUIVALENT	15.00	5.00	0.00	20.00	NOS		
129	P/F Focus light 7 wt of syska or equivalent make	15.00	15.00	0.00	30.00	NOS		
130	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1200	2000	3790	6990.00	KG		
131	Providing and fixing JSW/ Bluescope pre coated galvanized rib & flute design profile sheets (size, shape and pitch of corrugation as approved by Engineer in-charge) 0.50 mm (+0.05%) total coated thickness with Aluminium zinc coating 150 grams per sqm on both sides (AZ 150 as per AS 1397 - 1993), in minimum 300 mpa yield strength with super durable polyester colourboard XRW of approved color. Total coating thickness of 35 microns, comprising of 20 mm microns exterior coat on top surface and 5 micron reverse on back surface over 5 micron epoxy primer coats on both surface includgin" side and laps of approved color and shade as per EIC. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length up to 12 meters or as desired by Engineer-in- charge The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete up to any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting toR size and shape wherever required. The sheets shall have brand make marking of manufacturer giving product details on the back of sheet at every regular interval for conforming genuinely of material. (Based on 12.50-A187)"	100	75	00	175.00	SQm		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
132	Provide and install sacrificial zinc anodes Fosroc Galvashield XPI, to prevent the initiation of corrosion in steel reinforcement within chloride-contaminated or carbonated concrete, or in new construction. Each anode unit must contain a minimum of 60 grams of zinc, compliant with ASTM B418-95a, Type I, die-cast around steel tie wires, ensuring proper separation if multiple tie wires are used. The anodes must be encapsulated in a highly alkaline cementitious mortar with a pH of 14 or higher, free from sulfates, chlorides, bromides, or any other corrosive elements to steel. The encapsulating mortar should feature an interconnected and fine pore structure to dissolve, transport, and accommodate zinc corrosion products away from the anode surface without causing additional stress to the concrete cover, maintaining a pH > 14 near the uncorroded zinc for the specified service life. Anode units shall be supplied with integral, well-separated tie wires (without splices if multiple wires are used) and loop ties for direct attachment to the reinforcing steel. Anodes should be covered with a bed mortar with resistivity less than 50 kOhm-cm or similar to the parent concrete on cleaned steel reinforcement before applying passivation coating. The scope includes supply, installation, spacing calculations, quality assurance procedures, and must adhere to manufacturer specifications. Approved brand shall be M/s Fosroc Galvashield Anodes/Vector Galvashield/IPSS	200	15	50	265.00	Nos		
133	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material.Beyond 60 cm girth upto and including 120 cm girth	00	00	4	4.00	Each		
134	Add for plaster drip course/groove in plastered surface or moulding to R.C.C. projections	00	00	750	750.00	М		
135	Cement plaster skirting (upto 30 cm height) with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement. 18 mm thick	00	00	11	11.00	sqm		
136	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1:4 (1cement : 4 coarse sand) : 25 mm thick	00	00	9	9.00	sqm		
137	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12mm (average) thick cement mortar 1:3 (1cement : 3coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	00	00	3.00	3.00	sqm		
138	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc.,complete.	00	00	12.00	12.00	sqm		
139	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	00	00	255.00	255.00	sqm		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	00	00	220	220.00	SQM		
141	ccccin cement plaster work in proportion recommended by the manufacturers.(Per Bag of 50 KG cement used in the mix)	00	00	45	45.00	Each		
142	Extra for using white cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	00	00	785	785.00	SQM		
	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe- 32 mm dia	00	00	30	30.00	Each		
144	Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of Size 595x595mm of approved texture, design and patterns as per CPWD Specification 2019, to be laid in true horizontal level suspended on inter-locking metal T-Grid of hot dipped galvanised iron section of 0.33mmthick (galvanized @ 120 grams per sqm including both sides)comprising of main-T runners of size 24x38 mm of length 3000 mm,cross - T of size 24x32 mm of length 1200 mm and secondaryintermediate cross-T of size 24x32 mm of length 600mm to formgrid module of size 600 x 600 mm, suspended from ceiling usinggalvanised mild steel items (galvanizing @ 80 grams per sqm) i.e. 12x50 mm long dash fasteners, 6 mm dia fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 76x25x25x1.6 mm fixed with grid and Z cleat of size 25x37x25x1.6mm thick with precut hole on both 25mm flange to pierce into 12x50mm or even bigger size dash fastener if require, fixed with Glavanised iron perimeter wall angle or size 24x24x0.40 mm of length 3000 mm to be fixed on periphey wall / partition with the help of plastic rawl plugs at 450mm center to center and 40 mm long dry wall S.S screws. The workshall be carried out as per specifications, drawing and as per directions of the Engineer-in Charge. With 15 mm thick tegular/butt edged without perforation plain/designer light weight calcium silicate Anti-Microbial Bio-Safe coated false ceiling tiles Confirming to JIS-Z2801 and ASTM G-21	00	00	168.00	168.00	SQM		
	Removing of damaged / broken / twisted IRC welded mesh fencing panels repairing of damaged / broken members , replacing new members if required, setting right the fencing panel in proper shape and size as per site requirement, re-fixing of panel at old location / new location in proper position and required alignment, Rate includes the cost of all labour , T & P , welding rods, welding machine, etc complete. The cost of structural steel and nut bolts, washers, IRC welded Mesh etc., if required will be paid separately.	00	00	350.00	350.00	SQM		
	Providing & Laying glass fiber cloth of approved quality all complete as per direction of engineer incharge.	00	00	10.00	10.00	sqm		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
	Providing and fixing 60 cm long PVC rain water spout in proper line and level in cement mortar 1:4 (1 cement : 4 fine sand) in the existing khurra level, dismantling wall/ pipe and making hole of required size for fixing of pipe, filling CC 1:3:6 (1cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) between wall and pipe, plastering both sides of walls with cement mortar 1:4 (1 cement :4 fine sand)and making the pipe joint leak proof.	00	00	16.00	16.00	Each		
148	Chipping of Unsound Concrete :Cleaning the concrete surface by removing dirt and debris, marking defective locations and Chipping/removing of loose/Unsound/weak concrete from slabs beams, columns etc by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge. Upto 75mm average. Protactive coating: Applying two coats of surface applied Bipolar Corrosion inhibitor FAIRCRETE C SURFACE APPLIED or equivalent as per manufacturer's specification and direction of the Engineer	00	00	250.00	250.00	SQM		
149	Providing and applying Reebaklens RR, a combination of acid based material, corrosion inhibitors and dispersing agents rust remover, for removal of all rust/ scales/corrosion from reinforcement bars before microconcreting or patch repair, having Specific Gravity 1.16-1.22. Reebaklens RR Shall be applied with brush for complete wetting of rusted metal surface at coverage of 2-2.5 Sqm/ltr. & allow it to react for 16-24 hours. After 24 hours, a white layer will appear which will protect further corrosion of metal /steel for about 5-7 days. Before applying any protective coating, the surface should be wire brushed and thoroughly cleaned for dust with dry cloth.	00	00	8.00	8.00	SQM		
150	Providing and applying Nitozinc Primer an epoxy based zinc rich anti corrosive primer having adhesive bond strength ≥ 1.5 MPa as per ASTM D4541, & shall comply to per ASTM B-117 to be applied on well cleaned, fully exposed and all loose scale , rust free rust free surface obtained by grit blasting or suitable means , to be done with coverage @4.5sqm/litres to achieve a minimum thickness of 40microns DFT or as per direction of Engineer-In charge.	00	00	8.00	8.00	SQM		
151	Providing and applying Renderoc SP40 shrinkage compensated fiber reinforced polymer modified wet spray repair mortar on the prepared surface and curing with curing compound. The repair mortar used shall be single component and shall be mixed with water at water powder ratio of 0.18 and shall have drying shrinkage < 1000 microstrain as per ASTM C 157-93; compressive strength > 40 MPa ; Flexural Strength > 7 Mpa as per ASTM C 348, bond strength > 6 MPa as per ASTM C 1042, etc complete. Product used shall have CE (CE-29842) marking and compliance according to Construction Products Directive 89/106/EEC (CPD). Cost of curing compound shall be paid separately. Thickness 25mm. [Polymer Modified Mortar for Surface Repair (Lesser thickness & Larger surface area- Wet spray mortar)]	00	00	250.00	250.00	SQM		
152	Providing and applying Concure 1315, a acrylic polymer based non-degrading single component having solid content 33% to be applied over the freshly casted concrete members. The coating shall be applied using brush/roller/roller @ consumption of 200ml/coat/sqm. The coating shallcomply to ASTM C1315 Type 2, & shall have moisture retention < 0.4 kg/m ² as per ASTM C156, Adhesion of tile cement : >0.5 N/mm ² .[Curing Compound]	00	00	250.00	250.00	SQM		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total		e/x GST	e/x GST
					Quantities			
153	Polyurethane Waterproofing by Dr.Fixit Flexi PU 270(I) : Removing & chipping off of existing losse	00	00	270.00	270.00	SQM		
	plaster. Clean the surface from contaminants with brush. Remove any sharp protrusion on the							
	blinding layer by chipping and local repairs.							
	Surface Preparation: All surfaces which are to receive the coating must be free from oil, laitance,							
	grease, wax, dirt or any other form of foreign matter which might affect adhesion. Cut back any							
	protrusions. Typically concrete surfaces can be cleaned using high pressure water jet or by proper							
	wire brushing/grinder.All cracks, construction joints,honey combed/damaged surface to be repair							
	with PMM and cracks to be chase out by cutting 25mm x 25mm "V" shape groove all along the crack,							
	cleaning cracks and sealing it using Mesto Grout HS , curing etc., all complete as per the							
	manufactureres specification and direction of engineer-in-charge.							
	L Shape, Augular Fillet: Providing 50 mm X 50 mm angle fillets on the vertical up-stands,							
	parapet wall junction corners, service units and properly dressed by preparing polymer modified							
	mortar with Pidicrete URP or equivalent in the ratio of 1:3 by adding polymer 10% by weight							
	of the cement, add little water, until the required consistency is achieved.							
	Injection Grouting: Providing and applying injection grouting treatment by chemical injection grout							
	process at construction joints, wall joints, honey comb areas etc. in concrete surface or the area							
	using nozzles of min 25-50mm deep in slabs along with construction joints consisting of injection cement slurries of different viscosities under pressure by pump using injection grout waterproofing							
	chemical (Pidicrete AM) mixed with neat cement slurry and sealing off nozzles after the injection							
	operation. Screeding: Providing and laying of average 75mm							
	thick (or suitable thickness for necessary slope) concrete screed of minimum M 20 grade concrete.							
	PU Waterproofing Coating: Supplying and applying, Dr.Fixit Flexi PU 270(I) highly flexible is a liquid-							
	applied, highly permanent elastic, cold applied and cold curing single component polyurethane cold							
	applied coating system water proofing liquid membrane after applying Dr.Fixit Flexi PU 270(I). Over							
	the primer coat . Polyurethane Dr.Fixit Flexi PU 270(I), shall be laid using Brush/roller in 3 layers to							
	attain a seamless state of membrane. After applying the first coat of Dr.Fixit Flexi PU 270(I) leave dry							
	for 8-10 hours, then apply the second coat of Dr.Fixit Flexi PU270(I) leave dry for 8-10 hours. Then							
	the final coat of Dr.Fixit Flexi PU 270(I) leave dry for 8-10 hours. The layers of the liquid membrane to							
	be terminated properly. properties polyurethane membrane with elongation of 400% as per ASTM D							
	412,tensile strength of 4 Nsqmm as per ASTM D412,shore hardness(shore A scale) 65 as per ASTM							
	D 2240,adhesion to concrete > 2.0 N/mm2 as per ASTM D 903 applied in 3 coats at a total							
	consumption of min. 2 Kg./ Sq.Mt.							
154	Drilling and fixing NRV injection packers in RC members for Epoxy or PU Injection including, drilling	00	00	440.00	440.00	Nos		
	holes in structural members at the intervals as per recommendations/ requirements, cleaning the							
1	holes by air blower prior to fixing nozzles. Insert 12 mm dia., 50-75 mm long injection packers in							
	cleaned holes with solvent free, moisture insensitive epoxy resin based putty or equivalent. Cut the							
	packers by cut of wheel after completion of grouting without damaging structural elements.							

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
	Pressure Grouting with Epoxy Resin: Perform pressure grouting using Conbextra EP10, a low viscous solvent-free two-component epoxy resin with a density of 1050 kg/m ³ . Ensure the epoxy resin has viscosity < 0.6 poise (ASTM D1200), compressive strength > 80 MPa (ASTM D 695), and bond strength > 4 MPa (ASTM C882). Use products with CE marking and compliance according to Construction Products Directive 89/106/EEC. Mix epoxy resin components in required quantities as per manufacturer's instructions. Fill the grouting gun with epoxy resin and maintain desired pressure using an air compressor. Grout the material through prefixed nozzles in structural elements until refusal, sealing the nozzles with epoxy putty afterward. Monitor and seal leakages through other nozzles as required. Complete the operation within the pot life of the material. Clean the grouting gun and accessories with thinner after the operation to prevent jamming.	00	00	380.00	380.00	KG		
	Providing and applying bond coat on the prepared surface with two component epoxy based bonding coat Nitobond EP of Fosroc make or equivalent, having specific gravity 1.15 to 1.2 gm/cc,. The bonding agent shall be applied by brush & should remain in tacky state after application for a minimum period of 5-6 hrs at 20 deg C & 2-3 hrs at 30 deg C. Laying of reinstatement polymer modified mortar or micro concrete shall be completed within the overlay time of bonding coat.	00	00	125.00	125.00	SQM		
	Construction of Horizontal and Vertical Seismic Band as per IS: 13925 by cutting chase in existing plaster by mechanical cutter, removing plaster, raking expose joints, cleaning, providing and fixing 3.25 mm dia (Gauge 10) Galvanised steel wire fabric mesh with spacing 25 mm x 25 mm to be fixed & firmly anchored to the surface of Brick masonary, stone masonary or concrete by means of GI steel shear key or bolts and tying the mesh to the bolts with GI binding wire including fixing the steel bars in position using epoxy resin anchor grout of approved make complete with cost of labour, tool & plants etc. complete as required for fixing as per direction of Engineer-in-charge.	00	00	325.00	325.00	SQM		
	Providing and fixing UPVC (SWR) pipes Class B conforming to IS 13592 for soil, waste and vent pipes including all fittings rubber ring type (plain or access door) e.g. bends, junctions, cowls, offsets, access pieces etc., jointing with rubber ring joints(a) 80 mm dia	00	00	10.00	10.00	М		
159	Providing and fixing UPVC floor traps, self closing type having 50mm lead water seal with or without vent arm etc. complete including cost of cutting and making good the walls and floors wherever required. (110 x80 mm)		00	5.00	5.00	Each		
	P/F of CP jalli of appd design and shape: 100 mm dia. (AR522)	00	00	5.00	5.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Bend 87.5°-110 mm bend. (12.42.5.2-AR180)	00	00	15.00	15.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. coupler- 110 mm. (12.42.1.2- AR174)	00	00	15.00	15.00	Each		
	Supply of 9" dia exhaust fan with gravity louers & bird screen	00	00	4	4.00	Each		
	Providing and Laying 150 mm dia PVC pipe (Heavy duty-working pressure 6Kg/cm2) of Prakash or equivalent make as per required slope for sewer line including jointing etc. complete as per direction of Engineer-in-charge (Wt. of pipe-22 Kg approx).	00	00	80	80.00	М		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
165	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) upto haunches of S.W. pipes including bed concrete as per standard design : 150 mm dia SW pipe, (19.3.2-AR444)	00	00	80	80.00	М		
166	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations (a) Laying brick bats with mortar using broken bricks/brick bats 25mm to 115mm size with 50% of cement mortar 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge over 20 mm thick layer of cement mortar of mix 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge over 20 mm thick layer of cement mortar of mix 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs. (b) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/ sqm of cement admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge. (c) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1cement :4coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-in-charge including laying glass fibre cloth of apprveod quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. (d) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineer-in-Charge. With average thickness of 120 mm and minimum thickness at khurra as 65 mm	00	00	270	270.00	Sqm		
167	Supply and apply Nitobond AR, an acrylic-based emulsified solution containing a minimum of 43% solids and compatible with cementitious materials. The bonding agent shall provide sufficient bond strength when applied directly on concrete or when mixed with neat cement. Ensure proper application to achieve effective adhesion between substrates and subsequent layers of cementitious materials, adhering to manufacturer's recommendations for optimal performance and durability in construction applications. Nitobond AR is particularly suitable when a longer working period after applying the bonding agent is required	00	00	150.00	150.00	Sqm		
168	Surface Preparation: Make a 'V' groove 5 mm wide and 5 mm deep over the crack line using an electrically operated angle grinder with a diamond concrete saw blade. Clean the groove thoroughly with an air blower as directed by the Engineer-in-charge.	00	00	85.00	85.00	М		
169	Sealing with Epoxy Repair Mortar: Seal the exposed 'V' groove (5 mm deep, 5 mm wide) with a solvent-free, moisture-tolerant, thixotropic, two-part structural adhesive and epoxy repair mortar cum surface leveling mortar. Ensure the epoxy repair mortar has compressive strength \geq 60 N/mm ² (7 Days, BS 6319), flexural strength \geq 20 N/mm ² (7 Days, BS 6319), and tensile strength \geq 10 N/mm ² (7 days, ASTM C 307). Use products like NITOMORTAR S OF FOSROC, Sikadur®-31 of Sika, MasterBrace 2200 BASF, or equivalent of Pidilite.	00	00	85.00	85.00	М		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities	1	e/x GST	e/x GST
170	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) Rebar 10 mm Dia x 14 mm holes x 100mm depth	00	00	70.00	70.00	Nos		
171	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) Rebar 12 mm Dia x 16 mm holes dia x 120 mm depth	00	00	30.00	30.00	Nos		
172	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) Rebar 16 mm Dia x 20 mm holes dia x 160 mm depth	00	00	10.00	10.00	Nos		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total		e/x GST	e/x GST
173	Providing and applying uni directional, high strength carbon fiber sheets Nitowrap CWS of 450 GSM/ dry fabric thickness. The FRP fabric used shall be of zero degree unidirectional fibers having fiber density of 1.8 g/cc and shall have tensile strength > 4900 MPa ; tensile modulous > 230 GPa and ultimate elongation of 2.1%. The substrate shall be primed with Nitowrap 30 epoxy primer & Nitowrap 410 impregnating resin saturant shall be used for saturating the fibers. Saturant used shall have tensile strength of >30 MPa; Elongation > 2% ; Flexural strength > 30 MPa ; Tensile Modulous > 2400 MPa & Flexural Modulous > 1700 MPa when tested as per ASTM D638 Type I and ASTM D 790 & Glass Transition Temperature > 50 deg Celcius as per ASTM E 1356. The adhesion of the entire system(FRP Sheet, Saturant and primer combined) with concrete shall be > 3.5 MPa with concrete failure as per ASTM D 4541. (Product :- Nitowrap CWS of 450 GSM of Fosroc, Sikawrap® 930 G of Sika / MasterBrace FIB 73/900 of BASF) Surface preparation: Grinding/ moulding concrete substrate cleaning it with wire brush removing oil, laitance if present, rounding sharp edges to min 25mm radius etc. complete. Profiling : Applying compatible primer of approved make and brand on prepared substrate, filling the holes and uneven surface with thixotropic putty etc. complete. Wrapping : Wrapping the fiber sheet with recommended overlapping to structural element at desired oriention using tamping roller to avoid any air voids etc. repeat the same procedure for multiple layer with the interval of 8 hrs.	PART-A	РАКТ-В	PART-C 25.00	Total Quantities 25.00	SQM	e/x GST	e/x GST
	Sand Pasting : Applying second coat of saturated after 12 hrs. rectify air voids if any, paste the coarse sand on it to make surface rough to take any further finishes (Mode of measurement : Per sqm surface area of application per layer). Supply and install fiber anchors to be embedded at a depth of 75 mm with 75 mm protrusion, spaced at 500 mm center to center. (Product make: Fosroc/ Sika/ BASF) Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03, and foam density of 0.024g ± 0.003. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp	00	00	75.00 25.00	75.00 25.00	Nos Kg		
	conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete. Nitofill WS60							

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
176	Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03, and foam density of 0.024g ± 0.003. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete. Nitofill UR63	00	00	25.00	25.00	Кg		
177	Supply and apply Dekguard E2000, a high-performance elastomeric protective anticarbonation coating for concrete and masonry. The protective coating system includes a penetrating silane-siloxane primer (Dekguard Primer) and a single-component elastomeric anticarbonation aliphatic acrylic coating (Dekguard E2000). Ensure the total dry film thickness of the protective coating system is not less than 200 microns. The coating system shall provide CO2 diffusion resistance of at least 50 meters (equivalent air layer thickness), static crack accommodation of minimum 2mm, and adhesion greater than 1.0 N/mm ² as per ASTM D 4541. The product used must meet specified performance standards for durability and protection against carbonation. Apply in accordance with manufacturer's guidelines to ensure effective long-term performance and adherence to project requirements	00	00	60.00	60.00	Sqm		
178	Providing, cutting and laying SWG10 welded wire mesh and mesh size 50x50 mm including anchoring it on the wall with 4.75mm bar by drilling and fixing with cement slurry as per drawing details, specification and instruction by the Engineer.	00	00	60.00	60.00	Sqm		
179	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water- to-powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite) Without addition of aggregate	00	00	2.00	2.00	TON		
180	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water- to-powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite) With addition of 6 mm down aggregate in 3:1 (3 Micro concrete: 1 aggregate 6 mm & down)	00	00	2.00	2.00	TON		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
181	12mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	00	00	350.00	350.00	SQM		
182	6mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	00	00	294.00	294.00	SQM		
183	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in cement mortar 1 : 4 (1 cement : 4 coarse sand)	00	28	00	28.00	cum		
184	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.Granite stone slab colour black, Cherry/Ruby red : Area of slab over 0.50 sqm	00	38.5	00	38.50	SQM		
185	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	00	150	00	150.00	KG		
186	P/F MS chequred plate i/c cutting, straightening, rounding of edges, making lifting arrangment & fixing by welding to M.S angle frame etc. (AR142)	00	10	00	10.00	KG		
187	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Double charge vitrified tile polished finish of size - Size of Tile 800 x 1200 mm	255	255	255	765.00	SQM		
188	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer) with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make in all colours & shade in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1cement: 3 coarse sand), jointing with grey cement slurry @ 3.3kg/sqm including grouting the joint with white cement & matching pigments etc. complete. Size of Tile 800x800 mm	255	255	255	765.00	sqm		
189	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	00	8	00	8.00	Each		
190	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter metre 319.75	00	80	00	80.00	М		

S.No	Description		Qu	antities		Unit Rate (In Rs.)		Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Single tee with door 12.42.3.2 110x110x110 mm	00	16	00	16.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Bend 87.5° 110 mm bend	00	8	00	8.00	Each		
	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern	00	6	00	6.00	Each		
	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe- 32 mm dia	00	5	00	5.00	Each		
	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Internal work - Exposed on wall)	00	150	00	150.00	М		
	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Concealed work, including cutting chases and making good the walls etc.)	00	150	00	150.00	М		
	P/F of CP jalli of appd design and shape: 100 mm dia. (AR522)	00	3	00	3.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Bend 87.5°-110 mm bend. (12.42.5.2-AR180)	00	10	00	10.00	Each		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. coupler- 110 mm. (12.42.1.2-AR174)	00	10	00	10.00	Each		

S.No	Description		Qu	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately) 30 mm thick		13.91	00	13.91	sqm		
201	Panic Trim:- Supply of DORMA (Model No. PHCR 2905) Make Panic Trim with Latch Handle	00	6	00	6.00	Each		
					Tot	al cost e/	x GST@18% of I	
	IT WC)RK						
S.No	Description			Qty.		Unit	Rate	Amount
	IT Points			50		Pnt		
					Tota	al cost e/x	GST@18% of II	
III S.No	FIRE W Description	VURN		Qty.		Unit	Rate	Amount
	Smoke detector			15		Ea	Nate	Anount
	Alarm/Hooter			1		Ea		
	Fire alarm panel			1		Ea		
4	Cabel			150		Mtr		
					Тс	otal cost e	e/x GST@18%-III	
IV S.No	AC W	ORK		0.54		110:4	04/	Amount
1	Description Supply & Installation of Split AC 1.5 Ton,5 Star Inverter AC with R-32/410 green Gas and Max Ambient Temp-50 deg c with 3 metre copper pipe,pvc drain pipe and power cable. Make : Bluestar/voltas/Dakin			Qty. 12		Unit NOS	Qty.	Amount
2	Supply and installation of Stabilizer 4KVA voltage range (170V - 270 V) suitable for Inverter Split AC, Split AC Make : V-Guard/Blue Gaurd			12		NOS		
3	Supply and Installation of Out Door Unit Stand			12		NOS		
	Supply and installation of extra copper pipe required for 1.5 ton & 2.0 Ton split AC installation as per site requirement (Suction line -1/2" + Liquid line- 1/4") with suitable foam insulation.(Over and above 3.0 Meter supplied with AC unit)			36		MTR		
5	Supply and installation of extra PVC Hard drain pipe 25mm with Accessories required for installation.			36		MTR		
6	Supply and Installation of Electrical Cable (3C * 2.5 Sq.mm) (Over and above 3.0 Meter supplied with AC unit)			100		MTR		

S.No	Description		Qı	antities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART-A	PART-B	PART-C	Total Quantities		e/x GST	e/x GST
v	FURNITU	RE WORK						
S No.	Description			Qty		Unit	Rate	Amount
1	Curvilinear Worksurface Cockpit (Prelam)-1500 X 1500 X 450 X 750mm			10		Nos.		
2	Worksurface (Prelam) -1200 X 600 X 25mm			35		Nos.		
	Keyboard Drawer with Mouse Tray (M.S) - 510 X 450 X 55mm			45		Nos.		
	CPU Trolley (Metallic)-245 X 245 X 240mm			45		Nos.		
5	Pedestal 3D(2D+1 FD) on Castors (Prelam) -400 X 495 X 702mm			45		Nos.		
	Board Side (BSL) 600 X 18 X 725mm			25		Nos.		
7	Panel 62mm Sonata TA System-Prelam/Softboard/Fabric/LWB double race way-'1194 mm Height			73		m²		
8	Table Board Prelam 25 mm thk Board - 1500x750x750mm			2		Nos.		
9	Side Runner prelam -900x375x750mm			2		Nos.		
10	Vertical Storage Unit (Prelam)-894 X 450 X 1200mm			20		Nos.		
11	Low Back Staff Chairs-Low back chair for staff with triangle PP arms with gas lift & push back arrangement,metal stand			55		Nos.		
12	High Back Chair			10		Nos.		
13	MS Legs-75x725mm			10		Ea		
14	Meeting Table			1		Ea		
15	center table			1		ea		
16	sofa 4 seater			1		ea		
					Tota	l cost e/x	GST@18% of V	
			(Grand Total	e/x GST@18 of	Package	III (I+II+III+IV+V)	

		ATTACHME						
		KAGE-I-Pric	e Breakup					
	A- Rettrofitting work at Lahori Gate Office Complex							
	B-Rettrofitting work at Lahori Gate Grid C-Rettrofitting work at 33KV Jama Masjid Grid							
S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.
0.110.		PART A	PART B	PART C	Total Quantities	onic		e/x GST
I	CIVIL WORK							
1	Earth work in excavation by mechanical means (hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth. 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed : All kinds of soil.	258.00	133.00	100.00	491.00	CUM		
2	Extra for every additional lift of 1.5 m or part thereof in excavation /banking excavated or stacked materials. All kinds of soil	176.00	0.00	0.00	176.00	CUM		
3	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered). Depth not exceeding 1.5 m	75.00	0.00	0.00	75.00	SQM		
4	Close timbering in trenches including strutting, shoring and packing cavities (wherever required) complete. (Measurements to be taken of the face area timbered).Depth exceeding 1.5 m but not exceeding 3 m	38.00	0.00	0.00	38.00	SQM		
5	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth,consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.	230.00	0.00	0.00	230.00	CUM		
6	Supplying chemical emulsion in sealed containers including delivery as specified. Chlorpyriphos/ Lindane emulsifiable concentrate of 20%	162.00	0.00	0.00	162.00	Ltr		
7	Diluting and injecting chemical emulsion for anti-termite treatment (excluding the cost of chemical emulsion) in bases of footings, vertical faces of brick wall/ RCC column, under floors, along external walll, apron, etc complete as per relevant IS codes (plinth area shall be measured for payment): With Chlorpyriphos/ Lindane E.C. 20% with 1% concentration	176.00	0.00	0.00	176.00	SQM		
8	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	34.00	0.00	365.00	399.00	CUM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GS1	e/x GST
	Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	34.00	0.00	0.00	34.00	SQM		
10	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete. (make- ACC, Lafarage, Afcon, Ultra Tech) Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the minimum specified cement content, the contractor shall have discretion to either re- design the mix or bear the cost of extra cement. All works upto plinth level : Concrete of M10 grade with minimum cement content of 220 kg/cum	14.00	0.00	0.00	14.00	CUM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
11	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the cost of centering, shuttering finishing and reinforcement, including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability & Corrosion Resistance and water profing as per direction of the Engineer - in - charge. (Note :- Cement content considered in this item is @ 330 kg/cum). All works upto plinth level (5.37.1) Make -ACC, Altratech, lafarge	70.00	0.00	0.00	70.00	CUM		
12	Providing and laying in position ready mixed M-25 grade concrete for reinforced cement concrete work, using cement content as per approved design mix, manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for reinforced cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, excluding the cost of centering, shuttering finishing and reinforcement, including cost of admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability Corrosion Resistance and water profing as per direction of the Engineer - in - charge. (Note :- Cement content considered in this item is @ 330 kg/cum). All works above plinth level upto floor V level (5.37.2-AR40)) Make -ACC, Altratech, lafarge	75.00	0.00	0.00	75.00	CUM		
	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : $1:1\frac{1}{2}:3$ (1 Cement: $1\frac{1}{2}$ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	2.00	14.00	0.00	16.00	CUM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
14	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	18.00	0.00	88.50	106.50	CUM		
15	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: 1:1½:3 (1 cement : 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	2.00	0.00	0.00	2.00	CUM		
16	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	34.00	8.00	2.00	44.00	CUM		
	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	18.00	8.00	11.00	37.00	CUM		
	Centring and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases of columns.	34.00	36.00	28.00	98.00	SQM		
19	Centring and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platform	430.00	0.00	705.00	1135.00	SQM		
20	Centring and shuttering including strutting, propping etc. and removal of form for: Lintels, beams, plinth beams, girders, bressumers and cantilevers	176.00	80.00	25.18	281.18	SQM		
21	Centring and shuttering including strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts	300.00	330.00	370.00	1000.00	SQM		
	Centring and shuttering including strutting, propping etc. and removal of form for: Stairs, (excluding landings) except spiral-staircases	46.00 Page 149	18.00	24.00	88.00	SQM		

ATTACHMENT-IV

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x 031	e/x 031
23	Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete. cold twisted bars (Make- TATA/ SAIL)		609.00	13600.00	36209.00	KG		
1 14	Add for plaster drip course/groove in plastered surface or moulding to R.C.C. projections	106.00	0.00	0.00	106.00	М		
25	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in cement mortar 1 : 4 (1 cement : 4 coarse sand)	22.00	11.00	17.80	50.80	CUM		
26	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	98.00	0.00	92.80	190.80	CUM		
27	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.Granite stone slab colour black, Cherry/Ruby red : Area of slab upto 0.50 sqm		0.00	0.00	47.58	SQM		
28	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.Granite stone slab colour black, Cherry/Ruby red : Area of slab over 0.50 sqm		0.00	0.00	34.00	SQM		
29	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1150.00	3580.00	1450.00	6180.00	KG		
	P/F MS chequred plate i/c cutting, straightening, rounding of edges, making lifting arrangment & fixing by welding to M.S angle frame etc. (AR142)	10.00	180.00	0.00	190.00	KG		

S.No.	Description	Quantities				Unit	Rate (In Rs.) e/x GST	· /
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
31	Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Double charge vitrified tile polished finish of size Size of Tile 800 x 1200 mm	232.00	0.00	0.00	232.00	SQM		
32	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approvedmake, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. Size of Tile 600x1200 mm	78.00	0.00	0.00	78.00	SQM		
33	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	184.00	0.00	0.00	184.00	KG		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
34	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	16.00	175.00	455.00	646.00	SQM		
35	Cement plaster skirting (upto 30 cm height) with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement. 18 mm thick	4.00	38.00	44.00	86.00	SQM		
36	Providing and fixing glass strips in joints of terrazo/cement concrete floors 40 mm wide and 4 mm thick.	30.00	0.00	1280.00	1310.00	М		
37	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate of 10 mm and down gauge) including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design : In 75 x75 mm deep chase	84.00	88.00	125.00	297.00	М		
38	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	8.00	12.00	14.00	34.00	EACH		
39	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter metre 319.75		62.00	76.30	218.30	Μ		
40	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Single tee with door 12.42.3.2 110x110x110 mm		0.00	0.00	16.00	EACH		
	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.Bend 87.5° 110 mm bend	8.00	42.00	32.00	82.00	EACH		

ATTACHMENT-IV

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GS1	e/x 051
42	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	2.00	1.00	1.00	4.00	EACH		
43	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including W.C. pan with ISI marked white solid plastic seat and lid	6.00	2.00	1.00	9.00	EACH		
44	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern	6.00	2.00	2.00	10.00	EACH		
45	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm C.P. brass pillar tap		2.00	2.00	9.00	EACH		
46	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe- 32 mm dia	5.00	0.00	4.00	9.00	EACH		
47	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Internal work - Exposed on wall)	200.00	25.00	25.00	250.00	М		
<u>.</u>		Page 153	3 of 266 CHMENT-IV		1		1	

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities	-	e/x GS1	e/x GST
48	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Concealed work, including cutting chases and making good the walls etc.)	150.00	30.00	30.00	210.00	М		
49	Providing and fixing brass bib cock of approved quality : 20 mm nominal bore	5.00	4.00	4.00	13.00	EACH		
50	Providing and fixing brass stop cock of approved quality : 20 mm nominal bore	5.00	4.00	4.00	13.00	EACH		
51	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	5.00	1.00	1.00	7.00	EACH		
52	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	1000.00	500.00	1000.00	2500.00	PER LITRE		
53	Providing and Laying 110 mm dia PVC pipe (Heavy duty-working pressure 6Kg/cm2) of Prakash or equivalent make as per required slope for sewer line including jointing etc. complete as per direction of Engineer-in-charge (Wt. of pipe-22 Kg approx).	300.00	0.00	0.00	300.00	М		
54	Providing and fixing UPVC (SWR) pipes Class B conforming to IS 13592 for soil, waste and vent pipes including all fittings rubber ring type (plain or access door) e.g. bends, junctions, cowls, offsets, access pieces etc., jointing with rubber ring joints(a) 80 mm dia	100.00	0.00	0.00	100.00	М		
55	Providing and fixing UPVC floor traps, self closing type having 50mm lead water seal with or without vent arm etc. complete including cost of cutting and making good the walls and floors wherever required. (110 x80 mm)	3.00	0.00	0.00	3.00	EACH		
56	P/F of CP jalli of appd design and shape: 100 mm dia. (AR522)	3.00	0.00	0.00	3.00	EACH		
57	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Bend 87.5°-110 mm bend. (12.42.5.2-AR180)	8.00 Page 15 ²	0.00	0.00	8.00	EACH		

S.No.	Description	Quantities			Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST	
		PART A	PART B	PART C	Total Quantities		e/x 051	e/x 031
58	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. coupler- 110 mm. (12.42.1.2-AR174)	8.00	0.00	0.00	8.00	EACH		
59	Providing and Fixing bevelled edge mirror of superior quality glass (Modi /Sant Gobain) complete with 6 mm thick hard board fixed to wooden cleats with cp brass screws and washers etc complete. (17.31-AR508)	3.00	0.00	0.00	3.00	Sqm		
	Providing and fixing health faucet hindware or parryware make as per direction of EIC (Based on MR)	3.00	0.00	0.00	3.00	EACH		
61	Providing and fixing C.P. brass angle valve for basin mixer and gyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore : 15 mm nominal bore (18.53.1-AR423)	3.00	0.00	0.00	3.00	EACH		
	Providing and fixing uplasticised PVC connection pipe with brass unions: 45 cm length, 15 mm NB, (18.21.2.1-AR390)	3.00	0.00	0.00	3.00	EACH		
	Providing and fixing C.P. brass long body bib cock hindware/parryware conforming to IS standards and weighing not less than 690 gms: 15 mm nominal bore. (18.51.1-AR421)	3.00	0.00	0.00	3.00	EACH		
64	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group B	3.00	0.00	0.00	3.00	PNT		
65	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 A switch (DSR-1.24.3)		0.00	0.00	20.00	EACH		
	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required6 pin 15/16 A socket outlet Each (DSR-1.24.5)	20.00	0.00	0.00	20.00	EACH		
	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch (AR582)		0.00	0.00	5.00	EACH		

S.No.	Description		Quantities			Unit	Rate (In Rs.) e/x GST	· /
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
68	"P/F URINAL PARTITIONS 3/4"" THK GRANITE 600 MMX1350 MM OF APPD DESIG AND SHADE INCLUDING FIXING IN THE WALLS AS REQUIRED BY CHASING & MAKING GOOD THE WALLS WHEREVER REQUIRED ALSO PROVIDING EDGE MOULDING TO THE GRANITE PARTITION COMPLETE JOB AS PER INSTRUCTION OF EIC.	5.00	0.00	0.00	5.00	SQM		
69	Providing and fixing square-mouth S.W. gully trap class SP- 1complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 Kg. as per standard design : 100x100mm size P type with common burnt clay F.P.S (non modular) bricks of class designation 75 (19.4.1.1- AR446)	5.00	0.00	0.00	5.00	EACH		
70	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	414.00	250.00	875.00	1539.00	SQM		
71	15 mm cement plaster on rough side of single or half brick wall of mix 1:4 (1 cement : 4 coarse sand)	514.00	180.00	798.00	1492.00	SQM		
72	6 mm cement plaster of mix : 1:3 (1 cement: 3 fine sand)	490.00	120.00	535.00	1145.00	SQM		
73	Neat cement punning	210.00	220.00	205.00	635.00	SQM		
74	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.(Per Bag of 50 KG cement used in the mix)	40.00	20.00	40.00	100.00	EACH		
75	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	564.00	115.00	1985.00	2664.00	SQM		
76	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	564.00	2400.00	2135.00	5099.00	SQM		
77	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	20.00	115.00	75.00	210.00	SQM		
78	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :Two or more coats on new work	564.00	150.00	150.00	864.00	SQM		
79	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	10.00	302.00	455.00	767.00	SQM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GS1	e/x GST
80	Washed stone grit plaster on exterior walls of height upto 10 metre above ground level, in two layers, under layer 12mm cement plaster 1:4 (1cement: 4 coarse sand), furrowing the under layer with scratching tool, applying cement slurry on the under layer @ 2 Kg of cement per square metre, top layer 15mm cement plaster 1:1/2:2 (1 cement: 1/2 coarse sand :2 stone chipping 10mm nominal size), in panels with groove all around as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings, complete as per specification and direction of Engineer-in- charge (Payment for providing grooves shall be made separately).	308.00	430.00	935.00	1673.00	SQM		
81	Forming groove of uniform size from 12x12mm and upto 25x15mm in the top layer of washed stone grit plastered surface as per approved pattern, including providing and fixing aluminum channels of appropriate size and thickness (not less than 2 mm), nailed to the under layer with rust proof screws and nails and finishing the groove complete as per specifications and direction of the Engineer-in- Charge.	676.00	0.00	0.00	676.00	М		
	Extra for using Silver cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	308.00	430.00	935.00	1673.00	SQM		
• × ·	Extra for providing & mixing the dark shade pigment in top layer of washed stone grit plaster. (AR-55)	308.00	430.00	935.00	1673.00	SQM		
84	Extra for using marble chips of size 7 to 10 mm nominal size in place of stone chipping 10 mm nominal size in Washed stone grit plaster on exterior walls (AR158)	308.00	0.00	0.00	308.00	SQM		
85	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	20.00	115.00	75.00	210.00	SQM		
86	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	54.00	518.00	940.00	1512.00	CUM		
87	Supplying and stacking at site. Good earth	94.00	0.00	0.00	94.00	CUM		

S.No.	Description	Quantities				Unit	Rate (In Rs.)	· · ·
	- 	PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
88	Providing and erecting 2.00 metre high temporary barricading at site; each panel of size 2.50mx2.00m made of 40x40x6mm angle iron or50x50x3mm hollow MS tube posts/horizontal members/bracings covered with 1.63mm thick MS sheet. The sheet shall be fixed with 30x5mm MS flat by suitable welding/ riveting. The panels shall be made so that gap of 50cm above the ground is available making overall height as 2.5m. MS channel ISLC 75 @ 5.70 kg/m, 50cm long shall be provided at the bottom having oval shaped holes of size 50x25mm at both ends with 50cm long MS angle 40x40x6mm bracing. Suitable arrangement shall be made to fix the barricading to avoid from overturning by providing 250mm long expansion fasteners at both ends. The work shall be executed as per drawing/direction of Engineer-in-Charge which includes writing and painting, arrangement for traffic diversion such as traffic signals during construction at site for day and night, glow lamps, reflective signs, marking, flags, caution tape as directed by the Engineer-in-Charge. The barricading provided shall be retained in position at site continuously i/c shifting of barricading from one location to another location as many times as required during the execution of the entire work till its completion. Rate include its maintenance for damages, painting, all incidentals, labour materials, equipments and works required to execute the job. The barricading from start of work till completion of work i/c shifting. The barricading provided shall remain to be the property of the contractor on completion of the work).		0.00	0.00	64.00	М		
89	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.	110.00	0.00	0.00	110.00	SQM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
90	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge. 60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.	15.00	0.00	0.00	15.00	SQM		
91	Supply, installation Heavy duty factory made Precast RCC trench cover (KK make) factory made 50 mm thik of various size upto 1500 mm length, 300 mm wide with TMT steel reinforcement bar of 10mm dia 4nos along length and 8 mm dia c/c spacing of 150mm & two no GI hooks for lifting, minimum grade of concrete M-35 grade trench cover shall have both KK & BYPL logo.	10.00	0.00	38.00	48.00	SQM		

S.No.	Description	Quantities		Unit	Rate (In Rs.)	• •		
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
92	chipping off of existing losse plaster. Clean the surface from contaminants with brush. Remove any sharp protrusion on the blinding layer by chipping and local repairs. Surface Preparation: All surfaces which are to receive the coating must be free from oil, laitance, grease, wax, dirt or any other form of foreign matter which might affect adhesion. Cut back any protrusions. Typically concrete surfaces can be cleaned using high pressure water jet or by proper wire brushing/ grinder.All cracks, construction joints, honey combed/damaged surface to be repair with PMM and cracks to be chase out by cutting 25mm x 25mm "V" shape groove all along the crack, cleaning cracks and sealing it using Mesto Grout HS , curing etc., all complete as per the manufactureres specification and direction of engineer-in-charge. L Shape, Augular Fillet: Providing 50 mm X 50 mm angle fillets on the vertical up- stands, parapet wall junction corners, service units and properly dressed by preparing polymer modified mortar with Pidicrete URP or equivalent in the ratio of 1:3 by adding polymer 10% by weight of the cement, add little water, until the required consistency is achieved. Injection Grouting: Providing and applying injection grouting treatment by chemical injection cement slurries of different viscosities under pressure by pump using injection grout waterproofing chemical (Pidicrete AM) mixed with neat cement slurry and sealing off nozzles after the injection operation. Screeding: Providing and laying of average 75mm thick (or suitable thickness for necessary slope) concrete screed of minimum M 20 grade concrete. PU	210.00	0.00	675.00	885.00	SQM		

S.No.	Description	Quantities				Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST	
		PART A	PART B	PART C	Total Quantities		e/x GS1	6/2 001
93	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C., kitchen and the like as required as per direction of the Engineer-in-charge, consisting of : (i) 1st course of applying cement slurry @ 4.4 kg/sqm mixed with water proofing compound conforming to IS 2645 in recommended proportions including rounding off junction of vertical and horizontal surface. (ii) 2nd course of 20 mm cement plaster 1:3 (1 cement : 3 fine sand) mixed with water proofing compound in recommended proportion including rounding off junction of vertical and horizontal surface. (iii) 3rd course of applying blown or residual bitumen applied hot at 1.7 kg. per sqm of area. (iv) 4th course of 400 micron thick PVC sheet. (Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/ sqm).	9.00	0.00	0.00	9.00	SQM		
94	Supply & Installation of 46mm thick Metal fire check door of 120 minutes' fire rating confirming to BS: 476 Part 22 and IS: 3614 Part II fabricated with 2 nos. 1.2mm thick galvanized sheet with infill of fire rated Acrylic Sealant and non-combustible core bonded to both faces of sheet with lock seam joints at stile edges and internal reinforcement at top, bottom and stile edges for Fire Rating. The door frames are manufactured from 1.6mm thick galvanized steel sheet pressed form to double rebate profile of size 143mm x 57mm duly filled with vermuculite based concrete mix. The door frames and door shutters are finished with powder coated Smoke grey finish.(as per approved shade)		0.00	0.00	16.00	SQM		

S.No.	Description		Qua	ntities		Unit		Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
95	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately) 30 mm thick	28.50	0.00	0.00	28.50	SQM		
96	Providing and fixing pressed steel door frames conforming to IS: 4351, manufactured from commercial mild steel sheet of 1.60 mm thickness, including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25 mm, or base ties of 1.60 mm, pressed mild steel welded or rigidly fixed together by mechanical means, including M.S. pressed butt hinges 2.5 mm thick with mortar guards, lock strike-plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface as directed by Engineer-in-charge: Fixing with adjustable lugs with split end tail to each jamb.	66.20	0.00	0.00	66.20	М		
97	Providing and fixing M.S. Tubular frames for doors, windows, ventilators and cupboard with rectangular/ L-Type sections, made of 1.60 mm thick M.S. Sheet, joints mitred, welded and grinded finish, with profiles of required size, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.		0.00	0.00	0.00			
98	Fixing with 15x3 mm lugs 10 cm. long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size).		0.00	0.00	40.00	Kg		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	· · /
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
99	Fastener:- Supply of Fasteners 10 X 80 mm(08 Nos for Each Door) Hilti make	56.00	0.00	0.00	56.00	EACH		
	Hinges:- Supply of SS Ball Bearing Hinges of Size 102 X 76 X 3mm Complete With Ss Screws of DORMA (Model No : 3090F) Make	28.00	0.00	0.00	28.00	EACH		
101	Vision Panel:- Supply of 6 MM Thick Clear Glass - Schott- Pyran Make- (200 X 300mm)	8.00	0.00	0.00	8.00	EACH		
102	Door Closer:-Supply of DORMA(Model No. TS - 78)Make Door Closer	6.00	0.00	0.00	6.00	EACH		
103	SS D Handle :- Supply of 450 mm Long / 25 mm Dia / SS 304, Finish : Satin of DORMA (Model No. TGDIH) Make	8.00	0.00	0.00	8.00	Pair		
104	Panic Bar S/L :-Supply of DORMA(Model No. PHCR 1000) Make Single Leaf Panic Bar Single Point, Silver Finish	6.00	0.00	0.00	6.00	EACH		
105	Panic Trim:- Supply of DORMA(Model No. PHCR 2905)Make Panic Trim with Latch Handle	6.00	0.00	0.00	6.00	EACH		

S.No.	Description	Quantities				Unit	t Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GS1	e/x GS1
106	WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: OPENABLE;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick.Section for frame should be 48mm x 50mm, Section for Mullion should be of 48mm x 50mm, Section for Glazed Shutter Frame should be of 12mm x 12mm.Frame and Shutter Frame Sections should be of 12mm x 12mm.Frame and Shutter Frame Sections should be cut to length and metre joined with Polypropylene Corner Brackets. Mullion Section should be joined with Frame/Mullion using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket should be used all around glass in shutter.Each Glazed Shutter should be used all around glass in shutter.Each Glazed Shutter assonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filledup by sellicon sealant).Glass shutter & Fixed Glass portions should be provided with a glass of 5MM Plain Float Glass.Windows should be provided with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x 12mm MS flat. Total grill unit should be powder coated and fixed to window frame with screws.	10.00	0.00	18.00	28.00	SQM		

S.No.	Description	Quantities				Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A PART B PART C Quantities					e/x 051	e/x GS1
107	WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000SERIES; MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL FEATURES: FIXED;Providing and fixing Eco 3000 Series Windows fabricated from roll formed sections made of Galvanized Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D" quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60 mm. Coated Sections should be with Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with Polyester Paint of 12-16 microns thick and back coated with Alkyd backer of 5-7 microns, or Powder Coated with pure Polyester Powder up to 50-60 microns thick.Section for frame should be 48mm x 50mm, Section for Mullion should be of 48mm x 50mm, Section for Glazed Shutter Frame should be of 12mm x 12mm.Frame and Shutter Frame Sections should be of 12mm x 12mm.Frame and Shutter Frame Sections should be of 12mm x 12mm.Frame and Shutter Frame Sections should be used all around glass in shutter.Each Glazed Shutter should be used all around glass in shutter.Each Glazed Shutter should be used all around glass in shutter.Each Glazed Shutter should be provided with S.S. Pivot Hinges-1set, Seccolor Handle & Seccolor Stay.Window Frame should be fixed to brick/concrete masonry by using Nylon self expanding caps and driving MS electroplated 80mm long screws into the caps through frames. (after fixing the windows, gap shall be filledup by sellicon sealant).Glass shutter & Fixed Glass portions should be provided with a glass of 5MM Plain Float Glass.Windows should be provided with a glass of 5MM Plain Float Glass.Windows should be provided with and fixed to window frame with screws.		0.00	0.00	6.00	SQM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
108	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37 mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre,	95.40	0.00	0.00	95.40	SQM		

S.No.	Description	Quantities				Unit	Rate (In Rs.)	· /
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
109	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with :12.5 mm thick tapered edge gypsum plain boa	47.70	0.00	0.00	47.70	SQM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
110	FALSE CEILING IN ARMSTRONG FINE FISSURED BUTT EDGE TILES 595X595MM : PROVIDING & FIXING OF ARMSTRONG FINE FISSURED BUTT EDGE TILE CEILING "COMPLETE IN ALL RESPECTS USING ARMSTRONG CHANNELS, HANGERS ETC. ITEM ""COMPLETE WITH ALL EDGE CUT TILES AND REQUIRED CUTTING FOR LIGHTS, " "SPEAKERS, DETECTORS, DIFFURES, ETC.TILE CODE-ARMSTRONG FINE FISSURED NF BUTT EDGE (AR230) Make - GYPROC.		0.00	0.00	23.85	SQM		
111	S/F PVC conduit : Supplying and fixing of following sizes of PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 25mm (AR572)	200.00	25.00	25.00	250.00	М		
112	Circuit / sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 4 sq. mm + 1 X 4 sq. mm earth wire.	150.00	65.00	120.00	335.00	М		
113	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	250.00	35.00	60.00	345.00	М		
	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 6 sq. mm + 1 X 6 sq. mm earth wire	150.00	22.00	60.00	232.00	М		
115	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group C (AR559)	56.00	24.00	42.00	122.00	EACH		
116	P/F/T/C 6/16A 5 pin modular socket controlled by 16 A switch.(complete set modular). (AR693)	44.00	8.00	16.00	68.00	EACH		
117	Providing, Fixing, Testing & Commissioning Of 3nos 6A 5pin socket & 1no 6A switch in 5 module plate. (AR760)	28.00	5.00	8.00	41.00	EACH		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
118	S / F light plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection. painting etc. as required. (For light plugs to be used in non residential buildings). (AR593)	18.00	16.00	20.00	54.00	EACH		
119	S / F power plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and .fixing 6 pin 15 / 16 & 5 / 6 amps modular socket outlet and 15 / 1 6 amps modular switch, connection, painting etc. as required. (AR594)		12.00	14.00	48.00	EACH		
120	Providing and fixing circular/hexagonal m.s. sheet ceiling fan box "with clamp of internal dia 140 mm, 73 mm height, 3 mm thick rim, " top and bottom lid of 1.5 mm m.s. sheet. lids shall be screwed into "m.s. box by means of 3 mm round headed screws, clamps shall be made "of 12 mm dia ms bar bend to shape as per std. drawing with overall length as 80 cm.	18.00	0.00	0.00	18.00	EACH		
121	Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 Amps. (AR617)		4.00	4.00	16.00	EACH		
122	S / F 'C' series. SP MCB : Supplying and fixing 5 amps to 32 amps rating, 240 volts. 'C' series, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. : Single pole (AR787)"	16.00	15.00	8.00	39.00	EACH		
123	S/F SP MCB DB consumer unit : Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board consumer unit, 240 volts. on surface/ recess, complete with tinned copper busbar, neutral busbar, earth bar, din bar, hinged front acrylic cover for the MCB knobs, detachable gland plate, interconnections, phosphatized and powder painted including earthing etc. as required. (But without MCB / RCCB / Isolator): 2 + 8 way (AR785)	2.00	0.00	2.00	4.00	EACH		
124	Providing and fixing of LED Tubelight of 40Watt as per direction of EIC	18.00	18.00	20.00	56.00	EACH		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities			
125	Providing and fixing Industrial type Axial Exhaust fan of propeller type / axial type shall be provided for rooms with suitable drive motor, DOL starter, rain protection cowl with screen, grouting bolts etc. Fan for battery room shall be bifurcated type spark proof construction as per direction of Engineer incharge sweep of 600mm .(Make-Crompton).	2.00	0.00	0.00	2.00	EACH		
126	Providing and fixing ceiling Fan 1400 mm of approved make.	6.00	0.00	0.00	6.00	EACH		
127	Demolition and disposal from site as per MCD/DPCC norms of existing building (boundary wall if applicable) RCC work, Brick work ,Steeel work, Door & windows, Flooring, False ceiling, Grade slab, plinth protection electrical fitting, Plumbing, foundation, boundary wall (if applicable) or any other items not mentioned above and taking out all material and giiving recovery rate on sq feet basis of covered area.	362.38	0.00	0.00	362.38	Sqm		
128	LUM,LED,CEILING;36W;140-270V;600X600MM P/F/T/C LUMINAIRE,LED,TYPE:CEILING;POWER:36 W;VOLTAGE:140-270 V;LAMP SIZE:600X600 MM;MOUNTING:RECESSED;INGRESS PROTECTION:IP 20; MAKE:CROMPTON;MODEL:LCTLRN 36 FO CDL;ADDITIONAL INFORMATION:LED 36 W EFFICIENCY 85 PERCENT SURGE PROTECTION UP TO 2.5 KV: SYSKA / HAVELLS OR EQUIVALENT	10.00	0.00	0.00	10.00	NOS		
	P/F Focus light 7 wt of syska or equivalent make	10.00	0.00	0.00	10.00	NOS		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GS1	e/x GST
130	Providing and fixing JSW/ Bluescope pre coated galvanized rib & flute design profile sheets (size, shape and pitch of corrugation as approved by Engineer in-charge) 0.50 mm (+0.05%) total coated thickness with Aluminium zinc coating 150 grams per sqm on both sides (AZ 150 as per AS 1397 - 1993), in minimum 300 mpa yield strength with super durable polyester colourboard XRW of approved color. Total coating thickness of 35 microns, comprising of 20 mm microns exterior coat on top surface and 5 micron reverse on back surface over 5 micron epoxy primer coats on both surface includgin" side and laps of approved color and shade as per EIC. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length up to 12 meters or as desired by Engineer-in- charge The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete up to any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting toR size and shape wherever required. The sheets shall have brand make marking of manufacturer giving product details on the back of sheet at every regular interval for conforming genuinely of material. (Based on 12.50-A187)"	300	0.00	25.00	325.00	SQm		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
131	Provide and install sacrificial zinc anodes Fosroc Galvashield XPI, to prevent the initiation of corrosion in steel reinforcement within chloride-contaminated or carbonated concrete, or in new construction. Each anode unit must contain a minimum of 60 grams of zinc, compliant with ASTM B418-95a, Type I, die-cast around steel tie wires, ensuring proper separation if multiple tie wires are used. The anodes must be encapsulated in a highly alkaline cementitious mortar with a pH of 14 or higher, free from sulfates, chlorides, bromides, or any other corrosive elements to steel. The encapsulating mortar should feature an interconnected and fine pore structure to dissolve, transport, and accommodate zinc corrosion products away from the anode surface without causing additional stress to the concrete cover, maintaining a pH > 14 near the uncorroded zinc for the specified service life. Anode units shall be supplied with integral, well-separated tie wires (without splices if multiple wires are used) and loop ties for direct attachment to the reinforcing steel. Anodes should be covered with a bed mortar with resistivity less than 50 kOhm-cm or similar to the parent concrete on cleaned steel reinforcement before applying passivation coating. The scope includes supply, installation, spacing calculations, quality assurance procedures, and must adhere to manufacturer specifications. Approved brand shall be M/s Fosroc Galvashield Anodes/Vector Galvashield/IPSS	294	14.00	55.00	363.00	Nos		
132	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of engineer in charge. Nominal concrete: 1:3:6 or richer mix (i/c equivalent design mix)	0	117.00	128.00	245.00	CUM		
133	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	0	81.00	84.00	165.00	CUM		
134	Demolishing brick work manually /by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-In-charge.: In cement mortar	0	83.00	100.00	183.00	CUM		
135	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 m lead.	0 Page 172	250.00	850.00	1100.00	KG		

ATTACHMENT-IV

S.No.	Description		Quantities				Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
136	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	0	649.00	2410.00	3059.00	SQM		
137	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead:For thickness of tiles 10 mm to 25 mm	0	22.00	35.00	57.00	SQM		
138	Demolishing mud phaska in terracing and disposal of material within 50 metres lead (15.27-AR282)	0	88.00	90.00	178.00	CUM		
	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer in-charge.	0	13.00	18.00	31.00	SQM		
140	Supplying and spreading uniformly in yard of grid s/stn. blue stone aggregate 20 mm single size of good quality i/c loading, unloading for all leads & lifts complete, as per direction of Engineer in charge.	0.00	12.00	250.00	262.00	CUM		
141	Removing dry or oil bound distemper water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	0.00	2200.00	400.00	2600.00	SQM		
142	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including water thinnable priming coat with cement primer	0.00	2100.00	1985.00	4085.00	SQM		
	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	0.00	33.00	35.00	68.00	SQM		

S.No.	Description		Quantities			Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
144	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc.,complete.	0.00	11.00	6.00	17.00	SQM		
145	Forming groove of uniform size in the top layer of washed stone grit plaster as per approved pattern using wooden battens, nailed to the under layer including removal of wooden battens, repair to the edges of panels and finishing the groove complete as per specification and direction of the Engineer-In-Charge. 15 mm wide and 15 mm deep groove (13.73.1-AR225)	0.00	1180.00	0.00	1180.00	М		
146	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, welded, including fixing of necessary butt hinges and screw and applying a priming coat of aprroved steel primer. Fixing with 15x3 mm lugs 10cm long embedded in cement concrete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size. (10.13-AR132)	0.00	150.00	350.00	500.00	KG		
147	Providing/fixing by welding (IRC fabric) welded mesh of size 25x75 mm of weight not less than 7.75 kg/ sqm to the frame of MS angles, tees, etc. including priming coat of approved brand. (AR85)	0.00	260.00	350.00	610.00	KG		
148	Providing and fixing by welding 65 mm size M.S. Hinges made out of 5mm thick M.S. sheet i/c nuts, bolts etc. complete to M.S. angles/channels as approved by Engineer-In-Charge . The cost is inclusive of material, cartage, welding etc. complete job.(AR489)	0.00	36.00	120.00	156.00	EACH		
149	Providing and fixing M.S. Sheet of required thickness to M.S frames by welding. (The cost includes the cost of M.S. sheet, cutting, straightening, labour, cartage, welding rods, hire charges of welding machine etc. complete) as per direction of Engineer-In-Charge. (AR87)	0.00	320.00	2150.00	2470.00	KG		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	Amount (In Rs.)
	•	PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
150	Removing of damaged / broken / twisted IRC welded mesh fencing panels repairing of damaged / broken members , replacing new members if required, setting right the fencing panel in proper shape and size as per site requirement, re-fixing of panel at old location / new location in proper position and required alignment, Rate includes the cost of all labour , T & P , welding rods, welding machine, etc complete. The cost of structural steel and nut bolts, washers, IRC welded Mesh etc., if required will be paid separately.	0.00	60.00	50.00	110.00	SQM		
	Providing and fixing roofing consist of 0.8 mm thick galvanized steel deck sheet confirming to IS 277:1992 used as permanent shuttering over which MS wire mesh 3mm laid at 100x100 mm grid including edge trim covered with concrete. This metal deck will be supported on structural steel beam with shear studs. (Structural steel like Beam,column, joists etc. & concrete of different grade as per design will be paid separately)	0.00	132.00	750.00	882.00	SQM		
	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/ structure, upto 25 metre height, above ground level including additional rows of scaffholding in stepped manner as per requirement of site, made with 40mm dia. M.S. tube 1.5 m centre to centre horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and / or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once only for execution of all items for such works.	0.00	35.00	300.00	335.00	SQM		
153	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Semi rigid pipe 32 mm dia (17.28.1.1-AR320)	0.00	4.00	0.00	4.00	EACH		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
154	Providing and fixing 60 cm long PVC rain water spout in proper line and level in cement mortar 1:4 (1 cement : 4 fine sand) in the existing khurra level, dismantling wall/ pipe and making hole of required size for fixing of pipe, filling CC 1:3:6 (1cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) between wall and pipe, plastering both sides of walls with cement mortar 1:4 (1 cement :4 fine sand)and making the pipe joint leak proof.	0.00	2.00	0.00	2.00	EACH		
155	Providing and fixing unplasticised- PVC pipe clips of approved design to unplasticised- PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length including cutting brick work and fixing in cement mortar 1:4 (1cement : 4 coarse sand) and making good the wall etc. complete. 110 mm (12.43.2-AR184)	0.00	64.00	98.00	162.00	EACH		
156	Chipping of Unsound Concrete :Cleaning the concrete surface by removing dirt and debris, marking defective locations and Chipping/removing of loose/Unsound/weak concrete from slabs beams, columns etc by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge. Upto 75mm average. Protactive coating: Applying two coats of surface applied Bipolar Corrosion inhibitor FAIRCRETE C SURFACE APPLIED or equivalent as per manufacturer's specification and direction of the Engineer	0.00	62.00	190.00	252.00	SQM		
157	Providing and applying Reebaklens RR, a combination of acid based material, corrosion inhibitors and dispersing agents rust remover, for removal of all rust/ scales/corrosion from reinforcement bars before microconcreting or patch repair, having Specific Gravity 1.16-1.22. Reebaklens RR Shall be applied with brush for complete wetting of rusted metal surface at coverage of 2-2.5 Sqm/ltr. & allow it to react for 16-24 hours. After 24 hours, a white layer will appear which will protect further corrosion of metal /steel for about 5-7 days. Before applying any protective coating, the surface should be wire brushed and thoroughly cleaned for dust with dry cloth.	0.00	24.00	92.00	116.00	SQM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
158	Providing and applying Nitozinc Primer an epoxy based zinc rich anti corrosive primer having adhesive bond strength \geq 1.5 MPa as per ASTM D4541, & shall comply to per ASTM B-117 to be applied on well cleaned, fully exposed and all loose scale , rust free rust free surface obtained by grit blasting or suitable means , to be done with coverage @4.5sqm/litres to achieve a minimum thickness of 40microns DFT or as per direction of Engineer-In charge.	0.00	24.00	92.00	116.00	SQM		
159	Providing and applying Renderoc SP40 shrinkage compensated fiber reinforced polymer modified wet spray repair mortar on the prepared surface and curing with curing compound. The repair mortar used shall be single component and shall be mixed with water at water powder ratio of 0.18 and shall have drying shrinkage < 1000 microstrain as per ASTM C 157-93; compressive strength > 40 MPa ; Flexural Strength > 7 Mpa as per ASTM C 348, bond strength > 6 MPa as per ASTM C 1042, etc complete. Product used shall have CE (CE-29842) marking and compliance according to Construction Products Directive 89/106/EEC (CPD). Cost of curing compound shall be paid separately. Thickness 25mm. [Polymer Modified Mortar for Surface Repair (Lesser thickness & Larger surface area- Wet spray mortar)]	0.00	52.00	150.00	202.00	SQM		
160	Providing and applying Concure 1315, a acrylic polymer based non- degrading single component having solid content 33% to be applied over the freshly casted concrete members. The coating shall be applied using brush/roller/roller @ consumption of 200ml/coat/sqm. The coating shallcomply to ASTM C1315 Type 2, & shall have moisture retention < 0.4 kg/m ² as per ASTM C156, Adhesion of tile cement : >0.5 N/mm ² .[Curing Compound]	0.00	52.00	725.00	777.00	SQM		
161	Providing & Laying glass fiber cloth of approved quality all complete as per direction of engineer incharge.	0.00	500.00	675.00	1175.00	SQM		

S.No.	Description		Quantities				Rate (In Rs.)	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GST	6/2 001
162	Providing and fixing factory made Fiberglass Reinforced plastics (F.R.P.) chajja 4 mm thick of required colour, size and design made by Resin Transfer Moulding (RTM) Machine Technology, resulting in void free compact laminate in single piece, having smooth gradual slope curvature for easy drainage of water and duly reinforced by 2 nos vertically and 1 nos horizontally 50x2 mm thick M.S. flat with 12 mm in built hole for grouting on the existing wall along with the 50 mm flanges duly inserted and sealed in the wall complete in one single piece casted monolithically, including all necessary fittings . The FRP Chajja should be manufactured using unsaturated Polyester resin as per IS: 6746, duly reinforced with fibre glass chopped strand mat (CSM) as per IS: 11551 complete with protective Gel coat U/V coating on Top for complete resistance from the extreme of temperature, weather & sunlight. Note - Only plan area of chajjas shall be measured for making payment]	0.00	3.00	0.00	3.00	SQM		
163	NRV Nozzles Installation: Drill and fix NRV nozzles in RC members, including (fixing material: Renderoc Plug of Fosroc / Sikadur-31 of Sika/ MasterBrace 2200 of BASF or equivalent of Pidilite& Krishna Conchem). Drilling Holes: Drilling 12 mm dia, 50 to 75 mm deep holes or upto required depth in structural members of the intervals of 350 mm in staggered manner or as directed by the Engineer-in-charge in RC structural elements. Cleaning of holes: Clean the holes by air blower prior to fixing nozzles. Fixing of Nozzles: Insert 12mm dia. NRV nozzles in cleaned holes. External end of nozzles to be machine to receive outlet of grouting gun. Fix it inside the holes by applying thyrotrophic epoxy putty to ensure complete sealing. Cure the system for min. 12 hrs. Cuttting of Nozzles: Cut the nozzles by chisel after completion of grouting without damaging structural elements.	0.00	775.00	680.00	1455.00	Nos		

S.No.	Description	Quantities			Unit	Rate (In Rs.)	• •	
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
164	Pressure Grouting with Epoxy Resin: Perform pressure grouting using Conbextra EP10, a low viscous solvent-free two-component epoxy resin with a density of 1050 kg/m ³ . Ensure the epoxy resin has viscosity < 0.6 poise (ASTM D1200), compressive strength > 80 MPa (ASTM D 695), and bond strength > 4 MPa (ASTM C882). Use products with CE marking and compliance according to Construction Products Directive 89/106/EEC. Mix epoxy resin components in required quantities as per manufacturer's instructions. Fill the grouting gun with epoxy resin and maintain desired pressure using an air compressor. Grout the material through prefixed nozzles in structural elements until refusal, sealing the nozzles with epoxy putty afterward. Monitor and seal leakages through other nozzles as required. Complete the operation within the pot life of the material. Clean the grouting gun and accessories with thinner after the operation to prevent jamming.	0.00	88.00	168.00	256.00	KG		
	Providing and applying bond coat on the prepared surface with two component epoxy based bonding coat Nitobond EP of Fosroc make or equivalent, having specific gravity 1.15 to 1.2 gm/cc,. The bonding agent shall be applied by brush & should remain in tacky state after application for a minimum period of 5-6 hrs at 20 deg C & 2-3 hrs at 30 deg C. Laying of reinstatement polymer modified mortar or micro concrete shall be completed within the overlay time of bonding coat.	0.00	65.00	192.00	257.00	Sqm		
166	Construction of Horizontal and Vertical Seismic Band as per IS: 13925 by cutting chase in existing plaster by mechanical cutter, removing plaster, raking expose joints, cleaning, providing and fixing 3.25 mm dia (Gauge 10) Galvanised steel wire fabric mesh with spacing 25 mm x 25 mm to be fixed & firmly anchored to the surface of Brick masonary, stone masonary or concrete by means of GI steel shear key or bolts and tying the mesh to the bolts with GI binding wire including fixing the steel bars in position using epoxy resin anchor grout of approved make complete with cost of labour, tool & plants etc. complete as required for fixing as per direction of Engineer-in- charge.	0.00	75.00	295.00	370.00	SQM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
167	Supply and apply Nitobond AR, an acrylic-based emulsified solution containing a minimum of 43% solids and compatible with cementitious materials. The bonding agent shall provide sufficient bond strength when applied directly on concrete or when mixed with neat cement. Ensure proper application to achieve effective adhesion between substrates and subsequent layers of cementitious materials, adhering to manufacturer's recommendations for optimal performance and durability in construction applications. Nitobond AR is particularly suitable when a longer working period after applying the bonding agent is required	0.00	22.00	35.00	57.00	Sqm		
168	Surface Preparation: Make a 'V' groove 5 mm wide and 5 mm deep over the crack line using an electrically operated angle grinder with a diamond concrete saw blade. Clean the groove thoroughly with an air blower as directed by the Engineer-in-charge.	0.00	32.00	50.00	82.00	М		
169	Sealing with Epoxy Repair Mortar: Seal the exposed 'V' groove (5 mm deep, 5 mm wide) with a solvent-free, moisture-tolerant, thixotropic, two-part structural adhesive and epoxy repair mortar cum surface leveling mortar. Ensure the epoxy repair mortar has compressive strength \geq 60 N/mm ² (7 Days, BS 6319), flexural strength \geq 20 N/mm ² (7 Days, BS 6319), and tensile strength \geq 10 N/mm ² (7 days, ASTM C 307). Use products like NITOMORTAR S OF FOSROC, Sikadur®-31 of Sika, MasterBrace 2200 BASF, or equivalent of Pidilite.	0.00	31.00	50.00	81.00	М		

S.No.	Description	Quantities					Rate (In Rs.) e/x GST	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x 051	e/x GST
170	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) :Rebar 10 mm Dia x 14 mm holes x 100mm depth	0.00	62.00	100.00	162.00	Nos		

S.No.	Description	Quantities					Rate (In Rs.) e/x GST	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x 331	e/x GST
171	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) :Rebar 12 mm Dia x 16 mm holes dia x 120 mm depth	0.00	65.00	120.00	185.00	Nos		

S.No.	Description	Quantities					Rate (In Rs.) e/x GST	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x 051	e/x GST
172	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :- Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth) : Rebar 16 mm Dia x 20 mm holes dia x 160 mm depth	0.00	112.00	220.00	332.00	Nos		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.)
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
173	Strengthening: Carbon fibre wrap/Carbon Laminates - Providing and applying uni directional, high strength carbon fiber sheets Nitowrap CWS of 450 GSM/ dry fabric thickness. The FRP fabric used shall be of zero degree unidirectional fibers having fiber density of 1.8 g/cc and shall have tensile strength > 4900 MPa ; tensile modulous > 230 GPa and ultimate elongation of 2.1%. The substrate shall be primed with Nitowrap 30 epoxy primer & Nitowrap 410 impregnating resin saturant shall be used for saturating the fibers. Saturant used shall have tensile strength of >30 MPa; Elongation > 2% ; Flexural strength > 30 MPa ; Tensile Modulous > 2400 MPa & Flexural Modulous > 1700 MPa when tested as per ASTM D638 Type I and ASTM D 790 & Glass Transition Temperature > 50 deg Celcius as per ASTM E 1356. The adhesion of the entire system(FRP Sheet, Saturant and primer combined) with concrete shall be > 3.5 MPa with concrete failure as per ASTM D 4541. (Product :- Nitowrap CWS of 450 GSM of Fosroc, Sikawrap® 930 G of Sika / MasterBrace FIB 73/900 of BASF) Surface preparation: Grinding/ moulding concrete substrate cleaning it with wire brush removing oil, laitance if present, rounding sharp edges to min 25mm radius etc. complete. Profiling : Applying compatible primer of approved make and brand on prepared substrate, filling the holes and uneven surface with thixotropic putty etc. complete. Wrapping : Wrapping the fiber sheet with recommended overlapping to structural element at desired oriention using tamping roller to avoid any air voids etc. repeat the same procedure for multiple layer with the interval of 8 hrs. Sand Pasting : Applying second coat of saturated after 12 hrs. rectify air voids if any, paste the coarse sand on it to make surface rough to take any further finishes (Mode of measurement : Per sqm surface area of application per layer).	0.00	48.00	35.00	83.00	SQM		
174	Supply and install fiber anchors to be embedded at a depth of 75 mm with 75 mm protrusion, spaced at 500 mm center to center. (Product make: Fosroc/ Sika/ BASF)	0.00	52.00	150.00	202.00	Nos		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	· /
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
	PU Grout - Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03 , and foam density of $0.024g \pm 0.003$. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete :Nitofill WS60	0.00	18.00	45.00	63.00	Kg		
	PU Grout - Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20° C, specific gravity of 1.11 ± 0.03 , and foam density of $0.024g \pm 0.003$. Used alongside Nitofill UR63, a flexible two-part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25° C, reaction time of 70 to 90 minutes at 25° C, viscosity of $40-60$ cps at 25° C, and specific gravity of 1.1 . When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete :Nitofill UR63	0.00	18.00	45.00	63.00	Kg		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		e/x GST	e/x GST
177	Supply and apply Dekguard E2000, a high-performance elastomeric protective anticarbonation coating for concrete and masonry. The protective coating system includes a penetrating silane-siloxane primer (Dekguard Primer) and a single-component elastomeric anticarbonation aliphatic acrylic coating (Dekguard E2000). Ensure the total dry film thickness of the protective coating system is not less than 200 microns. The coating system shall provide CO2 diffusion resistance of at least 50 meters (equivalent air layer thickness), static crack accommodation of minimum 2mm, and adhesion greater than 1.0 N/mm ² as per ASTM D 4541. The product used must meet specified performance standards for durability and protection against carbonation. Apply in accordance with manufacturer's guidelines to ensure effective long-term performance and adherence to project requirements	0.00	18.00	20.00	38.00	Sqm		
178	Providing, cutting and laying SWG10 welded wire mesh and mesh size 50x50 mm including anchoring it on the wall with 4.75mm bar by drilling and fixing with cement slurry as per drawing details,specification and instruction by the Engineer.	0.00	278.00	550.00	828.00	Sqm		
179	EXTRA PAYMENT FOR USING 15mm plaster - UltraTech Readiplast is a ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.	0.00	70.00	70.00	140.00	SQM		
180	Extra for using Dholpur/Jaisalmer stone grit inplace of ordinary grit	0.00	430.00	935.00	1365.00	SQM		
181	Providing and fixing circular/hexagonal cast iron or M.S. sheet box for ceiling fan clamp of internal dia 140 mm, 73 mm height, top lid 1.5 mm thick M.S. sheet with its top surface hacked for proper bonding, top lid shall be screwed into the cast iron/ M.S sheet box by mean of 3.3 mm dia round headed screw, one lock at the corners. Clamp shall be made of 12 mm dia m.s bar bent to shape as per standard drawing.(10.18-AR134)	0.00	5.00	12.00	17.00	EACH		
182	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	0.00	0.00	20.00	20.00	SQM		
183	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer-in-charge.		0.00	125.00	125.00	SQM		

ATTACHMENT-IV

S.No.	Description	Quantities					Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities		6/2 001	e/x 031
184	Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 metres lead of: G.S. Sheet	0.00	0.00	155.00	155.00	SQM		
185	Providing and laying in position ready mixed plain cement concrete in road / taxi track/runways, with cement content as per approved design mix, using coarse sand and graded stone aggregate up to 40mm nominal size in appropriate proportions as per approved & specific design criteria and manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for plain cement concrete work, including pumping of R.M.C. from transit mixer to site of laying, spreading, compacting mechanically by using needle and surface vibrator, levelling to required slope/camber and curing, including the cost of centring, shuttering and finishing, including cost of curing, admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability as per direction of the Engineer-in-charge. All works up to plinth level :M-10 grade plain cement concrete (cement content consider @ 220 kg/cum)	0.00	0.00	32.00	32.00	CUM		

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.)	. ,
		PART A	PART B	PART C	T C Total Quantities		e/x GST	e/x GST
186	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete (make- ACC, Lafarage, Afcon, Ultra Tech).Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the minimum specified cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement.All works above plinth and upto floor V level : Concrete of M25 grade with minimum cement content of 300 kg /cum	0.00	0.00	80.00	80.00	CUM		
187	Extra for additional height in centering, shuttering where ever required with adequate bracing, propping etc., including cost of de shuttering and decentering at all levels, over a height of 3.5 m, for every additional height of 1 metre or part thereof (Plan area to be measured) : Suspended floors, roofs, landing, beams and balconies (Plan area to be measured). (5.11.1-AR50)	0.00	0.00	1340.00	1340.00	SQM		
	Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.	0.00	0.00	250.00	250.00	SQM		
189	FORMING GROOVE OF UNIFORM SIZE IN THE TOP LAYER OF WASHED STONE GRIT PLASTER AS PER APPROVED PATTERN USING WOODEN BATTENS,NAILED TO THEUNDER LAYER INCLUDING REMOVAL OF WOODEN BATTENS,REPAIR TO THEEDGES OF PANELS AND FINISHING THE GROOVE COMPLETE AS PERSPECIFICATION AND DIRECTION OF THE ENGINEER-IN-CHARGE. 20 MM WIDEAND 15 MM DEEP GROOVE (13.73.2-AR226)	0.00	0.00	2350.00	2350.00	Μ		

S.No.	Description	Quantities					Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	PART C Total Quantities		e/x 051	6/2 001
190	Structural steel work welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete: Using ISMB, heavy section of angle and channel for truss, supporting structures. (AR139)	0.00	0.00	47750.00	47750.00	KG		
191	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water-to-powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite) : Without addition of aggregate	0.00	0.00	7.00	7.00	cum		
192	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water-to-powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/ SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite): With addition of 6 mm down aggregate in 3:1 (3 Micro concrete: 1 aggregate 6 mm & down)	0.00	0.00	7.00	7.00	cum		
					Total	Cost e/x	GST@18% of I	
11	1	IT \A	/ORK					
S.No	Description	11 11		Qty.		Unit	Rate (In Rs.)	Amount (In Rs.
	IT Points			30		Pnt		7 unount (in 1(3.
	1	Page 189			Total cost			

ATTACHMENT-IV

S.No.	Description		Qua	ntities		Unit	Rate (In Rs.) e/x GST	Amount (In Rs.) e/x GST
		PART A	PART B	PART C	Total Quantities			e/x GS1
111		FIRE	WORK					
S.No	Description			ty.		Unit	Rate (In Rs.)	Amount (In Rs.
1	Smoke detector			15		Ea		
2	Alarm/Hooter			1		Ea		
3	Fire alarm panel			1		Ea		
4	Cabel		1	50		Mtr		
					Total cost	e/x GST	@18%-Part-A3	
IV	I		VORK					
S.No	Description			ity		Unit	Rate (In Rs.)	Amount (In Rs.
1	Supply & Installation of Split AC 1.5 Ton,5 Star Inverter AC with R- 32/410 green Gas and Max Ambient Temp-50 deg c with 3 metre copper pipe,pvc drain pipe and power cable. Make : Bluestar/voltas/Dakin	Qty. 15						- unoun (in rice
2	Supply and installation of Stabilizer 4KVA voltage range(170V - 270 V) suitable for Inverter Split AC, Split AC Make : V-Guard/Blue Gaurd			15		NOS		
3	Supply and Installation of Out Door Unit Stand			15		NOS		
4	Supply and installation of extra copper pipe required for 1.5 ton & 2.0 Ton split AC installation as per site requirement (Suction line -1/2" + Liquid line- 1/4") with suitable foam insulation.(Over and above 3.0 Meter supplied with AC unit)		2	15		MTR		
5	Supply and installation of extra PVC Hard drain pipe 25mm with Accessories required for installation.	45				MTR		
6	Supply and Installation of Electrical Cable (3C * 2.5 Sq.mm) (Over and above 3.0 Meter supplied with AC unit)		1	00		MTR		
	· · · · · · · · · · · · · · · · · · ·				Total cost	e/x GST	@18%-Part-A4	
	Total Cost e/x GST@18%	of Package	IV (I+II+III+IV)				

			ATTACHME	<u>ENT-V</u>						
		PAC	KAGE-V, Pri	ice Breakup						
ART - A	: Civil Repairing works at Complaint Centre Lajpat Rai Market	Chandni C	chowk.							
	: Civil Repairing works at Complaint Centre Hauz Qazi daryaga									
<u> ART - C</u>	: Civil Repairing works at Complaint Centre, RAM NAGAR NEA	R SHEELA	CINEMA.							
	: Civil Repairing works at Complaint Center Jama Masjid									
	- Civil Repairing works at Ghata masjid Complain Center							<u> </u>		
S.No.	Description	<u> </u>		Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
1	Earth work in excavation by mechanical means (hydraulic	5.00	10.00	115.32	10.00	15.00	155.32	CUM		
	excavator)/ manual means over areas (exceeding 30 cm in									
	depth. 1.5 m in width as well as 10 sqm on plan) including									
	disposal of excavated earth, lead upto 50 m and lift upto 1.5 m,									
	disposed earth to be levelled and neatly dressed : All kinds of									
	soil.									
2	Supplying and filling in plinth with sand under floors, including	6.00	1.00	33.30	2.00	15.00	57.30	СОМ		
	watering, ramming, consolidating and dressing complete.									
		0.00	7.00		7.00	4.00	00.00			
3	Felling trees of the girth (measured at a height of 1 m above	6.00	7.00	5.00	7.00	1.00	26.00	Each		
	ground level), including cutting of trunks and branches, removing									
	the roots and stacking of serviceable material and disposal of									
	unserviceable material.Beyond 60 cm girth upto and including 120 cm girth									
1	Providing and laying in position cement concrete of specified	10.00	10.00	5.52	14.53	20.00	60.05	СЛМ		
4	grade excluding the cost of centering and shuttering - All work up	10.00	10.00	5.52	14.55	20.00	60.05			
	to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III)									
	derived from natural sources : 3 graded stone aggregate 20 mm									
	nominal size derived from natural sources)									
	nominal size derived nom natural sources									
5	Providing and laying in position cement concrete of specified	8.50	8.64	50.00	8.64	15.00	90.78	СЛМ		
Ũ	grade excluding the cost of centering and shuttering - All work up	0.00	0.01	00.00	0.01	10.00	00.10			
	to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III)									
	derived from natural sources : 8 graded stone aggregate 40 mm									
	nominal size derived from natural sources)									
	, ,									
6	Reinforced cement concrete work in beams, suspended floors,	1.00	1.00	20.00	1.00	10.00	33.00	CUM		
	roofs having slope upto 15°, landings, balconies, shelves,									
	chajjas, lintels, bands, plain window sills, staircases and spiral									
	stair cases upto floor five level excluding the cost of centring,									
	shuttering, finishing and reinforcement with 1:1.5:3 (1 Cement :									
	1.5 coarse sand : 3 graded stone aggregate 20 mm nominal									
	size)									
7	Centring and shuttering including strutting, propping etc. and	2.00	1.00	75.00	1.00	5.00	84.00	SQM		
	removal of form work for : Foundations, footings, bases of									
	columns.		age 191 o							

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	·	Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
8	Centring and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platform	2.00	1.00	330.54	1.00	15.00	349.54	SQM		
9	Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete. cold twisted bars	20.00	120.00	19,500.00	120.00	1,500.00	21,260.00	KG		
10	Add for plaster drip course/groove in plastered surface or moulding to R.C.C. projections	45.00	50.00	36.38	50.00	-	181.38	М		
11	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in cement mortar 1 : 4 (1 cement : 4 coarse sand)	8.00	8.37	26.16	20.00	0.50	63.03	CUM		
12	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	7.00	3.52	58.23	15.00	13.00	96.75	CUM		
13	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	10.00	20.20	34.27	20.20	40.00	124.67	SQM		
14	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete for retrofitting work.	1,900.00	1,000.00	2,668.15	1,500.00	500.00	7,568.15	KG		
15	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	80.00	120.00	69.27	172.73	-	442.00	SQM		
16	Cement plaster skirting (upto 30 cm height) with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement. 18 mm thick	11.00	9.50	8.58	9.50	-	38.58	SQM		
17	Providing and fixing glass strips in joints of terrazo/cement concrete floors 40 mm wide and 4 mm thick.	210.00	416.69	134.43	416.69	-	1,177.81	М		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	· · ·	Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
18	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1:4 (1cement : 4 coarse sand) : 25 mm thick	10.00	5.40	15.00	5.40	-	35.80	SQM		
19	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12mm (average) thick cement mortar 1:3 (1cement : 3coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	10.00	1.40	15.00	1.40	-	27.80	SQM		
20	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, Iaid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc.,complete.	15.00	2.87	5.76	2.87	15.00	41.50	SQM		
21	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	10.00	10.00	255.39	120.00	-	395.39	SQM		
22	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate of 10 mm and down gauge) including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design : In 75 x75 mm deep chase	85.00	97.83	86.50	97.83	80.00	447.16	Μ		
23	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	4.00	6.00	12.00	6.00	12.00	40.00	Each		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
24	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in- charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin- charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	110.00	5.00	23.00	5.00	-	143.00	SQM		
25	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	115.00	87.24	288.22	87.24	80.00	657.70	SQM		
26	15 mm cement plaster on rough side of single or half brick wall of mix 1:4 (1 cement : 4 coarse sand)	115.00	45.79	110.90	45.79	65.00	382.48	SQM		
27	6 mm cement plaster of mix : 1:3 (1 cement: 3 fine sand)	10.00	5.00	254.27	5.00	-	274.27	SQM		
28	Neat cement punning	175.00	191.27	308.12	191.27	210.00	1,075.66	SQM		
29	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.(Per Bag of 50 KG cement used in the mix)	30.00	10.00	30.00	10.00	25.00	105.00	Each		
30	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	680.00	720.55	8.40	720.55	800.00	2,929.50	SQM		
31	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including water thinnable priming coat with cement primer	15.00	25.00	30.00	25.00	30.00	125.00	SQM		
32	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	15.00	25.00	25.00	25.00	-	90.00	SQM		
33	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :Two or more coats on new work	680.00	900.00	288.52	1,220.44	800.00	3,888.96	SQM		
34	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	250.00	545.39	121.07	545.39	350.00	1,811.85	SQM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
35	Washed stone grit plaster on exterior walls of height upto 10 metre above ground level, in two layers, under layer 12mm cement plaster 1:4 (1cement: 4 coarse sand), furrowing the under layer with scratching tool, applying cement slurry on the under layer @ 2 Kg of cement per square metre, top layer 15mm cement plaster 1:1/2:2 (1 cement: 1/2 coarse sand :2 stone chipping 10mm nominal size), in panels with groove all around as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings, complete as per specification and direction of Engineer-in-charge (Payment for providing grooves shall be made separately).	310.00	799.61	468.44	799.61	290.00	2,667.66	SQM		
36	Forming groove of uniform size from 12x12mm and upto 25x15mm in the top layer of washed stone grit plastered surface as per approved pattern, including providing and fixing aluminum channels of appropriate size and thickness (not less than 2 mm), nailed to the under layer with rust proof screws and nails and finishing the groove complete as per specifications and direction of the Engineer-in-Charge.	700.00	1,890.75	908.46	1,890.75	710.00	6,099.96	М		
37	Extra for using white cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	310.00	799.61	468.44	799.61	290.00	2,667.66	SQM		
38	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	15.00	25.00	25.00	25.00	-	90.00	SQM		
39	Removing dry or oil bound distemper water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	685.00	1,484.55	33.40	1,484.55	800.00	4,487.50			
40	Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.	180.00	178.98	-	178.98	210.00	747.96	SQM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
41	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/ structure, upto 25 metre height, above ground level including additional rows of scaffholding in stepped manner as per requirement of site, made with 40mm dia. M.S. tube 1.5 m centre to centre horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and / or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once only for execution of all items for such works.	10.00	836.00	1	852.00	220.00	1,918.00	SQM		
42	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of engineer in charge. Nominal concrete: 1:3:6 or richer mix (i/c equivalent design mix)	14.00	11.44	21.00	11.44	-	57.88	CUM		
43	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	2.00		0.82	-	-	2.82	CUM		
44	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer in-charge.	2.00		1.42	-	-	3.42	SQM		
45	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	58.00	65.00	209.12	65.00	32.00	429.12	CUM		
46	Demolishing brick work manually /by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-In-charge.: In cement mortar	6.50	3.02	7.31	3.02	4.00	23.85	CUM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
47	Dismantling steel work in built up sections in angles, tees, flats	200.00	150.00	300.00	150.00	105.00	905.00	KG		
	and channels including all gusset plates, bolts, nuts, cutting									
	rivets, welding etc. including dismembering and stacking within									
	50 m lead.									
48	Dismantling tile work in floors and roofs laid in cement mortar	80.00	23.07	36.00	23.07	160.00	322.14	SQM		
	including stacking material within 50 metres lead:For thickness									
	of tiles 10 mm to 25 mm									
49	Dismantling stone slab flooring laid in cement mortar including	2.00	1.00	-	1.00	-	4.00	SQM		
	stacking of serviceable material and disposal of unserviceable									
	material within 50 metres lead.									
50	Demolishing mud phaska in terracing and disposal of material	25.00	26.85	33.97	26.85	-	112.67	CUM		
	within 50 metres lead (15.27-AR282)									
51	Dismantling roofing including ridges, hips valleys and gutters	40.00	2.00	9.01	2.00	-	53.01	SQM		
	etc., and stacking the material within 50 metres lead of: G.S.									
	Sheet									
52	Dismantling old plaster or skirting, raking out joints and cleaning	500.00	1,030.27	678.44	500.00	160.00	2,868.71	SQM		
	the surface for plaster including disposal of rubbish to the									
	dumping ground within 50 metres lead.									
53	Providing and fixing concertina coil fencing with punched tape	10.00	10.00	30.00	10.00	-	60.00	M		
	concertina coil 600 mm dia 10 metre openable length (total									
	length 90 m), having 50 nos rounds per 6 metre length, upto 3 m									
	height of wall with existing angle iron 'Y' shaped placed 2.4m or									
	3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire,									
	stud tied with G.I. staples and G.I. clips to retain horizontal,									
	including necessary bolts or G.I. barbed wire tied to angle iron,									
	all complete as per direction of Engineer-in-charge, with									
	reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire									
	of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm									
	thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C.									
	blocks shall be paid separately)									
		4.5.5.5	10.00		10.00	10.00	4			
54	Providing and laying 60mm thick faciory made cement concrete	10.00	10.00	88.98	10.00	10.00	128.98	SQM		
	interlocking paver block of M -30 grade made by block making									
	machine with strong vibratory compaction, of approved size,									
	design & shape, laid in required colour and pattern over and									
	including 50mm thick compacted bed of coarse sand, filling the									
	joints with line sand etc. all complete as per the direction of									
	Engineer-in-charge.									

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
55	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	1.00	1.00	1.00	1.00	-	4.00	Each		
56	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including W.C. pan with ISI marked white solid plastic seat and lid	1.00	1.00	1.00	1.00	-	4.00	Each		
57	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern	2.00	1.00	2.00	1.00	-	6.00	Each		
58	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	2.00	1.00	1.00	1.00	-	5.00	Each		
59	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe- 32 mm dia	4.00	2.00	3.00	2.00	-	11.00	Each		
60	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Internal work - Exposed on wall)	25.00	35.00	35.00	35.00	-	130.00	Μ		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
61	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Concealed work, including cutting chases and making good the walls etc.)	25.00	20.00	40.00	20.00	-	105.00	Μ		
62	Providing and fixing brass bib cock of approved quality : 20 mm nominal bore	2.00	2.00	2.00	2.00	-	8.00	Each		
63	Providing and fixing brass stop cock of approved quality : 20 mm nominal bore	4.00	2.00	3.00	2.00	-	11.00	Each		
64	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	1.00	1.00	1.00	1.00	-	4.00	Each		
65	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	250.00	500.00	2,000.00	500.00	-	3,250.00	PER LITRE		
66	Removing of damaged / broken / twisted IRC welded mesh fencing panels repairing of damaged / broken members , replacing new members if required, setting right the fencing panel in proper shape and size as per site requirement, re-fixing of panel at old location / new location in proper position and required alignment, Rate includes the cost of all labour , T & P , welding rods, welding machine, etc complete. The cost of structural steel and nut bolts, washers, IRC welded Mesh etc., if required will be paid separately.	10.00	10.00	32.50	10.00	10.00	72.50	SQM		
67	Providing and laying water proofing treatment (Dr. Fixit PidicreteURP) on roofs, by mixing Dr. Fixit Pidicrete URP with cement inratio (1:1.5) by weight. Applying : (a) First layer of slurry of cement @ 0.324 kg/sqm mixed with water proofing cement compound @0.216 kg/sqm. This layer will be allowed to air cure for 4 hours. (b)Second layer of slurry of cement @ 0.324 kg/sqm mixed with waterproofing cement compound @ 0.216 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. Therate includes preparation of surface, treatment and sealing of alljoints, corners, junctions of pipes and masonary with polymer mixedslurry.	10.00	10.00	-	10.00	215.00	245.00	SQM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
68	Providing & Laying glass fiber cloth of approved quality all complete as per direction of engineer incharge.	10.00	10.00	-	10.00	215.00	245.00	SQM		
69	15 mm cement plaster 1:4 (1Cement : 4 Coarse sand) containing waterproofing compound (Dr Fixit Pidicrete URP): 15 mm cement plaster.	10.00	10.00	-	10.00	215.00	245.00	SQM		
70	Providing and fixing 60 cm long PVC rain water spout in proper line and level in cement mortar 1:4 (1 cement : 4 fine sand) in the existing khurra level, dismantling wall/ pipe and making hole of required size for fixing of pipe, filling CC 1:3:6 (1cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) between wall and pipe, plastering both sides of walls with cement mortar 1:4 (1 cement :4 fine sand)and making the pipe joint leak proof.	10.00	2.00	8.00	2.00	12.00	34.00	Each		
71	Chipping of Unsound Concrete :Cleaning the concrete surface by removing dirt and debris, marking defective locations and Chipping/removing of loose/Unsound/weak concrete from slabs beams, columns etc by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge. Upto 75mm average. Protactive coating: Applying two coats of surface applied Bipolar Corrosion inhibitor FAIRCRETE C SURFACE APPLIED or equivalent as per manufacturer's specification and direction of the Engineer	35.00	26.16	70.00	26.16	80.00	237.32	SQM		
72 73	Rust Removal & Anti corrosive coating Providing and applying Reebaklens RR, a combination of acid based material, corrosion inhibitors and dispersing agents rust remover, for removal of all rust/ scales/corrosion from reinforcement bars before microconcreting or patch repair, having Specific Gravity 1.16-1.22. Reebaklens RR Shall be applied with brush for complete wetting of rusted metal surface at coverage of 2-2.5 Sqm/ltr. & allow it to react for 16-24 hours. After 24 hours, a white layer will appear which will protect further corrosion of metal /steel for about 5-7 days. Before applying any protective coating, the surface should be wire brushed and thoroughly cleaned for dust with dry cloth.	3.70	172.15	5.00	172.15	5.00	- 358.00	SQM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
74	Providing and applying Nitozinc Primer an epoxy based zinc rich anti corrosive primer having adhesive bond strength ≥ 1.5 MPa as per ASTM D4541, & shall comply to per ASTM B-117 to be applied on well cleaned, fully exposed and all loose scale , rust free surface obtained by grit blasting or suitable means , to be done with coverage @4.5sqm/litres to achieve a minimum thickness of 40microns DFT or as per direction of Engineer-In charge. (Mode of measurement- per sqmt of breaking area of concrete)(Fosroc- Nitozinc Primer & Sika- Sika® FerroGard®- 950 IN	3.70	172.15	5.00	172.15	5.00	358.00	SQM		
75	Providing and applying Renderoc SP40 shrinkage compensated fiber reinforced polymer modified wet spray repair mortar on the prepared surface and curing with curing compound. The repair mortar used shall be single component and shall be mixed with water at water powder ratio of 0.18 and shall have drying shrinkage < 1000 microstrain as per ASTM C 157-93; compressive strength > 40 MPa ; Flexural Strength > 7 Mpa as per ASTM C 348, bond strength > 6 MPa as per ASTM C 1042, etc complete. Product used shall have CE (CE-29842) marking and compliance according to Construction Products Directive 89/106/EEC (CPD). Cost of curing compound shall be paid separately. Thickness 25mm. [Polymer Modified Mortar for Surface Repair (Lesser thickness & Larger surface area- Wet spray mortar)]	35.00	172.15	70.00	85.00	80.00	442.15	SQM		
76	Providing and applying Concure 1315, a acrylic polymer based non-degrading single component having solid content 33% to be applied over the freshly casted concrete members. The coating shall be applied using brush/roller/roller @ consumption of 200ml/coat/sqm. The coating shallcomply to ASTM C1315 Type 2, & shall have moisture retention < 0.4 kg/m ² as per ASTM C156, Adhesion of tile cement : >0.5 N/mm ² .[Curing Compound]		172.15	70.00	85.00	80.00	442.15	SQM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	2000.1010	Part A	Part B	Part C	Part D	Part E	Quantity	•	e/x GST	e/x GST
77	Polyurethane Waterproofing by Dr.Fixit Flexi PU 270(I):	170.00	191.27	285.73	191.27	225.00	1,063.27	SQM		
	Removing & chipping off of existing losse plaster. Clean the									
	surface from contaminants with brush. Remove any sharp									
	protrusion on the blinding layer by chipping and local repairs.									
	Surface Preparation: All surfaces which are to receive the									
	coating must be free from oil, laitance, grease, wax, dirt or any									
	other form of foreign matter which might affect adhesion. Cut									
	back any protrusions. Typically concrete surfaces can be									
	cleaned using high pressure water jet or by proper wire									
	brushing/grinder.All cracks, construction joints, honey									
	combed/damaged surface to be repair with PMM and cracks to									
	be chase out by cutting 25mm x 25mm "V" shape groove all									
	along the crack, cleaning cracks and sealing it using Mesto									
	Grout HS , curing etc., all complete as per the manufactureres									
	specification and direction of engineer-in-charge.									
	L Shape, Augular Fillet: Providing 50 mm X 50 mm angle									
	fillets on the vertical up-stands, parapet wall junction corners,									
	service units and properly dressed by preparing polymer									
	modified mortar with Pidicrete URP or equivalent in the ratio									
	of 1:3 by adding polymer 10% by weight of the cement,									
	add little water, until the required consistency is achieved.									
	Injection Grouting: Providing and applying injection grouting									
	treatment by chemical injection grout process at construction									
	joints, wall joints, honey comb areas etc. in concrete surface or									
	the area using nozzles of min 25-50mm deep in slabs along with									
	construction joints consisting of injection cement slurries of									
	different viscosities under pressure by pump using injection grout									
	waterproofing chemical (Pidicrete AM) mixed with neat cement									
	slurry and sealing off nozzles after the injection operation.									
	PU Waterproofing Coating: Supplying and applying, Dr.Fixit Flexi									
	PU 270(I) highly flexible is a liquid-applied, highly permanent									
79	elastic, cold applied and cold curing single component	2.00	10.00		10.00		00.00	0014		
/9	Supply, precast RCC trench cover of various size varying 1500	2.00	10.00		10.00	-	22.00	SQM		
	mm in length, 450 mm in width & 50 mm in thickness, with 3 mm									
	thick 50mm wide, ms strip all around welded to the steel									
	reinforcement bar of 6mm dia, 100 mm centre to centre & two									
	no. hooks of 12 mm dia bar for lifting gaving finishing top surface & grade of cement concrete M-20. (AR478)									
	a grade of cement concrete W-20. (AR478)									

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
80	NRV Nozzles Installation: Drill and fix NRV nozzles in RC members, including (fixing material: Renderoc Plug of Fosroc / Sikadur-31 of Sika/ MasterBrace 2200 of BASF or equivalent of Pidilite& Krishna Conchem). Drilling Holes: Drilling 12 mm dia, 50 to 75 mm deep holes or upto required depth in structural members of the intervals of 350 mm in staggered manner or as directed by the Engineer-in- charge in RC structural elements. Cleaning of holes: Clean the holes by air blower prior to fixing nozzles. Fixing of Nozzles: Insert 12mm dia. NRV nozzles in cleaned holes. External end of nozzles to be machine to receive outlet of grouting gun. Fix it inside the holes by applying thyrotrophic epoxy putty to ensure complete sealing. Cure the system for min. 12 hrs. Cuttting of Nozzles: Cut the nozzles by chisel after completion of grouting without damaging structural elements.	220.00	473.00		473.00	-	1,166.00	Nos		
81	Pressure Grouting with Epoxy Resin: Perform pressure grouting using Conbextra EP10, a low viscous solvent-free two- component epoxy resin with a density of 1050 kg/m ³ . Ensure the epoxy resin has viscosity < 0.6 poise (ASTM D1200), compressive strength > 80 MPa (ASTM D 695), and bond strength > 4 MPa (ASTM C882). Use products with CE marking and compliance according to Construction Products Directive 89/106/EEC. Mix epoxy resin components in required quantities as per manufacturer's instructions. Fill the grouting gun with epoxy resin and maintain desired pressure using an air compressor. Grout the material through prefixed nozzles in structural elements until refusal, sealing the nozzles with epoxy putty afterward. Monitor and seal leakages through other nozzles as required. Complete the operation within the pot life of the material. Clean the grouting gun and accessories with thinner after the operation to prevent jamming.	25.00	31.56	39.29	31.56	-	127.41	KG		
	Providing and applying bond coat on the prepared surface with two component epoxy based bonding coat Nitobond EP of Fosroc make or equivalent, having specific gravity 1.15 to 1.2 gm/cc,. The bonding agent shall be applied by brush & should remain in tacky state after application for a minimum period of 5- 6 hrs at 20 deg C & 2-3 hrs at 30 deg C. Laying of reinstatement polymer modified mortar or micro concrete shall be completed within the overlay time of bonding coat.	40.00	26.16	69.09	26.16	-	161.41	Sqm		
		_					1			1

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	·	Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
83	Construction of Horizontal and Vertical Seismic Band as per IS: 13925 by cutting chase in existing plaster by mechanical cutter, removing plaster, raking expose joints, cleaning, providing and fixing 3.25 mm dia (Gauge 10) Galvanised steel wire fabric mesh with spacing 25 mm x 25 mm to be fixed & firmly anchored to the surface of Brick masonary, stone masonary or concrete by means of GI steel shear key or bolts and tying the mesh to the bolts with GI binding wire including fixing the steel bars in position using epoxy resin anchor grout of approved make complete with cost of labour, tool & plants etc. complete as required for fixing as per direction of Engineer-in-charge.	74.25		218.00	-	330.00	622.25	Sqm		
84	Providing and Laying 110 mm dia PVC pipe (Heavy duty-working pressure 6Kg/cm2) of Prakash or equivalent make as per required slope for sewer line including jointing etc. complete as per direction of Engineer-in-charge (Wt. of pipe-22 Kg approx).	30.00	45.00	45.00	45.00	30.00	195.00	Μ		
85	P/F UPVC (SWR) pipes- 80mm dia	15.00	10.00	10.00	10.00	10.00	55.00	М		
86	P/F UPVC FLOOR TRAPS	5.00	5.00	5.00	5.00	5.00	25.00	Each		
87	P/F of CP jalli of appd design and shape: 100 mm dia. (AR522)	5.00	5.00	5.00	5.00	5.00	25.00	Each		
88	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Bend 87.5°-110 mm bend. (12.42.5.2-AR180)	6.00	15.00	15.00	15.00	5.00	56.00	Each		
89	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. coupler- 110 mm. (12.42.1.2-AR174)	6.00	15.00	15.00	15.00	5.00	56.00	Each		
90	Providing and Fixing bevelled edge mirror of superior quality glass (Modi /Sant Gobain) complete with 6 mm thick hard board fixed to wooden cleats with cp brass screws and washers etc complete. (17.31-AR508)	1.85	1.85	1.85	1.85	1.85	9.25	Sqm		
91	Providing and fixing health faucet hindware or parryware make as per direction of EIC (Based on MR)	2.00	2.00	2.00	2.00	2.00	10.00	Each		
92	Providing and fixing C.P. brass angle valve for basin mixer and gyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore : 15 mm nominal bore (18.53.1-AR423)	8.00	12.00	12.00	12.00	8.00	52.00	Each		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	· · ·	Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
93	Providing and fixing uplasticised PVC connection pipe with brass unions: 45 cm length, 15 mm NB, (18.21.2.1-AR390)	8.00	8.00	8.00	8.00	8.00	40.00	Each		
94	Providing and fixing C.P. brass long body bib cock hindware/parryware conforming to IS standards and weighing not less than 690 gms: 15 mm nominal bore. (18.51.1-AR421)	8.00	6.00	6.00	6.00	2.00	28.00	Each		
95	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group B	40.00	40.00	40.00	40.00	20.00	180.00	PNT		
96	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.15/16 A switch (DSR-1.24.3)	20.00	25.00	50.00	25.00	15.00	135.00	Each		
97	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required6 pin 15/16 A socket outlet Each (DSR- 1.24.5)	20.00	25.00	50.00	25.00	15.00	135.00	Each		
98	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amps switch (AR582)	30.00	40.00	40.00	40.00	20.00	170.00	Each		
99	P/F URINAL PARTITIONS 3/4"" THK GRANITE 600 MMX1350 MM OF APPD DESIG AND SHADE INCLUDING FIXING IN THE WALLS AS REQUIRED BY CHASING & MAKING GOOD THE WALLS WHEREVER REQUIRED ALSO PROVIDING EDGE MOULDING TO THE GRANITE PARTITION COMPLETE JOB AS PER INSTRUCTION OF EIC.	2.00	2.00	2.00	2.00	2.00	10.00	SQM		
100	Providing and fixing square-mouth S.W. gully trap class SP- 1complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 Kg. as per standard design : 100x100mm size P type with common burnt clay F.P.S (non modular) bricks of class designation 75 (19.4.1.1-AR446)	3.00	3.00	3.00	3.00	3.00	15.00	Each		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	·	Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
101	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	100.00	150.00	150.00	150.00	200.00	750.00	Μ		
102	Circuit / sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 4 sq. mm + 1 X 4 sq. mm earth wire.	50.00	75.00	75.00	75.00	150.00	425.00	Μ		
103	supply of 9" dia exhaust fan with gravity louers & bird screen	2.00	3.00	3.00	3.00	2.00	13.00	Each		
104	Providing and Laying 150 mm dia PVC pipe (Heavy duty-working pressure 6Kg/cm2) of Prakash or equivalent make as per required slope for sewer line including jointing etc. complete as per direction of Engineer-in-charge (Wt. of pipe-22 Kg approx).	50.00	70.00	70.00	70.00	50.00	310.00	М		
105	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) upto haunches of S.W. pipes including bed concrete as per standard design : 150 mm dia SW pipe, (19.3.2-AR444)	50.00	70.00	70.00	70.00	50.00	310.00	М		

106Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations (a) Laying brick bats with mortar using broken bricks/brick bats 25mm to 115mm size with 50% of cement mortar 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by180.00191.27288.0070.00200.00929		. Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations (a) Laying brick bats with mortar using broken bricks/brick bats 25mm to 115mm size with 50% of cement mortar 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by			Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
Engineer -In charge over 20 mm trick layer of cement morth of mix 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs. (b) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/ sqm of cement admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge. (c) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1cement :4coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-in-charge including laying glass fibre cloth of apprveod quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. (d) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineer-in-Charge. With average thickness of 120 mm and minimum thickness at khurra as 65 mm	106	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations (a) Laying brick bats with mortar using broken bricks/brick bats 25mm to 115mm size with 50% of cement mortar 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge over 20 mm thick layer of cement mortar of mix 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge over 20 mm thick layer of cement mortar of mix 1:5 (1cement : 5coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs. (b) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/ sqm of cement admixed with water proofing compound conforming to IS: 2645 and approved by Engineer -in charge. (c) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1cement :4coarse sand) admixed with water proofing compound conforming to IS: 2645 and approved by Engineer-in-charge including laying glass fibre cloth of apprveod quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. (d) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. All above operations to be done in order and as directed and specified by the Engineer-in-Charge. With average thickness of	180.00					Quantity 929.27	Sqm	e/x GST	e/x GST

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	Decomption	Part A	Part B	Part C	Part D	Part E	Quantity	Unit	e/x GST	e/x GST
107	Provide and install sacrificial zinc anodes Fosroc Galvashield XPI, to prevent the initiation of corrosion in steel reinforcement within chloride-contaminated or carbonated concrete, or in new construction. Each anode unit must contain a minimum of 60 grams of zinc, compliant with ASTM B418-95a, Type I, die-cast around steel tie wires, ensuring proper separation if multiple tie wires are used. The anodes must be encapsulated in a highly alkaline cementitious mortar with a pH of 14 or higher, free from sulfates, chlorides, bromides, or any other corrosive elements to steel. The encapsulating mortar should feature an interconnected and fine pore structure to dissolve, transport, and accommodate zinc corrosion products away from the anode surface without causing additional stress to the concrete cover, maintaining a pH > 14 near the uncorroded zinc for the specified service life. Anode units shall be supplied with integral, well-separated tie wires (without splices if multiple wires are used) and loop ties for direct attachment to the reinforcing steel. Anodes should be covered with a bed mortar with resistivity less than 50 kOhm-cm or similar to the parent concrete on cleaned steel reinforcement before applying passivation coating. The scope includes supply, installation, spacing calculations, quality assurance procedures, and must adhere to manufacturer specifications. Approved brand shall be M/s Fosroc Galvashield Anodes/Vector Galvashield/IPSS	30.00	50.00	50.00	50.00	67.00	247.00	Nos		
108	Supply and apply Nitobond AR, an acrylic-based emulsified solution containing a minimum of 43% solids and compatible with cementitious materials. The bonding agent shall provide sufficient bond strength when applied directly on concrete or when mixed with neat cement. Ensure proper application to achieve effective adhesion between substrates and subsequent layers of cementitious materials, adhering to manufacturer's recommendations for optimal performance and durability in construction applications. Nitobond AR is particularly suitable when a longer working period after applying the bonding agent is required	20.00	120.00	120.00	120.00	200.00	580.00	Sqm		
110	Surface Preparation: Make a 'V' groove 5 mm wide and 5 mm deep over the crack line using an electrically operated angle grinder with a diamond concrete saw blade. Clean the groove thoroughly with an air blower as directed by the Engineer-in-charge.	20.00	65.00 age 208 c	65.00	65.00	150.00	365.00	М		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
111	Sealing with Epoxy Repair Mortar: Seal the exposed 'V' groove (5 mm deep, 5 mm wide) with a solvent-free, moisture-tolerant, thixotropic, two-part structural adhesive and epoxy repair mortar cum surface leveling mortar. Ensure the epoxy repair mortar has compressive strength \geq 60 N/mm ² (7 Days, BS 6319), flexural strength \geq 20 N/mm ² (7 Days, BS 6319), and tensile strength \geq 10 N/mm ² (7 days, ASTM C 307). Use products like NITOMORTAR S OF FOSROC, Sikadur®-31 of Sika, MasterBrace 2200 BASF, or equivalent of Pidilite.	20.00	65.00	65.00	65.00	200.00	415.00	Μ		
112	Supply and install reinforcement bars using Heavy Duty rebaring chemical Fosroc LOKFIX E77 for main bars and LOKFIX E45T for shear connectors, pure epoxy chemical anchor grout with ETA approval from DIBt, suitable for reinforcement bars ranging from 8 mm to 40 mm in diameter at specified embedment depths as per manufacturer's specifications. The epoxy chemical must have a working life period certified for 50 or 100 years as per ETA from DIBt, with properties including fire resistance tested to withstand 120 minutes (DIN EN 1363-1:2012, Technical Report TR 020), and must have water tightness certificate for "0" mm under 5 bar water pressure (EN 12390-8:2019). ETA approval from DIBt for Diamond Drilling is required, alongside LEED certification and compliance with LEED V4 standards (ISO 16000, EN 16516, CDPH 01350, ASTM D2369, EPA method 24). Rates shall encompass labor, tools and plants for power drilling in concrete, epoxy cartridges, plastic nozzles, and complete drilling holes with dust removal by air blowing. Additional charges apply for reinforcement bars. (Product :-Lockfix of Fosroc/ RE-500 of Hilti/ MasterFlow 935 AN of BASF/ Fischer/Wruth)						-			
113	a) Rebar 10 mm Dia x 14 mm holes x 100mm depth	20.00	50.00	50.00	50.00	80.00	250.00	Nos		
114	b) Rebar 12 mm Dia x 16 mm holes dia x 120 mm depth	10.00	20.00	20.00	20.00	40.00	110.00	Nos		
	c) Rebar 16 mm Dia x 20 mm holes dia x 160 mm depth	5.00	10.00	10.00	10.00	20.00	55.00	Nos		
116	Strengthening: Carbon fibre wrap/Carbon Laminates						-			

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
117	Providing and applying uni directional, high strength carbon fiber	7.50	15.30	1.00	15.30	65.00	104.10	SQM		
	sheets Nitowrap CWS of 450 GSM/ dry fabric thickness. The									
	FRP fabric used shall be of zero degree unidirectional fibers									
	having fiber density of 1.8 g/cc and shall have tensile strength >									
	4900 MPa ; tensile modulous > 230 GPa and ultimate elongation									
	of 2.1%. The substrate shall be primed with Nitowrap 30 epoxy									
	primer & Nitowrap 410 impregnating resin saturant shall be									
	used for saturating the fibers. Saturant used shall have tensile									
	strength of >30 MPa; Elongation > 2% ; Flexural strength > 30									
	MPa ; Tensile Modulous > 2400 MPa & Flexural Modulous >									
	1700 MPa when tested as per ASTM D638 Type I and ASTM D									
	790 & Glass Transition Temperature > 50 deg Celcius as per									
	ASTM E 1356.The adhesion of the entire system(FRP Sheet,									
	Saturant and primer combined) with concrete shall be > 3.5 MPa									
	with concrete failure as per ASTM D 4541.									
	(Product :- Nitowrap CWS of 450 GSM of Fosroc, Sikawrap®									
	930 G of Sika / MasterBrace FIB 73/900 of BASF)									
	Surface preparation: Grinding/ moulding concrete substrate									
	cleaning it with wire brush removing oil, laitance if present,									
	rounding sharp edges to min 25mm radius etc. complete.									
	Profiling : Applying compatible primer of approved make and									
	brand on prepared substrate, filling the holes and uneven									
	surface with thixotropic putty etc. complete.									
	Wrapping : Wrapping the fiber sheet with recommended									
	overlapping to structural element at desired oriention using									
	tamping roller to avoid any air voids etc. repeat the same									
	procedure for multiple layer with the interval of 8 hrs.									
	Sand Pasting : Applying second coat of saturated after 12 hrs.									
	rectify air voids if any, paste the coarse sand on it to make									
	surface rough to take any further finishes									
	(Mode of measurement : Per sqm surface area of application per									
	layer).									
118	Supply and install fiber anchors to be embedded at a depth of 75	10.00	50.00	50.00	50.00	80.00	240.00	Nos		
	mm with 75 mm protrusion, spaced at 500 mm center to center.									
	(Product make: Fosroc/ Sika/ BASF)									
119	PU Grout to arrest water leakage						-			

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
	·	Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
120	Water-stopping crack injection resin foam shall be Nitofill WS60, a two-part foaming liquid polyurethane. When mixed in the supplied proportions and injected into concrete cracks, the resin reacts with moving water to create a foam barrier that stops water infiltration. The resin's properties include a pot life of 6-8 hours at 20°C, specific gravity of 1.11 ± 0.03 , and foam density of $0.024g \pm 0.003$. Used alongside Nitofill UR63, a flexible two- part polyurethane injection resin, it ensures a permanent seal in cracked concrete. Nitofill UR63 is a solvent-free liquid polyurethane that, when mixed and injected into cracks, forms a slightly flexible and impermeable barrier in dry and damp conditions. This polyurethane system features a pot life of 60 to 80 minutes at 25°C, reaction time of 70 to 90 minutes at 25°C, viscosity of 40-60 cps at 25°C, and specific gravity of 1.1. When combined with Nitofill WS60, the foaming polyurethane resin, it guarantees a durable seal in cracked concrete.						-			
121	Nitofill WS60	3.00	10.00	5.00	10.00	26.00	54.00	Kg		
121	Nitofill UR63	3.00	10.00	5.00	10.00	27.00	55.00	Kg		
122	Exposed surface area painting	5.00	10.00	0.00	10.00	21.00	-	itty		
124	Supply and apply Dekguard E2000, a high-performance elastomeric protective anticarbonation coating for concrete and masonry. The protective coating system includes a penetrating silane-siloxane primer (Dekguard Primer) and a single- component elastomeric anticarbonation aliphatic acrylic coating (Dekguard E2000). Ensure the total dry film thickness of the protective coating system is not less than 200 microns. The coating system shall provide CO2 diffusion resistance of at least 50 meters (equivalent air layer thickness), static crack accommodation of minimum 2mm, and adhesion greater than 1.0 N/mm ² as per ASTM D 4541. The product used must meet specified performance standards for durability and protection against carbonation. Apply in accordance with manufacturer's guidelines to ensure effective long-term performance and adherence to project requirements	36.10	60.00	40.00	60.00	135.00	331.10	Sqm		
125	Providing, cutting and laying SWG10 welded wire mesh and mesh size 50x50 mm including anchoring it on the wall with 4.75mm bar by drilling and fixing with cement slurry as per drawing details, specification and instruction by the Engineer.	10.00	60.00	40.00	60.00	120.00	290.00	Sqm		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
126	Provide and apply single-component, free-flowing, non-shrink cementitious microconcrete at a water-to-powder ratio of 0.15. The microconcrete should have a fresh wet density of 2200 kg/m ³ at 27°C and an unrestrained expansion of 1 to 4% as per ASTM C827. It must achieve a flowable consistency and compressive strength of not less than 10 N/mm ² after 24 hours, 35 N/mm ² after 7 days, and 45 N/mm ² after 28 days at 30°C. The cured microconcrete shall be free from metallic aggregates and chlorides, and it must be shrinkage-compensated in the plastic state. Payment will be based on the consumed dry material of the microconcrete mix (Product :- Renderoc RG 45 of Fosroc/SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite)						-			
127	a) Without addition of aggregate	0.10	0.27	0.10	1.00	1.50	2.97	TON		
128	 b) With addition of 6 mm down aggregate in 3:1 (3 Micro concrete: 1 aggregate 6 mm & down) 	0.10	0.27	0.10	1.00	1.50	2.97	TON		
129	12mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	34.50	87.24	254.27	85.00	85.00	546.01	SQM		
130	15mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	10.00	41.00	308.12	66.00	70.00	495.12			
131	6mm ready mix cement plaster - Ready mix cement plaster/ render with high quality polymer additives, special binders, well graded sand and fillers can be applied onbrick & block masonry for both external and internal plastering works.(UltraTech Readiplast / Fosroc)	42.00	9.00	30.00	12.00	60.00	153.00	SQM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
132	Openable -WINDOW, TYPE:GALVANIZED IRON STEEL PRE	2.60	6.00	16.50	12.50	8.00	45.60	SQM		
	PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE									
	PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO									
	3000 SERIES; MAKE: NCL; DIMENSION AS PER SITE									
	CONDITION; SPECIAL FEATURES: OPENABLE; Providing and									
	fixing Eco 3000 Series Windows fabricated from roll formed									
	sections made of Galvanized Steel Colour Coated/Powder									
	Coated (Base Steel as per IS 513 "D" quality, Galvanized as per									
	IS 277 with Zinc of 120 grams/Sq. Mtr.) with total coated									
	thickness of 0.60 mm. Coated Sections should be with Primer									
	Coat of Epoxy Primer of 5-7 microns thick, finish painted with									
	Polyester Paint of 12-16 microns thick and back coated with									
	Alkyd backer of 5-7 microns, or Powder Coated with pure									
	Polyester Powder up to 50-60 microns thick.Section for frame									
	should be 48mm x 50mm, Section for Mullion should be of									
	48mm x 50mm, Section for Glazed Shutter Frame should be of									
	47mm x 20mm, and Section for Fixed Glass Bead should be of									
	12mm x 12mm.Frame and Shutter Frame Sections should be cut									
	to length and metre joined with Polypropylene Corner Brackets.									
	Mullion Section should be joined with Frame/Mullion using Nylon									
	Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM) Gasket									
	should be used all around glass in shutter.Each Glazed Shutter									
	should be provided with S.S. Pivot Hinges-1set, Seccolor Handle									
	& Seccolor Stay.Window Frame should be fixed to									
	brick/concrete masonry by using Nylon self expanding caps and									
	driving MS electroplated 80mm long screws into the caps									
	through frames. (after fixing the windows, gap shall be filledup by									
	sellicon sealant , gaps more than 5mm shall be filled with backer									
	rod of approved quality).Glass shutter & Fixed Glass portions									
	should be provided with a glass of 5MM Plain Float									
	Glass.Windows should be provided with Grill made of 10mm sq.									
	MS Bars welded to at 150mm center-to-center, 6mm x 12mm									

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity	•	e/x GST	e/x GST
133	Fixed - WINDOW, TYPE:GALVANIZED IRON STEEL PRE	2.30	3.00	16.50	10.50	4.00	36.30	SQM		
	PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE									
	PAINTED;; WITH GLASS OF 5MM THICKNESS; MODEL: ECO									
	3000 SERIES; MAKE: NCL; DIMENSION AS PER SITE									
	CONDITION; SPECIAL FEATURES: FIXED; Providing and fixing									
	Eco 3000 Series Windows fabricated from roll formed sections									
	made of Galvanized Steel Colour Coated/Powder Coated (Base									
	Steel as per IS 513 "D" quality, Galvanized as per IS 277 with									
	Zinc of 120 grams/Sq. Mtr.) with total coated thickness of 0.60									
	mm. Coated Sections should be with Primer Coat of Epoxy									
	Primer of 5-7 microns thick, finish painted with Polyester Paint of									
	12-16 microns thick and back coated with Alkyd backer of 5-7									
	microns, or Powder Coated with pure Polyester Powder up to 50-									
	60 microns thick. Section for frame should be 48mm x 50mm,									
	Section for Mullion should be of 48mm x 50mm, Section for									
	Glazed Shutter Frame should be of 47mm x 20mm, and Section									
	for Fixed Glass Bead should be of 12mm x 12mm.Frame and									
	Shutter Frame Sections should be cut to length and metre joined									
	with Polypropylene Corner Brackets. Mullion Section should be									
	joined with Frame/Mullion using Nylon Mullion Cap. Ethyl									
	Propylene Diamine Monomer (EPDM) Gasket should be used all									
	around glass in shutter.Each Glazed Shutter should be provided									
	with S.S. Pivot Hinges-1set, Seccolor Handle & Seccolor									
	Stay.Window Frame should be fixed to brick/concrete masonry									
	by using Nylon self expanding caps and driving MS electroplated									
	80mm long screws into the caps through frames. (after fixing the									
	windows, gap shall be filledup by sellicon sealant , gaps more									
	than 5mm shall be filled with backer rod approved). Glass shutter									
	& Fixed Glass portions should be provided with a glass of 5MM									
	Plain Float Glass.Windows should be provided with Grill made of									
	10mm sq. MS Bars welded to at 150mm center-to-center, 6mm x									
	12mm MS flat. Total grill unit should be powder coated and fixed									
134	Providing and laying of average 75mm thick (or suitable		14.00		14.00	215.00	243.00	SQM		
	thickness for necessary slope) concrete screed of minimum M									
	20 grade concrete.									
135	Felling trees of the girth (measured at a height of 1 m above			8.00	-		8.00	Each		
	ground level), including cutting of trunks and branches, removing									
	the roots and stacking of serviceable material and disposal of									
	unserviceable material. Beyond 30 cm girth upto and including									
	60 cm girth									

S.No.	Description		-	Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
136	Providing and laying in position specified grade of reinforced			80.00	-		80.00	CUM		
	cement concrete excluding the cost of centring, shuttering,									
	finishing and reinforcement - All work upto plinth level-1:1.5:3 (1									
	Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm									
	nominal size)									
137	Applying one coat of water thinnable cement primer of approved			8.40	-		8.40	SQM		
	brand and manufacture on wall surface : Water thinnable cement									
	primer									
138	Providing and fixing false ceiling at all heights with integral			59.56	-		59.56	SQM		
	densified calcium silicate reinforced with fibre and natural filler									
	false ceiling tiles of Size 595x595mm of approved texture, design									
	and patterns as per CPWD Specification 2019, to be laid in true									
	horizontal level suspended on inter-locking metal T-Grid of hot									
	dipped galvanised iron section of 0.33mmthick (galvanized @									
	120 grams per sqm including both sides)comprising of main-T									
	runners of size 24x38 mm of length 3000 mm,cross - T of size									
	24x32 mm of length 1200 mm and secondaryintermediate cross-									
	T of size 24x32 mm of length 600mm to formgrid module of size									
	600 x 600 mm, suspended from ceiling usinggalvanised mild									
	steel items (galvanizing @ 80 grams per sqm) i.e. 12x50 mm									
	long dash fasteners, 6 mm dia fully threaded hanger rod upto									
	1000 mm length and L-shape level adjuster of size									
	76x25x25x1.6 mm fixed with grid and Z cleat of size									
	25x37x25x1.6mm thick with precut hole on both 25mm flange to									
	pierce into 12x50mm or even bigger size dash fastener if require,									
	fixed with Glavanised iron perimeter wall angle or size									
	24x24x0.40 mm of length 3000 mm to be fixed on periphey wall /									
	partition with the help of plastic rawl plugs at 450mm center to									
	center and 40 mm long dry wall S.S screws. The workshall be									
	carried out as per specifications, drawing and as per directions of									
	the Engineer-in Charge. With 15 mm thick tegular/butt edged									
	without perforation plain/designer light weight calcium silicate									
	Anti-Microbial Bio-Safe coated false ceiling tiles Confirming to									
I	JIS-Z2801 and ASTM G-21									

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
139	Drilling and fixing NRV injection packers in RC members for Epoxy or PU Injection including, drilling holes in structural members at the intervals as per recommendations/ requirements, cleaning the holes by air blower prior to fixing nozzles. Insert 12 mm dia., 50-75 mm long injection packers in cleaned holes with solvent free, moisture insensitive epoxy resin based putty or equivalent. Cut the packers by cut of wheel after completion of grouting without damaging structural elements.			471.00	-	695.00	1,166.00	Nos		
140	Providing and laying of average 75mm thick (or suitable thickness for necessary slope) concrete screed of minimum M 20 grade concrete.			25.00	-		25.00	SQM		
141	Supply and apply Concure WB White, a water-based concrete curing compound, to prevent premature water loss from freshly placed concrete. Ensure complete coverage of all exposed concrete surfaces according to manufacturer's recommendations for effective curing and hydration, promoting optimal strength development and durability of the concrete structure			50.00	-		50.00	SQM		
142	Surface Preparation: Make a 'V' groove 5 mm wide and 5 mm deep over the crack line using an electrically operated angle grinder with a diamond concrete saw blade. Clean the groove thoroughly with an air blower as directed by the Engineer-in-charge.			65.00	-		65.00	М		
143	Supply & Installation of 46mm thick Metal fire check door of 120 minutes' fire rating confirming to BS: 476 Part 22 and IS: 3614 Part II fabricated with 2 nos. 1.2mm thick galvanized sheet with infill of fire rated Acrylic Sealant and non-combustible core bonded to both faces of sheet with lock seam joints at stile edges and internal reinforcement at top, bottom and stile edges for Fire Rating. The door frames are manufactured from 1.6mm thick galvanized steel sheet pressed form to double rebate profile of size 143mm x 57mm duly filled with vermuculite based concrete mix. The door frames and door shutters are finished with powder coated Smoke grey finish.(as per approved shade) with all fittings.			43.20	-		43.20	SQM		

S.No.	Description			Quantities			Total	Unit	Rate in ₹	Amount in ₹
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
144	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid decorative type flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant. WPC to be laminated with PVC foil of minimum 14 microns thick of approved design pasted with hot melt adhesive on both faces of shutter and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be included) 30 mm thick			43.20	-		43.20	SQM		
145	Providing and fixing pressed steel door frames conforming to IS: 4351, manufactured from commercial mild steel sheet of 1.60 mm thickness, including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25 mm, or base ties of 1.60 mm, pressed mild steel welded or rigidly fixed together by mechanical means, including M.S. pressed butt hinges 2.5 mm thick with mortar guards, lock strike- plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface as directed by Engineer-in-charge:			44.00	-		44.00	М		
146	Trimming of any no. of branches of any size of any type of tree overhanging on building / terrace so as to keep them away from building by at least 2.00 mtr at the time of trimming in such a way that they do not fall on the bldg, terrace, GI/ACC shed, live transformer, electric/telephone wire by any means Use axe, saw, ropes etc. as per site conditions. The trimmed material to be disposed to the MCD bin by any means. Nothing shall be allowed to be burnt or flamed. (AR494)					6.00	6.00	Each		
147	Providing and injecting approved ultra low viscous, solvent free high strength epoxy resin conforming to ASTM C 881 into cracks/ honey-comb area of concrete/ masonry by suitable gun/ pump at required pressure as per directions of Engineer-in- Charge.		age 217 d			120.00	120.00	KG		

S.No.	Description			Quantities			Total	Unit Rate in ₹	Amount in ₹	
		Part A	Part B	Part C	Part D	Part E	Quantity		e/x GST	e/x GST
148	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-in-charge					80.00	80.00	SQM		
149	Providing and fixing on wall face unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. (i) Single socketed pipes: 110 mm diameter (12.41.2-AR172)					45.00	45.00	Μ		
150	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion: shoe (plain) 110 mm. (12.42.6.2-AR182)					10.00	10.00	Each		
151	Constructing brick masonry manhole in cement mortar 1:4 (1 cement:4 coarse sand) RCC top slab with 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement: 4 coarse sand: 8 graded stone aggregate 40mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1cement: 3 corse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4(1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : Inside size 90x80cm and 45cm deep including CI cover with frame(light duty) 455x610mm internal diamensions, total weight of cover and frame to be not less than 38kg (weight of cover 23kg and weight of frame 15kg) With common burnt clay F.P.S (non modular) bricks with class designation 7.5 (19.7.1.1-AR449)					1.00	1.00	Each		
						I Total	Cost e/x GS	T@18%	of Package V	

	ATTA	CHMENT-	VI				
	PACKAGE	-I-Price B	reakup				
	- Retrofitting work at Fountain Grid Chandni Chowk.						
	-Retrofitting work at 33KV Prasad Nagar Grid.		•				
S.No.	Description		Quantities		Unit	Rate (In Rs.)	Amount (In Rs.)
				Total Quantities		e/x GST	e/x GST
1	Earth work in excavation by mechanical means (hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth. 1.5 m in width as well as 10 sqm on plan) including disposal of excavated earth, lead upto 50 m and lift upto 1.5 m, disposed earth to be levelled and neatly dressed : All kinds of soil.	12.00	5	17	CUM		
2	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of engineer in charge. Nominal concrete: 1:3:6 or richer mix (i/c equivalent design mix)	14.00	36	50	CUM		
3	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	6.00	3	9	CUM		
4	Extra for cutting reinforcement bars manually/ by mechanical means in R.C.C. or R.B. work (Payment shall be made on the cross sectional area of R.C.C. or R.B. work) as per direction of Engineer in-charge.	3.00	3	6	SQM		
5	Demolishing brick work manually /by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-In-charge.: In cement mortar	4.00	2	6	CUM		
6	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 m lead.	200.00	300	500	KG		
7	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead:For thickness of tiles 10 mm to 25 mm	85.00	85	170	SQM		
8	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	8.00	0	8	SQM		
9	Demolishing mud phaska in terracing and disposal of material within 50 metres lead (15.27-AR282)	9.00	45	54	CUM		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total		e/x GST	e/x GST
				Quantities			
10	Dismantling roofing including ridges, hips valleys and gutters etc., and stacking the material within 50 metres lead of: G.S. Sheet	60.00	30	90	SQM		
11	Dismantling old plaster or skirting, raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	1200.00	310	1510	SQM		
12	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	56.00	105	161	CUM		
13	Supplying and spreading uniformly in yard of grid s/stn. blue stone aggregate 20 mm single size of good quality i/c loading, unloading for all leads & lifts complete, as per direction of Engineer in charge.	16.00	12	28	CUM		
14	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	22.00	9	31	CUM		
15	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in cement mortar 1 : 4 (1 cement : 4 coarse sand)	4.50	3	7.5	CUM		
16	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	18.00	4	22	CUM		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total		e/x GST	e/x GST
				Quantities			
17	Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete (make- ACC, Lafarage, Afcon, Ultra Tech).Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the minimum specified cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement.All works above plinth and upto floor V level : Concrete of M25 grade with minimum cement content of 300 kg /cum	9.00	0	9	CUM		
18	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1½:3 (1 Cement: 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	6.00	4.5	10.5	CUM		
	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	12.00	23	35	CUM		
20	Providing and laying in position specified grade of reinforced cement concrete excluding the cost of centring, shuttering, finishing and reinforcement - All work upto plinth level-1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	2.50	2	4.5	CUM		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.) e/x GST
		PART A	PART B	Total		e/x GST	
				Quantities			
21	Reinforced cement concrete work in beams, suspended floors, roofs having slope upto 15°, landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases upto floor five level excluding the cost of centring, shuttering, finishing and reinforcement with 1:1.5:3 (1 Cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	6.00	2.5	8.5	CUM		
22	Centring and shuttering including strutting, propping etc. and removal of form work for : Foundations, footings, bases of columns.	35.00	22	57	SQM		
23	Centring and shuttering including strutting, propping etc. and removal of form for: Suspended floors, roofs, landings, balconies and access platform	60.00	16	76	SQM		
24	Reinforcement for R.C.C work including straightening, cutting, bending, placing in position and binding all complete. cold twisted bars	1600.00	580	2180	KG		
25	Add for plaster drip course/groove in plastered surface or moulding to R.C.C. projections	11.00	0	11	М		
26	12 mm cement plaster of mix: 1:4 (1 cement : 4 coarse sand)	230.00	110	340	SQM		
27	15 mm cement plaster on rough side of single or half brick wall of mix 1:4 (1 cement : 4 coarse sand)	220.00	95	315	SQM		
28	6 mm cement plaster of mix : 1:3 (1 cement: 3 fine sand)	60.00	16	76	SQM		
29	Neat cement punning	390.00	350	740	SQM		
30	Extra for providing and mixing water proofing material in cement plaster work in proportion recommended by the manufacturers.(Per Bag of 50 KG cement used in the mix)	25.00	25	50	Each		
31	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	25.00	150	175	SQM		
32	Removing dry or oil bound distemper water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	1725.00	1170	2895	SQM		
33	Raking out joints in lime or cement mortar and preparing the surface for re-pointing or replastering, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.	390.00	0	390	SQM		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total Quantities		e/x GST	e/x GST
34	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	1700.00	1020	2720	SQM		
35	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats) over and including water thinnable priming coat with cement primer	20.00	25	45	SQM		
36	Finishing walls with Acrylic Smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	25.00	150	175	SQM		
37	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :Two or more coats on new work	1700.00	1020	2720	SQM		
38	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade. Two or more coats on new work.	380.00	185	565	SQM		
39	Washed stone grit plaster on exterior walls of height upto 10 metre above ground level, in two layers, under layer 12mm cement plaster 1:4 (1cement: 4 coarse sand), furrowing the under layer with scratching tool, applying cement slurry on the under layer @ 2 Kg of cement per square metre, top layer 15mm cement plaster 1:1/2:2 (1 cement: 1/2 coarse sand :2 stone chipping 10mm nominal size), in panels with groove all around as per approved pattern, including scrubbing and washing the top layer with brushes and water to expose the stone chippings, complete as per specification and direction of Engineer-in- charge (Payment for providing grooves shall be made separately).	780.00	505	1285	SQM		
40	Forming groove of uniform size in the top layer of washed stone grit plaster as per approved pattern using wooden battens, nailed to the under layer including removal of wooden battens, repair to the edges of panels and finishing the groove complete as per specification and direction of the Engineer-In-Charge. 15 mm wide and 15 mm deep groove (13.73.1-AR225)	1950.00	1080	3030	Μ		
	Extra for using silver cement in place of ordinary cement in the top layer of the item of washed stone grit plaster.	780.00	505	1285	SQM		
42	Extra for providing & mixing the dark shade pigment in top layer of washed stone grit plaster.	780.00	505	1285	SQM		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total Quantities		e/x GST	e/x GST
43	Extra for using Dholpur/Jaisalmer stone grit inplace of ordinary grit	780.00	505	1285	SQM		
44	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab including rubbing and polishing complete with base of cement mortar 1:4 (1cement : 4 coarse sand) : 25 mm thick	12.00	26	38	SQM		
45	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12mm (average) thick cement mortar 1:3 (1cement : 3coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete.	4.00	5	9	SQM		
46	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc.,complete.	18.00	32	50	SQM		
47	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	18.00	30	48	SQM		
48	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	60.00	105	165	SQM		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total Quantities		e/x GST	e/x GST
49	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	70.00	225	295	SQM		
50	Cement plaster skirting (upto 30 cm height) with cement mortar 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement. 18 mm thick	6.00	12	18	SQM		
51	Providing and fixing glass strips in joints of terrazo/cement concrete floors 40 mm wide and 4 mm thick.	185.00	450	635	М		
52	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	850.00	1150	2000	KG		
53	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, welded, including fixing of necessary butt hinges and screw and applying a priming coat of aprroved steel primer. Fixing with 15x3 mm lugs 10cm long embedded in cement concrete blocks 15x10x10 cm of 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size. (10.13-AR132)	160.00	150	310	KG		
54	Providing/fixing by welding (IRC fabric) welded mesh of size 25x75 mm of weight not less than 7.75 kg/ sqm to the frame of MS angles, tees, etc. including priming coat of approved brand. (AR85)	240.00	280	520	KG		
55	Providing and fixing by welding 65 mm size M.S. Hinges made out of 5mm thick M.S. sheet i/c nuts, bolts etc. complete to M.S. angles/channels as approved by Engineer-In-Charge . The cost is inclusive of material, cartage, welding etc. complete job.(AR489)	36.00	38	74	Each		
56	Providing and fixing M.S. Sheet of required thickness to M.S frames by welding. (The cost includes the cost of M.S. sheet, cutting, straightening, labour, cartage, welding rods, hire charges of welding machine etc. complete) as per direction of Engineer-In-Charge. (AR87)	220.00 25 of 26	250	470	KG		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B			e/x GST	e/x GST
57	P/F MS chequred plate i/c cutting, straightening, rounding of edges, making holes, making lifting arrangment & fixing by welding to M.S angle frame etc.	250.00	0	250	KG		
58	Removing of damaged / broken / twisted IRC welded mesh fencing panels repairing of damaged / broken members , replacing new members if required, setting right the fencing panel in proper shape and size as per site requirement, re-fixing of panel at old location / new location in proper position and required alignment, Rate includes the cost of all labour , T & P , welding rods, welding machine, etc complete. The cost of structural steel and nut bolts, washers, IRC welded Mesh etc., if required will be paid separately.	85.00	60	145	SQM		
59	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	1.00	1	2	Each		
60	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including W.C. pan with ISI marked white solid plastic seat and lid	1.00	1	2	Each		
61	Providing and fixing white vitreous china flat back or wall corner type lipped front urinal basin of 430x260x350 mm and 340x410x265 mm sizes respectively with automatic flushing cistern with standard flush pipe and C.P. brass spreaders with brass unions and G.I clamps complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required : One urinal basin with 5 litre white P.V.C. automatic flushing cistern	4.00	2	6	Each		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total Quantities		e/x GST	e/x GST
62	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	2.00	1	3	Each		
63	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe- 32 mm dia	6.00	3	9	Each		
64	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Internal work - Exposed on wall)	40.00	20	60	М		
65	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes (Concealed work, including cutting chases and making good the walls etc.)	45.00	25	70	М		
66	Providing and fixing brass bib cock of approved quality : 20 mm nominal bore	2.00	2	4	Each		
67	Providing and fixing brass stop cock of approved quality : 20 mm nominal bore	6.00	3	9	Each		
68	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : 150 mm diameter	2.00	1	3	Each		
69	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	500.00	500	1000	PER LITRE		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
	•	PART A	PART B	Total Quantities		e/x GST	e/x GST
70	Circuit / sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 4 sq. mm + 1 X 4 sq. mm earth wire.	28.00	28	56	Μ		
71	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	20.00	20	40	Μ		
72	Circuit/sub-main wiring in PVC conduit : Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of PVC insulated copper conductor, single core cable in surface/ recessed PVC conduit as required-2 X 6 sq. mm + 1 X 6 sq. mm earth wire	10.00	10	20	Μ		
73	Point wiring in PVC conduit, with modular type switch : Wiring for light point / fan point / exhaust fan point / call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group C (AR559)	12.00	12	24	Each		
74	P/F/T/C 6/16A 5 pin modular socket controlled by 16 A switch.(complete set modular). (AR693)	4.00	4	8	Each		
75	Providing, Fixing, Testing & Commissioning Of 3nos 6A 5pin socket & 1no 6A switch in 5 module plate. (AR760)	3.00	3	6	Each		
	S / F light plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection. painting etc. as required. (For light plugs to be used in non residential buildings). (AR593)	12.00	12	24	Each		
77	S / F power plug point modular type accessories : Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and .fixing 6 pin 15 / 16 & 5 / 6 amps modular socket outlet and 15 / 1 6 amps modular switch, connection, painting etc. as required. (AR594)	8.00	8	16	Each		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total Quantities		e/x GST	e/x GST
78	Supplying and fixing following rating, four pole, 415 volts, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required. 63 Amps. (AR617)	3.00	3	6	Each		
79			12	24	Each		
80	Providing and fixing tube light 40 watt PHILIPS make TMC 17 / 136 HPE complete job.	16.00	16	32	Each		
81	Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length (total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5mm thick) wire of high tensile strength of 165 kg/ sq.mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately)	60.00	60	120	Μ		
82	Providing and laying 60mm thick faciory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	18.00	0	18	SQM		
83	Providing and fixing 60 cm long PVC rain water spout in proper line and level in cement mortar 1:4 (1 cement : 4 fine sand) in the existing khurra level, dismantling wall/ pipe and making hole of required size for fixing of pipe, filling CC 1:3:6 (1cement :3 coarse sand : 6 graded stone aggregate 20mm nominal size) between wall and pipe, plastering both sides of walls with cement mortar 1:4 (1 cement :4 fine sand)and making the pipe joint leak proof.	2.00	20	22	Each		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total Quantities		e/x GST	e/x GST
84	Providing and fixing on wall face unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. (i) Single socketed pipes: 110 mm diameter (12.41.2-AR172)	42.00	40	82	Μ		
85	Providing and fixing on wall face unplasticised - PVC moulded ittings/accessories for unplasticised - Rigid PVC rain water pipes conforming to IS : 13592 Type A including jointing with seal ring conforming to IS : 5382 leaving 10 mm gap for thermal expansion. Bend 87.5°-110 mm bend. (12.42.5.2-AR180)		30	56	Each		
86	Providing and fixing unplasticised- PVC pipe clips of approved design to unplasticised- PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length including cutting brick work and fixing in cement mortar 1:4 (1cement : 4 coarse sand) and making good the wall etc. complete. 110 mm (12.43.2-AR184)	66.00	65	131	Each		
87	Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement :2 coarse sand : 4 graded stone aggregate of 10 mm and down gauge) including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design : In 75 x75 mm deep chase	120.00	98	218	Μ		
88	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	8.00	10	18	Each		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total		e/x GST	e/x GST
				Quantities			
89	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	15.00	35	50	SQM		
90	Providing and fixing double scaffolding system (cup lock type) on the exterior side of building/ structure, upto 25 metre height, above ground level including additional rows of scaffholding in stepped manner as per requirement of site, made with 40mm dia. M.S. tube 1.5 m centre to centre horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challis, M.S. clamps and staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for execution of work of cleaning and / or pointing and/ or applying chemical and removing it thereafter. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc, wherever required, if feasible, for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once only for execution of all items for such works.	25.00	10	35	SQM		

S.No.	Description		Quantitie	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total		e/x GST	e/x GST
				Quantities			
91	Fixed -WINDOW, TYPE:GALVANIZED IRON STEEL PRE PAINTED;	10.00	0	10	SQM		
	MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;; WITH						
	GLASS OF 5MM THICKNESS; MODEL: ECO 3000 SERIES; MAKE:						
	NCL; DIMENSION AS PER SITE CONDITION; SPECIAL						
	FEATURES: FIXED;Providing and fixing Eco 3000 Series Windows						
	fabricated from roll formed sections made of Galvanized Steel Colour						
	Coated/Powder Coated (Base Steel as per IS 513 "D" quality,						
	Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with total						
	coated thickness of 0.60 mm. Coated Sections should be with Primer						
	Coat of Epoxy Primer of 5-7 microns thick, finish painted with						
	Polyester Paint of 12-16 microns thick and back coated with Alkyd						
	backer of 5-7 microns, or Powder Coated with pure Polyester Powder						
	up to 50-60 microns thick.Section for frame should be 48mm x 50mm,						
	Section for Mullion should be of 48mm x 50mm, Section for Glazed						
	Shutter Frame should be of 47mm x 20mm, and Section for Fixed						
	Glass Bead should be of 12mm x 12mm.Frame and Shutter Frame						
	Sections should be cut to length and metre joined with Polypropylene						
	Corner Brackets. Mullion Section should be joined with Frame/Mullion						
	using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM)						
	Gasket should be used all around glass in shutter.Each Glazed						
	Shutter should be provided with S.S. Pivot Hinges-1set, Seccolor						
	Handle & Seccolor Stay.Window Frame should be fixed to						
	brick/concrete masonry by using Nylon self expanding caps and						
	driving MS electroplated 80mm long screws into the caps through						
	frames. (after fixing the windows, gap shall be filledup by sellicon						
	sealant , gaps more than 5mm shall be filled with backer rod						
	approved).Glass shutter & Fixed Glass portions should be provided						
	with a glass of 5MM Plain Float Glass.Windows should be provided						
	with Grill made of 10mm sq. MS Bars welded to at 150mm center-to-						
	center, 6mm x 12mm MS flat. Total grill unit should be powder coated						
	and fixed to window frame with screws. The rates shall include P/F of						
	all hardware as per site requirement.						

S.No.	Description		Quantitie	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total		e/x GST	e/x GST
				Quantities			
92	Openable - WINDOW, TYPE:GALVANIZED IRON STEEL PRE	4.00	0	4	SQM		
	PAINTED; MATERIAL:GALVANIZED IRON STEEL PRE PAINTED;;						
	WITH GLASS OF 5MM THICKNESS; MODEL: ECO 3000 SERIES;						
	MAKE: NCL; DIMENSION AS PER SITE CONDITION; SPECIAL						
	FEATURES: OPENABLE; Providing and fixing Eco 3000 Series						
	Windows fabricated from roll formed sections made of Galvanized						
	Steel Colour Coated/Powder Coated (Base Steel as per IS 513 "D"						
	quality, Galvanized as per IS 277 with Zinc of 120 grams/Sq. Mtr.) with						
	total coated thickness of 0.60 mm. Coated Sections should be with						
	Primer Coat of Epoxy Primer of 5-7 microns thick, finish painted with						
	Polyester Paint of 12-16 microns thick and back coated with Alkyd						
	backer of 5-7 microns, or Powder Coated with pure Polyester Powder						
	up to 50-60 microns thick.Section for frame should be 48mm x 50mm,						
	Section for Mullion should be of 48mm x 50mm, Section for Glazed						
	Shutter Frame should be of 47mm x 20mm, and Section for Fixed						
	Glass Bead should be of 12mm x 12mm.Frame and Shutter Frame						
	Sections should be cut to length and metre joined with Polypropylene						
	Corner Brackets. Mullion Section should be joined with Frame/Mullion						
	using Nylon Mullion Cap. Ethyl Propylene Diamine Monomer (EPDM)						
	Gasket should be used all around glass in shutter.Each Glazed						
	Shutter should be provided with S.S. Pivot Hinges-1set, Seccolor						
	Handle & Seccolor Stay.Window Frame should be fixed to						
	brick/concrete masonry by using Nylon self expanding caps and						
	driving MS electroplated 80mm long screws into the caps through						
	frames. (after fixing the windows, gap shall be filledup by sellicon						
	sealant , gaps more than 5mm shall be filled with backer rod of						
	approved quality).Glass shutter & Fixed Glass portions should be						
	provided with a glass of 5MM Plain Float Glass.Windows should be						
	provided with Grill made of 10mm sq. MS Bars welded to at 150mm						
	center-to-center, 6mm x 12mm MS flat. Total grill unit should be						
	powder coated and fixed to window frame with screws. The rates shall						
	include P/F of all hardware as per site requirement.						

S.No.	Description		Quantitie	es	Unit	Rate (In Rs.)	Amount (In Rs.)
		PART A	PART B	Total		e/x GST	e/x GST
				Quantities			
93	Chipping of Unsound Concrete :Cleaning the concrete surface by removing dirt and debris, marking defective locations and Chipping/removing of loose/Unsound/weak concrete from slabs beams, columns etc by careful stripping untill hard surface is exposed, cutting the concrete to regular shape, wire brushing the exposed surface and removing debris from site complete as per direction of the Engineer - in - Charge. Upto 75mm average. Protactive coating: Applying two coats of surface applied Bipolar Corrosion inhibitor FAIRCRETE C SURFACE APPLIED or equivalent as per manufacturer's specification and direction of the Engineer	50.00	45	95	SQM		
94	Providing and applying Reebaklens RR, a combination of acid based material, corrosion inhibitors and dispersing agents rust remover, for removal of all rust/ scales/corrosion from reinforcement bars before microconcreting or patch repair, having Specific Gravity 1.16-1.22. Reebaklens RR Shall be applied with brush for complete wetting of rusted metal surface at coverage of 2-2.5 Sqm/ltr. & allow it to react for 16-24 hours. After 24 hours, a white layer will appear which will protect further corrosion of metal /steel for about 5-7 days. Before applying any protective coating, the surface should be wire brushed and thoroughly cleaned for dust with dry cloth.	25.00	4	29	SQM		
95	Providing and applying Nitozinc Primer an epoxy based zinc rich anti corrosive primer having adhesive bond strength ≥ 1.5 MPa as per ASTM D4541, & shall comply to per ASTM B-117 to be applied on well cleaned, fully exposed and all loose scale , rust free rust free surface obtained by grit blasting or suitable means , to be done with coverage @4.5sqm/litres to achieve a minimum thickness of 40microns DFT or as per direction of Engineer-In charge.	25.00	4	29	SQM		

S.No.	Description		Quantiti	es	Unit	Rate (In Rs.)	Amount (In Rs.)
			PART B	Total Quantities		e/x GST	e/x GST
96	Providing and applying Renderoc SP40 shrinkage compensated fiber reinforced polymer modified wet spray repair mortar on the prepared surface and curing with curing compound.The repair mortar used shall be single component and shall be mixed with water at water powder ratio of 0.18 and shall have drying shrinkage < 1000 microstrain as per ASTM C 157-93; compressive strength > 40 MPa ; Flexural Strength > 7 Mpa as per ASTM C 348, bond strength > 6 MPa as per ASTM C 1042, etc complete. Product used shall have CE (CE-29842) marking and compliance according to Construction Products Directive 89/106/EEC (CPD). Cost of curing compound shall be paid separately. Thickness 25mm. [Polymer Modified Mortar for Surface Repair (Lesser thickness & Larger surface area- Wet spray mortar)]		45	95	SQM		
97	Providing and applying Concure 1315, a acrylic polymer based non- degrading single component having solid content 33% to be applied over the freshly casted concrete members. The coating shall be applied using brush/roller/roller @ consumption of 200ml/coat/sqm. The coating shallcomply to ASTM C1315 Type 2, & shall have moisture retention < 0.4 kg/m ² as per ASTM C156, Adhesion of tile cement : >0.5 N/mm ² .[Curing Compound]	50.00	45	95	SQM		
98	Providing & Laying glass fiber cloth of approved quality all complete as per direction of engineer incharge.	405.00	430	835	SQM		



ANNEXURE –I: BID FORM

To,

Head of Department Contracts & Material Deptt. BSES YAMUNA Power Ltd Illrd Floor, A Block Shakti Kiran Building, Karkardooma Delhi 110032

Dear Sir,

- 1 We understand that BYPL is desirous of awarding the contract for........ (Name of the Work) work in its licensed distribution network area in Delhi.
- 2 Having examined the Tender Documents for the above named works, we the undersigned, offer to deliver the goods/services in full conformity with the Terms and Conditions, technical specifications & Scope of Work as may be determined in accordance with the terms and conditions of the contract. The quoted amounts for this work are in accordance with the Price Schedules attached herewith and are made part of this bid.
- 3 If our Bid is accepted, we undertake to deliver the entire goods/services as per delivery/ completion schedule mentioned in Section III from the date of award of order/letter of intent.
- 4 If our Bid is accepted, we will furnish a Contract Cum Performance Bank Guarantee (CPBG) for due performance of the Contract in accordance with the Terms and Conditions of the NIT.
- 5 We agree to abide by this Bid for a period of 180 days from the due date of bid submission and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- 6 We declare that we are aware of the provision of all Laws associated with the supply of equipments/materials or Services and the prices have been quoted accordingly.
- 7 Unless and until Letter of Intent is issued, this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
- 8 We understand that BYPL is not bound to accept the lowest, or any bid BYPL may receive.
- 9 There is provision for Resolution of Disputes under this Contract, in accordance with the Laws and Jurisdiction of Contract.
- 10 We do hereby agree and shall abide the terms of tender documents/agreement, in full

Dated this...... day of...... 2024

Signature..... In the capacity of

.....duly authorized to sign for and on behalf of

(IN BLOCK CAPITALS).....

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



ANNEXURE – II

BIDDER'S DETAILS

S.No.	Item	Details
1	Company Name	
2	BYPL Vendor Code (If Registered)	
3	Area of Specialization	
4	Company Founded Year	
5	Type of Company	
6	Constitution(Company Registration number)	
7	Name of Director / Mobile Number	
8	Name of other main person / Mobile Number	
9	Vendor Address	
10	Vendor Contact no	
11	Vendor Email ID	-
12	No. of Manpower on payroll (Executive/Skilled/Semi-Skilled/Un-skilled)	-
13	No. of Contractual Manpower (Executive/Skilled/Semi-Skilled/Un-skilled)	-
14	Other Office / Factory Address	
15	ISO certification	
16	PAN	
17	PF/ESI	
18	Shop Establishment Certificate (If Applicable)	
19	Electrical License Detail(If Applicable)	
20	GST	
21	GST Registration Date	
22	SSI	
23	MSME Registration Number (If Applicable)	

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



S.No.	Item	Details
24	Turn Over FY 2021-22 (Rs. Cr.)	
25	Turn Over FY 2022-23 (Rs. Cr.)	
26	Turn Over FY 2023-24 (Rs. Cr.)	
27	Profit after Tax FY 2021-22(Rs. Cr.)	
28	Profit after Tax FY 2022-23(Rs. Cr.)	
29	Profit after Tax FY 2023-24(Rs. Cr.)	
30	Networth (Rs Cr.)	
31	Bank Guarantee Limit (in Cr.)	
32	Over Draft/Cash Credit Limit (in Cr.)	
33	Present Order Booking (Rs Cr.)	
34	Order executed with Reliance ADA (Rs Cr.)	
35	Name & Detail of relative working in BYPL	
36	Main Customer	
37	Details of orders executed / Under Execution	Please submit the details in Attachment - A

NIT No: CMC/BY/24-25/RS/SvS/VK/50 [RFx No: 220000083]



ATTACHMENT – A

Reference List of Order Executed / under Execution by the Vendor (M/s)

A) Major Orders Executed

<u>SN</u>	Name of Project	Client name & addre ss	Client contact Detail (Person name, e-mail ID, Mobile & landline number)	<u>Vendo</u> <u>r's</u> <u>Scope</u> <u>of</u> <u>Work</u>	Date Of Award	Value of Work (Rs in Lakhs)	Completion date as par Order	Actual Comple tion Date	LD / Penalty imposed, if any (Rs in Lakhs)	Litigation / <u>Arbitratio</u> <u>n</u> (Y/N) (If Yes, <u>furnish</u> <u>details</u>)	<u>Remar</u> <u>ks</u>
1.											
2.											
3.											
4.						X					
5.											

B) Orders Under Execution

<u>SN</u>	<u>Name of</u> <u>Project</u>	Client name & addre ss	Client contact Detail (Person name, e-mail ID, Mobile & landline number)	<u>Vendo</u> <u>r's</u> <u>Scope</u> <u>of</u> <u>Work</u>	<u>Date Of</u> <u>Award</u>	<u>Value of</u> <u>Work</u> (Rs in Lakhs)	<u>Completion</u> <u>date as par</u> <u>Order</u>	<u>Actual</u> <u>Comple</u> <u>tion</u> <u>Date</u>	LD / Penalty imposed, if any (Rs in Lakhs)	Litigation <u>Arbitratio</u> <u>n</u> (Y/N) (If Yes, furnish details)	<u>Remar</u> <u>ks</u>
1.											
2.											
3.										, 	
4.											
5.											
	NIT No: CM [RFx No: 2		25/RS/SvS/VK/50 83]					Bidder	Seal & Signa	ture	



ANNEXURE – III

SAFETY CONDITIONS OF CONTRACT

Annexure-A (SafetyPenaltyConditions)

- 1.0 All contractors have to observe safety day/ week on 4th March to 10th march every year with proper planning and record to create safety awareness inside their organization. A detail report of observing the same to be forwarded to safety department every year.
- 2.0 Guidelines for Penalty Policy Implementation
- 2.1 Penalty for not following SOP already circulated.

A penalty of Rs. 500/- shall be levied on the contractor for not following SOP and creating unsafe conditions at work place.

- 2.2 Penalty for Misconduct:
- 2.2.1) A penalty of Rs. 10,000/- shall be levied on the contractor for the first incident of misconduct.
- 2.2.2) A penalty of Rs. 25,000/- shall be levied on the contractor for the second incident of misconduct.
- 2.2.3) A penalty of Rs. 50000.00 shall be levied on the contractor for the third incident of misconduct & termination of the contractor.
- 2.2.4) Depending upon the level of mal practice, Engineer In-Charge/Head (Civil) can take a decision which will have on report of misconduct, the matter will be scrutinized at the appropriate level and the complaint found genuine above Penalties shall be applicable.



2.3 PENALTY POLICY ON SAFETY VIOLATION

Class	Type of Offense	Penalty Detail	Execution Channel
A	Not Wearing Safety Helmets Safety shoes/ Safety Goggles / Electrical insulating hand gloves/ reflective jacket/Not using electrically safe tools and equipments. (Poor quality or damaged item means noncompliance)	 -First Offence -Warning Note & Rs.2000/- - Second Offence -Warning Note & Fine of Rs.5000/- -Third Offence-Note of recommendation of the concerned workmen/ supervisors for termination of his job & Fine of Rs.15000/- 	 ³⁄₄ Recommendation by OHS Representative/ EIC/Head (Civil) ³⁄₄ Approval by Safety Head Deduction by Finance & Account
В	Not wearing Full Body Harness/fall arresters while working at a height more than 1.8 meter or where from a person may fall. Not using Safety Net to arrest falling objects and personnel. Not using Arc Protection Face Shield Not using barricading cone and tape. (Poor quality or damaged item means noncompliance)	 -First Offence -Warning Note & Fine of Rs.5000/- - Second Offence -Warning Note for dismissal and a Fine of Rs.10000/- -Third Offense -Action for the concerned workman/ supervisor for termination of his job and a fine of Rs.25000/ 	 ³⁄₄ Recommendation by OHS Representative/ EIC/Head (Civil) ³⁄₄ Approval by Safety Head Deduction by Finance & Account
С	Any other unsafe work practices or condition which is considered having potential for fatality or injury to personnel.	-First Offence -Warning Note & Fine of Rs.10000/- -Second Offence-Action for the concerned workmen/supervisors for termination of his job and fine of Rs.20000/	 ³⁄₄ Recommendation by OHS Representative/ EIC/Head (Civil) ³⁄₄ Approval by Safety Head Deduction by Finance & Account

Notes:

- (a) If there are 03 violations by an individual employee/supervisor of the vendor, services will be terminated.
- (b) If there are 10 violations in one quarter, will be recommended for termination of contract order.
- (c) Total penalty shall be calculated by multiplying the number of safety violations and the penalty amount specified for such violations.(Example-If at first offence 3 persons are found working without safety helmet,the penalty would be 3X2000= Rs.6000/-)
- (d) The amount of penalty can be increased or decreased based upon these riousness of safety violations.The decision of recommending authority shall be final one.

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 90 of 115



- (e) Recommending authority shall fill the Annexure-1based upon his factual observations and shall send it to/ EIC/Head(civil)and Safety Head who inturn shall either reject or approve it. If approved,he shall send it to Finance & Accounts for execution.Finance Accounts shall execute the penalty and confirm the same in the Annexure & shall send it back to EIC/Head(Civil) and Safety Head.
- (f) Recommending Authority means all,EIC,HODs,Site Safety officer /Supervisor,representatives from EHS and other personnel authorized jointly by O&M / Civil.
- (g) EIC/Head (Civil), and Safety Head may impose penalty for serious violations directly.
- (h) All penalties shall be imposed directly on the concerned contractors.No penalty shall be imposed on individuals.
- (i) Safety violations to be considered forPenalty are classified as A, B & C.

Page 91 of 115



<u>Annexure-B</u>

BSES YAMUNA POWER LIMITED (Name of Site)

SafetyAppreciation / Violation Memo

DIVISION/Area: -----Date & Time: -----Name of Contractor: -----

Activity: -----Name of EIC: -----

Appreciation/PenaltyMemo:-

S.No.	SafetyViolationDetails	Class(A/B/C)No.ofViolations PenaltyperViolationPenaltyAmountRemarks (Rs.)(Rs.)				

SafetyAppreciation/ViolationNote:

RecommendedBy	y :
---------------	------------

Name:

Designation: -----

Sign/Date: -----

ApprovedBy(EIC):

Name: -----

Designation: -----

Sign/Date: -----

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 92 of 115



Annexure-C

BSES YAMUNA POWER LIMITED (Name of Site)

Monthly Status of PPE's / ToolKit

Location/Area: -----Date & Time: -----Name of Contractor: -----No of

Labourers------

StatusofPPE's

S.No.	NameofPPEs/TooINo.ofPPEs(if applicable)	Conditions	Remarks
1	Safety Helmet		
2	Safety Google		
3	Electrical Insulating HandGloves		
4	FullBodyHarness		
5	SafetyShoes		
6	Reflective Jacket		

Signature / Date -----

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 93 of 115



<u>Annexure-D</u>

BSES YAMUNA POWER LIMITED (Name of Site)

Monthly Status - Accident / Incident

Location/Area: -----Date & Time: -----

Name of Contractor: -----

Table-1:Summaryof Accident/Incident/Near Miss / Dangerous Occurrences / First Aid:

S.NO.	TypeofAccident/Incident//NearMiss/Dangerous Occurrences / First Aid	Person Injured	Brief Description
1			
2			
3			
4			
5			

Table-2:LearningfromIncidents:

S.No.	BriefDescription	RootCause	Recommendation

Table-3:Summary of Person Injured:

S.No.	Name of Employee Emp.ID	Type of Injury	Duration of Medical Rest	
	/ Designation/ PFNo./ ESI No.		From:	То
		/		

Table-4:SafetyInspections/Violation

S.No.	Date	Location	Discrepancies	Complaince

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 94 of 115



BSES Yamuna Power Limited Table - 5 : Health & SafetyComplaints & Suggestions :

S.No.	Date	Location	Complaince/Suggestio

Measures to avoid recurrences for all above mentioned discrepancies (Attach relevant documents if required)

Signature / Date -----.

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 95 of 115

Bidder Seal & Signature

Page 246 of 266



Annexure-E

BSES YAMUNA POWER LIMITED (Name of Site)

Format - PPE's Receipt byworkers

Division:

NameofContractor:

S.No.	Name Designation	Safety Helment		Reflective Jacket	Safety Shoes	Safety Google	Signature

Signature of Contractor / Date-----

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 96 of 115

Bidder Seal & Signature

Page 247 of 266



ANNEXURE-F SPECIFICATION OF SAFETY TOOLS

1).SafetyShoes- With Composite/Fibertoes (CE approved/IS15298)- Mandatory for all personnel working at BYPL.The safety shoes shall meet the following features:

1.ElectricShockResistantSole

2.ImpactResistant

3.Scrap/HeatResistant

4.SlipResistant

5.OilandAcidResistant

LeadMAKE:BATA/LIBERTY

2).**Safety Helmets:**(IS 2925 - 1984 or DGMS) with chin strap – Mandatory for all personnel working at BYPL.The specification of safety helmet shall be as given below:

Shell Material	UV stabilized HDPE, Non vented				
 •With 4 Point FasTracRatchetSuspensions headband •Textile straps made from polye Suspension • point fixing: good positioning,stability,better ai circulation due tolimited contact are as with the head• Easy clean sweatband 					
Size	52-62cm				
Accessory slot	Standard 30mm with removable HDPE dead plugs suitable to leak prooffitting				
Approvals	ANSI/IECZ89.1Class E(electrical)				
Additional	Low temperature -10°C (acc. to GB2811), High temperature+50°C				
Colours	Yellow				
weight	360 g				

V-GARD HDPE Yellow With 4 Point Fast Trac Ratchet Suspension

LeadMAKE:3M/KARAM/Honeywell

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 2200000063]

Page 97 of 115



3).**FullBody positioning Harness**:(CEapproved/IS3521/EN361/EN355)-Shall be used while work is in progress at height more than 1.8 meter or where from a person may fall and getinjured.The specification of the Full body harness shall be as given below:

Anchorage	Adjustable two chest attachment D-rings and Adorsal attachment D- ring					
Adaptability	Adjustable shoulder and thigh straps					
Convenience	Shoulder and thigh straps differentiated by a dualcolor scheme.					
Ergonomics	Idealy.Positioned sitstrap for extended comfort.					
Size	Standard					
weight	1200GMS					
ENERGYABSORBINGFORKEDLANYARDS:						
Spec.	44mm wide polyamide webbing.					
Length	1.5 Meter					

- 4) **Safety Spectacles**-Shall be used to protect work erseyes from foreign materials and flying particles.Mandatory for all personnel working at BYPL. Safety goggles shall meet the following feature.
 - Polycarbonate/Acetatelens for special applications requiring superior chemical resistance.

•Industrial version of tough and popular first responder goggles.

•Soft Flex low profile frosted frame for increased comfort.

•Comfortable head band with length adjustment.

- Indirect venting forcomfortable, long lasting wear can be worn with safety helmets and over prescription spectacles.
- Sightgard+premiumanti-fogcoating(EN166"N")withgoodanti-scratch properties.

Bidder Seal & Signature

Page 98 of 115



Technical Specification of spectacles:

Weight	95g.
Lensthickness	1.0mm
Overall width	173mm
Overalllength	90mm
Bridge	47.6mm
Lens base	5.5 curve
Lenssize	86.1mmverticle,174mmdiagonal
Headband	Adjustable length at max.440mm(longenough fit togetherwithhelmets)
Material&colors	
Lens	Acetateclear, coating, Sightgard + anti-fog according to EN166 "N" & antiscratch.
Body	PVCsmoke
Headband holder	Nylon
Headband	Adjustable grey elastic fixed on frame side parts
Marking/Approvals	
Standard number	EN 166
Framemarking	MSAEN16634-FTCE
Lensmarking	2C-1.2MSA1FTNCE
Filter class	2C (Ultra violet radiation with enhanced color recognition)
Scalenumber	1.2:Iuminoustrasmittance-89%
Optical class	1 (best class, for permanent wear)
Mechanicalresistance	F(lowenergy impact45m/s)T(atextreme temperature-5 to +550 C)
Resistanceto	N(distortedvision due to lens fogging)
Resistanceto UVfilter	

LeadMAKE:MSA/UVEX/3M

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 2200000063]

Page 99 of 115



- 5) **Electrical Insulating Hand Gloves** –Shall be used to prevent electric shock based upon the hazards/risks involved in a particular activity. Safety goggles shall meet the following feature
 - •Break through manufacturing process deliver sex caption dry grip.
 - •Soft and flexible for enhanced tactility, high dexterity and wearer comfort.
 - •Ergonomic design featuring tapered fingerstoreducehandfatigue.
 - •Relaxed wrist for easy on/off.

Length	360mm
Class	2
Thickness	3.6mm
Proof test voltage	20000
Maximum use voltage	11000
Tensilestrength	>16mpa[MegaPascal]
Punctureresistance	>18N/mm[Newtonpermilimeter]
Elongation at break	>600%[Stretchinglength]
Tensionset	<15%

It should be resist tool, acid, ultra violet rays and very low temperature.

Each pair of glove should be marked with class,category,month & year of manufacturing, CE

logo,batchno and certified laboratory no.

EN certified to electrical and thermal hazards,EN certified to thermal & electrical hazards to confirm EN60-903, EN certified to mechanical hazard to EN-388 Lead MAKE:Honey well/ANSELL

6) **Reflective Safety Jacket** -Class-2 Safety Vest mandatory for all personnel working at BYPL O&M shall be used by the worker during the work.

7) WarningTapes –HDPE or LDPE Made of 50 micron thick, non adhesive, width 75mm – Safety Logo embossed at every foot with white and red strips on both sides in Tubular form– Shall be used for barricading area around excavated pittowarn the personnel not to enter in such areas.

8)**Road barricading cone with barricading tape**-Shall be used by the worker during the operation / maintenance work.

Signature of Contractor / Date.....

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Bidder Seal & Signature

Page 100 of 115



<u>ANNEXURE – IV</u>

ACCEPTANCE FORM FOR PARTICIPATION IN REVERSE AUCTION EVENT

(To be signed and stamped by the bidder prior to participation in the auction event)

BYPL intends to use the reverse auction through SAP-SRM tool as an integral part of the entire tendering process. All the bidders who are found as techno commercially qualified based on the tender requirements shall be eligible to participate in the reverse auction event.

The following terms and conditions are deemed as accepted by the bidder on participation in the bid event:

- 1. BYPL shall provide the user id and password to the authorized representative of the bidder. (Authorization letter in lieu of the same be submitted along with the signed and stamped acceptance form)
- 2. BYPL will make every effort to make the bid process transparent. However, the award decision by BYPL would be final and binding on the supplier/Contractor.
- 3. The bidder agrees to non-disclosure of trade information regarding the purchase, identity of BYPL, bid process, bid technology, bid documentation and bid details.
- 4. The bidder is advised to understand the auto bid process to safeguard themselves against any possibility of non-participation in the auction event.
- 5. In case of bidding through internet medium, bidders are further advised to ensure availability of the entire infrastructure as required at their end to participate in the auction event. Inability to bid due to telephone line glitch, internet response issues, software or hardware hangs; power failure or any other reason shall not be the responsibility of BYPL.
- 6. In case of intranet medium, BYPL shall provide the infrastructure to bidders, further, BYPL has sole discretion to extend or restart the auction event in case of any glitches in infrastructure observed which has restricted the bidders to submit the bids to ensure fair & transparent competitive bidding. In case of an auction event is restarted, the best bid as already available in the system shall become the start price for the new auction.
- 7. In case the bidder fails to participate in the auction event due any reason whatsoever, it shall be presumed that the bidder has no further discounts to offer and the initial bid as submitted by the bidder as a part of the tender shall be considered as the bidder's final no regret offer. Any offline price bids received from a bidder in lieu of non-participation in the auction event shall be out rightly rejected by BYPL.
- 8. The bidder shall be prepared with competitive price quotes on the day of the bidding event.
- 9. The prices as quoted by the bidder during the auction event shall be inclusive of all the applicable taxes, duties and levies and shall be FOR at BYPL site.

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 101 of 115



- 10. The prices submitted by a bidder during the auction event shall be binding on the bidder. No further communication will be there.
- 11. No requests for time extension of the auction event shall be considered by BYPL.
- 12. The original price bids of the bidders shall be reduced on pro-data basis against each line item based on the final all-inclusive prices offered during conclusion of the auction event for arriving at contract amount.

For.....

Signature:

Name:

Designation:

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 102 of 115

Bidder Seal & Signature

Page 253 of 266



<u>ANNEXURE – V</u>

MEASURES RELATED TO THE TREE PRUNING, EXCAVATION NEAR TREE AND CONSTRUCTION & DEMOLITION:

Notwithstanding anything stated in the tender document, work contract or any other communication issued related to the performance of the work order awarded, it is clarified that the vendor and its associate/employees/worker, during the performance of work under this work order(s), shall ensure full compliance of the provisions of all environment laws/rules/directions by any authority including judicial authority/ regulation related to excavation near tree and construction & demolition activity, and shall mandatorily comply the following instructions:

A. <u>Tree Pruning, Planning, Installation and Maintenance of Utility Apparatus in</u> proximity to trees shall be done mandatorily by ensuring the following prescribed <u>measures:</u>

- 1) No excavation work shall be done within two (2) meters of the Tree Trunk.
- 2) Whereas, the permission of the **"Tree Officer"** is necessary to be taken before commencement or initiation of any civil work, which are likely to be made within a distance of two (2) meters from any existing tree.
- 3) Any exposed roots beyond 2 meters of the tree trunk, should be protected with dry sacking and backfilling must be done with a suitable manure mixture and/or the compost material mix as soon as possible on the completion of the works.
- 4) For any excavation to be carried out beyond the prescribed distance of 2 meters but within 3 meter from the tree trunk, manual methods (by use of hand) or by using trenchless techniques shall be preferred over use of a mechanical excavation.
- 5) No roots shall be cut during the excavation work.
- 6) Not to lean any materials against or chain mechanical plants to the trunk of the trees.
- 7) Avoid any soil contamination from oil, gasoline, paint and paint thinner or other chemicals.
- 8) No concrete or construction or repairing work shall be done at least within two (2) meter radius of the trunk of trees.
- 9) All the electric wires and high tension cables and other apparatus relating to supply of electricity shall permanently be removed from the trees branches.

<u>Records to be maintained by the supervisor to demonstrate adherence to the guidelines for excavation in Proximity to the Trees:</u>

- To ensure the specific stipulation that in case any work is to be commenced, which is within two (2) meters radius from any existing tree, the permission of the "Tree Officer" shall have to be taken as a mandatory condition. (Non-compliance of the aforesaid condition shall entail strict penalty).
- 2) Ensure pre and post photography and videography of the site demarcated for the excavation work and the same shall not be deleted/removed until securing the prior permission of the Circle head O&M.
- 3) While digging and upon exposure to the roots- take immediate photographs of the same and report the matter to senior officers for further guidance. If any unauthorized layering of other cables is being carried out at the digging site by some other agency/person, then immediately capture photographs of the same and NIT No: CMC/BY/24-25/RS/SvS/VK/40

[**RFx No**: 220000063]

Page 103 of 115



inform the seniors, who shall take suitable legal actions, if required, which includes intimating to tree officer about such unauthorized laying of wires by such agency. **B. DUST MITIGATION MEASURES FOR CONSTRUCTION & DEMOLITION ACTIVITIES**

Any construction/demolition/excavation related activity performed in furtherance of the performance of work under award, be undertaken only after ensuring the Dust Mitigation Measures prescribed as follows:

- 1) Dust/wind breaking walls of appropriate height around the periphery of the construction site.
- 2) Installation of Anti Smog Gun(s) (for >20,000 m2 built up area).
- 3) Tarpaulin or green net on scaffolding around the area under-construction and the building.
- 4) All vehicles including carrying construction material and construction debris of any kind should be cleaned and wheels washed.
- 5) All vehicles carrying construction material and construction debris should be fully covered and protected.
- 6) All construction debris and construction material of any kind should be stored on the site and not dumped on public roads or pavements.
- 7) No loose soil or sand or Construction & Demolition Waste or any other construction material which may cause dust, shall not be left uncovered.
- 8) No grinding and cutting of building materials in open area. Wet jet should be used in grinding and stone cutting.
- 9) Unpaved surfaces and areas with loose soil should be adequately sprinkled with water to suppress dust.
- 10) Roads leading to or at construction sites must be paved and blacktopped i.e., metallic roads (for >20,000 m2 built up area).
- 11) Construction and demolition waste should be recycled on-site or transported to authorized recycling facility and due record of the same should be maintained.
- 12) Every worker working on construction site and is involved in loading, unloading and carriage of construction material and construction debris should be provided with dustmask to prevent inhalation of dust particle.
- 13) Arrangement should be provided for medical help, investigation and treatment to workers involved in the construction of building and carry of construction material and debris relatable to dust emission.
- 14) Dust mitigation measures shall be displayed prominently at the construction site for easy public viewing.
- 15) Ensure the compliance of all dust control measure.

It is clarified that BSES Yamuna Power Limited (BYPL) has zero tolerance with respect to the non-compliance/breach of environment laws/rules/directions by any authority including judicial authority/ regulation. Accordingly, in case of breach by the vendor/its associate/employee/worker to the laws/rules as detailed above, shall be termed as serious breach to the terms of work order and BYPL shall be free to take all actions against vendor for such breach of contract including the termination of the said contract. Additionally, the vendor shall also be liable to indemnify BYPL/its Directors/Officers/Employees/Associates in full including the payment of all loss/penalties/compensation including environment compensation as imposed by any judicial/quasi-judicial citing/alleging such breach.

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]



The vendor shall also be under a mandate to provide an Undertaking to BYPL, which includes that the excavation, tree pruning, construction and demolition work, if performed by such vendor, the same shall be in strict adherence of all environment laws/rules/directions by any authority including judicial authority/ regulation and all the measures provided in work order/tender under the head/title "Measures related to the Tree Pruning, excavation near tree and construction & demolition".

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 105 of 115

Bidder Seal & Signature

Page 256 of 266



FORMAT – 4.1 EMD BANK GUARANTEE

1. If the Bidder withdraws its Bid during the period of bid validity specified by the Bidder on the Bid Form;

or

2. If the Bidder, having been notified of the acceptance of its Bid by the Purchaser during the period of bid validity:

(a) Fails or refuses to execute the contract form, if required: or

(b) Fails or refuses to furnish the performance security, In accordance with the instructions to Bidders/Terms and Conditions.

We undertake to pay to the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that is its demand the purchaser will note that amount claimed by it is due to it, owing to the occurrence of one or both of the two condition(s), specifying the occurred condition or condition(s). This guarantee will remain in force up to and including 180 days after the due date of submission bid, and any demand in respect thereof should reach the Bank not later than the above date.

(Stamp & signature of the bank)

Signature of the witness(s)

Bidder Seal & Signature

Page 106 of 115



PROFORMA OF CONTRACT CUM PERFORMANCE BANK GUARANTEE

(TO BE ISSUED ON RS 100/- STAMP PAPER)

This Guarantee made at _____ this [__] day of [___] 2025

- WHEREAS <u>M/s BSES Yamuna Power Limited</u>, a Company incorporated under the provisions of Companies Act, 1956 having its Registered Office at <u>Shakti Kiran</u> <u>Building, Karkardooma, Delhi 110032</u>, India hereinafter referred to as the "Company", (which expression shall unless repugnant to the context or meaning thereof include its successors, administrators, executors and assigns).
- 2. AND WHEREAS the Company has entered into a contract for ______ (Please specify the nature of contract here) vide Contract No. ______ dated ______ (hereinafter referred to as the "Contract") with M/s. ______, (hereinafter referred to as "Contractor", which expression shall unless repugnant to the context or meaning thereof be deemed to mean and include each of their respective successors and assigns) for providing services on the terms and conditions as more particularly detailed therein.
- 3. AND WHEREAS as per clause ______of General Conditions of Contract, the Contractor is obliged to provide to the Company an unconditional bank guarantee for an amount equivalent to five percent (5%) of the total Contract Value for the timely completion and faithful and successful execution of the Contract from ______] pl. specify the name of Bank) having its head/registered office at ______] through its branch in _____(pl. specify the name of Branch through which B.G is issued)hereinafter referred to as "the Bank", (which expression shall unless it be repugnant to the context or meaning thereof be deemed to include its successors and permitted assigns).
- 4. NOW THEREFORE, in consideration inter alia of the Company granting the Contractor the Contract, the Bank hereby unconditionally and irrevocably guarantees and undertakes, on a written demand, to immediately pay to the Company any amount so demanded (by way of one or more claims) not exceeding in the aggregate [Rs.].....(in words)without any demur, reservation, contest or protest and/or without reference to the Contractor and without the Company needing to provide or show to the Bank,grounds or reasons or give any justification for such demand for the sum/s demanded.
- 5. The decision of the Company to invoke this Guarantee and as to whether the Contractor has not performed its obligations under the Contract shall be binding on the Bank. The Bank acknowledges that any such demand by the Company of the amounts payable by the Bank to the Company shall be final, binding and conclusive evidence in respect of the amounts payable by the Supplier to the Owner. Any such demand made by the Owner on the Bank shall be conclusive and binding, notwithstanding any difference between the Owner and the Contractor or any dispute raised, invoked, threatened or pending before any court, tribunal, arbitrator or any other authority.

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Bidder Seal & Signature

Page 107 of 115



- 6. The Bank also agrees that the Company at its option shall be entitled to enforce this Guarantee against the Bank as a principal debtor without proceeding against the Contractor notwithstanding any other security or other guarantee that the Companymay have in relation to the Contractor's liabilities.
- 7. The Bank hereby waives the necessity for the Company first demanding the aforesaid amounts or any part thereof from the Contractor before making payment to the Company and further also waives any right the Bank may have of first requiring the Company to use its legal remedies against the Contractor, before presenting any written demand to the Bank for payment under this Guarantee.
- 8. The Bank's obligations under this Guarantee shall not be reduced by reason of any partial performance of the Contract. The Bank's obligations shall not be reduced by any failure by the Company to timely pay or perform any of its obligations under the Contract.
- 9. The Bank further unconditionally and unequivocally agrees with the Company that the Company shall be at liberty, without the Bank's consent and without affecting in any manner its rights and the Bank's obligation under this Guarantee, from time to time, to:
 - (i) Vary and/or modify any of the terms and conditions of the Contract;
 - (ii) Forebear or enforce any of the rights exercisable by the Company against the Contractor under the terms and conditions of the Contract; or
 - (iii) Extend and/or postpone the time for performance of the obligations of the Contractor under the Contract;

and the Bank shall not be relieved from its liability by reason of any such act or omission on the part of the Company or any indulgence shown by the Company to the Contractor or any other reason whatsoever which under the law relating to sureties would, but for this provision, have the effect of relieving the Bank of its obligations under this Guarantee.

- 10. This Guarantee shall be a continuing bank guarantee and shall not be discharged by any change in the constitution or composition of the Contractor, and this Guarantee shall not be affected or discharged by the liquidation, winding-up, bankruptcy, reorganization, dissolution or insolvency of the Contractor or any of them or any other circumstances whatsoever.
- 11. This Guarantee shall be in addition to and not in substitution or in derogation of any other security held by the Company to secure the performance of the obligations of the Contractor under the Contract.
- 12. NOTWITHSTANDING anything herein above contained, the liability of the BANK under this Guarantee shall be restricted to ______ (insert an amount equal to Five percent (05%) of the Contract Value) and this Guarantee shall be valid and enforceable and expire on ______ (pl. specify date) or unless a suit or action to enforce a claim under this Guarantee is filed against the Bank on or before the date of expiry.

13. On termination of this Guarantee, all rights under the said Guarantee shall be NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 2200000063] Bidder Seal & Signature

Page 108 of 115



forfeited and the Bank shall be relieved and discharged from all liabilities hereunder.

- 14. The Bank undertakes not to revoke this Guarantee during its validity except with the prior written consent of the Company and agrees that any change in the constitution of the Bank or the Contractor shall not discharge our liability hereunder.
- 15. Company may assign this Guarantee to any Person or body whether natural, incorporated or otherwise under intimation to the Bank. The Bank shall be discharged of its obligations hereunder by performance in accordance with the terms hereof to such assignee without verifying the validity / legality / enforceability of the assignment.

(Signature)		
(Name)		
(Designation with Bank Stamp)		
Attorney as per		
Power of Attorney No		
Date		
Beneficiary's bank detail with IFS 1. Name of the Bank:State Bank of I 2. Branch Name & Full Address:		
3. Bank Account No: 4. IFSC Code:	10277791808 SBIN0009601	
Vendor has to fill this form & submit	along with the PERFORMANCE E	3ANK GUARANTEE
1. Bank Email ID	Bank Phone No	
2. Where to Dispatched the BG -Loc	al Address of bank	
3. Where to Dispatched the BG Hea	d Office Address	
NIT No : CMC/BY/24-25/RS/SvS/VK/40		
RFx No: 220000063]	Page 109 of 115	Bidder Seal & Signature



<u>FORMAT – 4.3</u> NON-DISCLOSURE AGREEMENT

THIS NON-DISCLOSURE AGREEMENT ("Agreement") is made and entered into at Delhi on the _____ day of _____, 2024

By And Between

<u>M/s BSES Yamuna Power Limited</u>, a company registered under the Companies Act, 1956 and having its registered office at <u>Shaktikiran Building, Karkardooma, Delhi</u> <u>110032</u> (hereinafter referred to as the "Disclosing Party" which expression shall unless repugnant to the meaning and context mean and include its successors and permitted assigns) of the FIRST PART

And

______, a company incorporated under the Companies Act, 1956 and having its registered office at _______, (hereinafter referred to as the "Receiving Party" which expression shall unless repugnant to the meaning and context mean and include its successors and permitted assigns) of the OTHER PART

Disclosing Party and Receiving Party are hereinafter individually referred to as the "Party" and collectively as the "Parties".

WHEREAS the Disclosing Party is in discussions with the Receiving Party for Security Management Services ("Project") and the Disclosing Party may in conjunction with the aforesaid disclose to the Receiving Party information relating to their businesses which is confidential and sensitive in nature and the Receiving Party is willing to undertake to restrict the use and further disclosure of the information in accordance with the terms and conditions set out herein:

1. The "Receiving Party" acknowledges and confirms the confidential and sensitive nature of all information, documents and material relating to Persons and entities which may be accused of or related to the theft of electricity which is a penal offense under the provisions of the electricity act 2003As well as the various data and tools which may be available by way of documents as well as other modes of proof("Project") (i) that may be disclosed or made available to the Receiving Party by the Disclosing Party or its employees/ representatives/ advisors/ consultants; (ii)Receiving Party may gain or gather from any source; (iii) Receiving Party may process or arrive at during the course of the Project; (iv) Receiving Party may have come across during its discussions with any person in the course of the Project; and (v) all negotiations and discussions between the Parties relating to the Project (all the information referred to above is hereinafter referred to as the "Confidential"

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]



Information").

2. Confidential Information is understood to include but is not limited to information made available in written, machine recognizable, graphic or sample form including, without limitation, drawings, photographs, models, design or performance specifications, its analysis, compilations, studies, notes and all other information and data disclosed orally or visually which has been developed / is exclusive to the Disclosing Party and includes information provided in various meetings.

Provided, however, that Confidential Information shall not include information which (a) is, or becomes, publicly known, otherwise than through a wrongful act of the Receiving Party or its representatives; (b) is in the possession of the Receiving Party prior to receipt from the Disclosing Party or its representatives without an obligation of confidentiality; (c) is independently developed by the Receiving Party, provided that it was not derived from the Confidential Information; (d) is furnished to others by the Disclosing Party without restrictions, similar to those herein on the rights of such others to use or disclose; or (e) is approved in writing by the Disclosing Party for disclosure.

- 3. The Receiving Party shall not disclose the Confidential Information to any other person save and except with the express consent in writing given by the Disclosing Party. The Receiving Party, however, may disclose such part of the Confidential Information where (i) such disclosure is in response to a valid order of a court or any other governmental body having jurisdiction over this Agreement or (ii) such disclosure is otherwise required by law, provided that Receiving Party has given prior written notice to the Disclosing Party forthwith it came to learn about such disclosure requirement or the demand for such for disclosure and made all reasonable efforts to protect the Confidential Information with such disclosure.
- 4. The Receiving Party shall with reference to the Confidential Information take all actions as may be necessary to (i) maintain the confidentiality thereof; (ii) limit its use of such Confidential Information solely for the purpose of the Project; (iii) avoid disclosure even to any of its employees that are not associated with the Project; (iv)avoid any dissemination or publication by any of its employees/ representatives associated with the Project; (v) avoid writing about sensitive information which is disclosed verbally and is sensitive to the operations; and (vi) safeguard the Confidential Information from being accessed by any unauthorized person. Such actions shall include but not be limited to obtaining appropriate non-disclosure undertakings from its employees directly or indirectly engaged in the Project.
- 5. The Receiving Party hereby agrees to indemnify and hold harmless the Disclosing Party and its directors and employees from and against any damage, loss, cost or liability (including all expenses and costs of enforcing rights under the Agreement) arising out of or resulting from (i) any use or disclosure by the Receiving Party of Confidential Information in violation of the

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Bidder Seal & Signature

Page 111 of 115



Agreement; (ii) any leakage of the Confidential Information at the end of the Receiving Party or its employees/ representatives; and (iii) breach or violation of any of the other covenants herein.

- 6. The Receiving Party will, promptly upon the request of the Disclosing Party, deliver to the Disclosing Party, the documents comprising the Confidential Information or any part thereof and will destroy any copies, notes, or extracts thereof, without retaining any copy thereof, except that any portion of the Confidential Information that consists of analysis and any written Confidential Information not so requested and returned, shall be retained and kept subject to the terms of this Agreement, or upon the Disclosing Party's request destroyed (such destruction to be confirmed in writing).
- 7. The term of this Agreement is 05 month from the date of execution of this Agreement. However, the obligation to maintain confidentiality of the Disclosing Party's information shall survive the termination of this Agreement. Any violation of this agreement may lead to termination of all the relations with the Receiving party and black listing/ debarring of the Agency for future engagements.
- 8. This Agreement shall be governed by the laws of India. Any dispute, difference or claim related to or arising under, out of or in connection with this Agreement shall be resolved subject to the jurisdiction of Delhi Courts.

For the Disclosing Party

Authorized Signatory Name: Designation:

For the Receiving party

Authorized Signatory Name: Designation:



NO DEVIATION DECLATATION

NO DEVIATION –A(Technical) NIT NO & DATE:

DUE DATE OF TENDER:

We hereby accept all terms and conditions of the technical scope of work as mandated in the tender documents subject to the following deviations as mentioned against the applicable technical qualifying requirement:

S.NO.	SL.NO SPECIFICAT	OF ION/SCOPE OF	TECHNICAL WORK	DEVIATIONS,	IF ANY

SIGNATURE & SEAL OF BIDDER

NAME OF BIDDER

Note-The above template is indicative only, May vary depending on the nature of procurement/value.

NO DEVIATION –B(Commercial)

NIT NO & DATE:

DUE DATE OF TENDER:

We hereby accept all terms and conditions of the commercial requirement as mandated in tender document subject to the following deviations as mentioned against the applicable commercial qualifying requirement:

S.NO.	S. NO OF COMMERCIAL REQUIREMENTS	DEVIATIONS, IF ANY

SIGNATURE & SEAL OF BIDDER

NAME OF BIDDER

<u>Note:-</u>It is important to explicitly include all such terms and conditions which are considered absolutely necessary to be accepted by bidder without any deviation. Tender document shall have a stipulation that deviation to such criteria shall make the bid liable for rejection.

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Page 113 of 115



BIDDER'S COMMUNICATION DETAILS

Bidder should furnish the below details for future communication: -

	GENERAL INFORMATION	
NAME OF Company		
POSTAL ADDRESS		

FOR TECHNICAL QUERY:		
CONTACT PERSON & DESIGNATION	NAME	DESIGNATION
E-MAIL	MOBILE NO	TELEPHONE NO

FOR COMMERCIAL QU	ERY:	
CONTACT PERSON & DESIGNATION	NAME	DESIGNATION
E-MAIL	MOBILE NO	TELEPHONE NO

Note: No communication shall be entertained from any other email id, except as mentioned above. Bidder needs to inform the company if any changes in the email id on their letterhead duly signed by the authorized signatory.

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Bidder Seal & Signature

Page 114 of 115



FORMATE OF WORK COMPLETION CERTIFICATE

Work completion certificate No. Date :

•

Subject: Contract with M/s. ______for _____

Reference

1. Work Order No.----- Dated------

2. Work Execution Intimation/WO no. ----- dated ------

This is to certify that M/s._____have carried out _____ work and

The work has been / has not been carried out as per safety norms , regulations , norms laid down by MCD/DDA/NCD/ANY OTHER statutory bodies. There has not been / has been cause for levy of penalty by MCD/DDA/NCD/ANY OTHER statutory bodies. The amount of penalty has been worked out at Rs.------.

- 2.0 The work has/ has not been completed within stipulated time period.
- 3.0 The debris has been removed from site.
- 4.0 All safety norms have been complied while carrying out the work.

Regards,

Engineer-In-Charge

BYPL

Name, Title & Sign Circle & District

NIT No: CMC/BY/24-25/RS/SvS/VK/40 [RFx No: 220000063]

Bidder Seal & Signature

Page 115 of 115